

WE HAVE THREE UNITS **GMP CERTIFIED & WHO GMP COMPLIANT, DOSSIER / COPP / FREE SALES**  
**CERTIFICATE / NUTRAL CODE & PRODUCT BAR CODING CAN BE ARRANGED FOR EXPORT ORDERS**  
**IN INJECTABLES. OUR TABLETS UNIT IS NEW UNIT & ITS GMP - WHO COMPLIANT & GMP CERTIFIED**

UNIT - 1

**B**BETA-LACTAM

INJECTABLE

UNIT 2 &  
3

**N**ON - BETA - LACTAM & **H**ORMONAL

TABLETS & OTHER SECTIONS

### Our Business Overview... Brief profile

We take pride in introducing ourselves as the distinguished manufacturers of Pharma Formulations.

Our Product Range... We present a wide range of quality products that includes:

## 1 **H**ormonal (COMPLETE RANGE)

2 ANTI - BIOTIC

3 ANTI-DIABETIC

4 CARDIOVASCULAR & LIPID LOWERING AGENT

5 HYPERTENSIVES & ANTICHOLLESTROL

6 TRANQUILISERS, ANTI DEPRESSENTS & ANTIPSYCHOTICS

7 ANTI-ASTHAMATICS

8 COUGH & COLD PRODUCTS

9 ANTI-INFLAMMATORIES & PAIN MANAGEMENT

- 10** NUTRITIONAL PRODUCTS
- 11** SEXUAL DYSFUNCTIONING PRODUCTS
- 12** ANTI-OBESITY
- 13** ANTACIDS & H2 RECEPTOR PRODUCTS
- 14** RESPIRATORY & ASTHAMATICS
- 15** ANTI - VIRAL
- 16** ANTI - ALLERGY
- 17** AND MANY MORE AROUND 5000 FORMULATIONS

**SHORTLY GOING TO START FOLLOWING SEGMENTS / PREPARATIONS ALSO**

- 18** SOFT GELATINS
- 19** I.V. FLUIDS
- 20** SACHETS / PROTIEIN POWDER (COMPLETE RANGE LIKE FOR OSTEOPOROSIS / PREGNANT MOTHERS / FOR KIDS / CANCER PATIENTS / DIABETIC & CARDIAC PATIENTS & OTHERS
- 21** HERBALS (COMPLETE RANGE) INCLUDING CHAVAN PRASH.
- 22** INHALERS FOR ASTHAMATIC PEOPLE (METERED DOSE)
- 23** BODY ORTHO AID / RE-HABILITATION PRODUCTS

## **Our- infrastructure**

Solitaire is supported by a team of skilled and experienced people. Our technology, quality and production systems are fully integrated and we continually upgrade and expand to ensure customers to get what they want. The company's state - of - art of technology with the latest infrastructure has facilitated us to manufacture dependable quality products. . The vast experience and profound knowledge, backed by highly professional staff , has enabled this company to deliver the quality product.

## Our-Quality

Total commitment and quality consistency is our main concern. The professionally managed company comprised a team of Quality Controllers. The products are properly monitored under stringent quality standards. We believe quality has no end and to win the trust and confidence of the customers we must maintain quality at all levels.

## Our-Clientele

We deliver our valued products to many regions . All the products we manufacture, have received overwhelming response.

## Our Services

We take up contract manufacturing, Neutral label only for exports ,Loan licence / Third party for Allopathics

## SITE MASTER PLAN

For detailed information regarding plant & machinery, u pls refer our site master plan enclosed herewith for your ready reference



Works : Plot No. 25, HPSIDC - Industrial Area, Extension-1, Baddi - 173 205 (H.P.)  
 Regd. Off. : Industrial Area, Phase-II, Chandigarh - 160002, India,  
 E-mail : sales@solitairepharmacia.com, solitaire129@yahoo.com; Phone : 91-172-4237708-709 Fax : 91-172-4600087  
**GMP CERTIFIED & WHO-GMP COMPLIANT**



Registered Member of  
 (DUN & BRAD STREET  
 CORPORATION U.S.A.)  
 D & B D-U-N-S  
 Number 91-506-9586

| HORMONAL / STEROIDS - SECTION                   | DOSAGE | INDICATION /<br>PHARMACOLOGICAL<br>CLASSIFICATION /<br>DETAILS |
|---|--------|--|
| <b>CATEGORY - A</b>                             |        |  |
| Allyloestrenol 5 / 25mg                         | TAB    |  |
| Letrozole 2.5 mg. & 5 mg.                       | TAB    |  |
| Bromocriptine Mesylate 1.25 mg & 2.5 mg         | TAB    |  |
| Cabergoline 0.5 mg. / 1MG                       | TAB    |  |
| Clomiphene Citrate 25 / 50 / 100mg              | TAB    |  |
| Conjugated Estrogens 0.625 / 1.25 mg            | TAB    |  |
| Danazol 50 / 100 / 200 mg                       | TAB    |  |
| Exemestane 25mg.                                | TAB    |  |
| Finasteride 1/ 5mg                              | TAB    |  |
| Fludrocortisone Acetate 100mg                   | TAB    |  |
| Hydrocortisone 5/ 10 /20mg                      | TAB    |  |
| Isoxsuprine 10/40 mg.                           | TAB    |  |
| Levonorgestrel +Ethinyl Estradiol 0.25 / 0.05mg | TAB    | (Emergency Contraceptive Pill)                                 |
| Levonorgestrel +Ethinyl Estradiol 0.15 / 0.03mg | TAB    | (Emergency Contraceptive Pill)                                 |
| Levonorgestrel 0.3Mg                            | TAB    | For Control Of Fertility ( Emergency Contraceptive)            |
| Levonorgestrel 1.5 mg                           | TAB    | (Emergency Contraceptive Pill)                                 |
| Medroxy Progesterone Acetate 2.5 / 5 / 10       | TAB    |  |
| Megesterol Acetate 40mg.                        | TAB    |  |
| Melatonin 3mg                                   | TAB    |  |
| Mesterolone 25mg                                | TAB    |  |

| HORMONAL TABLETS                                    | DOSAGE | INDICATION /<br>PHARMACOLOGICAL<br>CLASSIFICATION /<br>DETAILS |
|---|--------|--|
| Methylergometrin 0.125Mg                            | TAB    |  |
| Mifepristone 200mg (Abortion Pill)                  | TAB    |  |
| Misoprostol 100 mcg/ 200 mcg.                       | TAB    |  |
| Natural Micronised Progesterone 100 / 200mg         | TAB    |  |
| Norethisterone 5mg                                  | TAB    |  |
| Oxandrolone 2.5 / 10mg.                             | TAB    |  |
| Ritodrine Hcl 10Mg                                  | TAB    |  |
| Thyroxine Sodium 0.05 / 0.1mg.                      | TAB    |  |
| Tibolone 2.5mg                                      | TAB    |  |
| Gamolenic acid 40 / 80mg                            | TAB    |  |
| Hydergine 4.5mg.                                    | TAB    |  |
| Hydroxy Progesterone 250 /500 mg.                   | TAB    |  |
| Letrozole 2.5 mg. & 5 mg.                           | TAB    |  |
| Methandionone 10mg.                                 | TAB    |  |
| Methandrostenolone 25mg.                            | TAB    |  |
| Drospirenone 3Mg + Ethynlestradiol 0.03Mg           | TAB    |  |
| Dydrogesterone 10mg                                 | TAB    |  |
| Estradiol + Norgestimate 1 mg 1 mg / 0.09 mg        | TAB    |  |
| EthinyI Oestradiol 0.01/ 0.02 / 0.1 / 0.05 / 1 /2mg | TAB    |  |

| HORMONAL TABLETS   | DOSAGE | INDICATION /<br>PHARMACOLOGICAL<br>CLASSIFICATION /<br>DETAILS   |
|--|--------|--|
| CATEGORY - B   |        |  |
|  |        |  |
| Methyl Testosterone 3.6 / 1mg  | TAB    |  |
| Bromocriptine Mesylate 1.25 mg & 2.5 mg                              | TAB    |  |
| Cabergoline 0.5 mg. / 1MG  | TAB    |  |
| Clomiphene Citrate 25 / 50 / 100mg                                   | TAB    |  |
| Conjugated Estrogens + Medroxyprogesterone                           | TAB    |  |
| Cyproterone Acetate 50 / 100mg                                       | TAB    |  |
| Dehydroepiandrosterone (DHEA)  | TAB    |  |
| Desogestrol + Ethinylestradiol 0.15 / 0.02mg                         | TAB    |  |
| Ethinylestradiol 10 / 50mcg  | TAB    |  |
| Ethinylestradiol + Cyproterone Acetate 0.035mg / 2mg                 | TAB    |  |
| Oestradiol 1mg   | TAB    |  |
| Propylthiouracil 50mg  | TAB    |  |
| Stanozolol 2.5 / 10mg.   | TAB    |  |
| Ethinyl Oestradiol + Methyltestosterone 4.4mcg / 3.6mg               | TAB    |  |
| Letrozole 2.5 mg   | TAB    | For induction of ovulation in an ovulatory infertility   |
| Drospironone (3mg) + Ethinylestradiol (0.035mg tablet)               | TAB    | Oral Contraceptive   |
| Etonogestrel (11.7mg) + Ethinylestradiol (2.7mg) Contraceptive rings | TAB    |  |
| Vitamin C 500mcg + Zinc Citrate 2.2mg + Selenium 60mcg tablet.       | TAB    | (For Contraceptive in women)   |
| Levocetirizine 5mg + Ambroxol Hydrochloride SR (75mg) tablet         | TAB    | (For production cough)   |
| Levonorgestrel 0.03mg tablet   | TAB    | (For control of fertility)   |
| Mecobalamine 500mcg + Alpha Lipoic acid 100mg                        | TAB    | (For diabetic neuropathy)  |
| MISOPROSTOL 25 / 100 / 200 mcg.                                      | TAB    | (For cervical ripening, prevention of post partum heamorrhage & first trimester of abortion with mifepristone) |
| AMPICILLIN 250MG + DICLOXACILLIN 250 MG                              | TAB    |  |
|  |        |  |
| AND MANY MORE  |        |  |

|  |  |  |
|--|--|--|
|  |  |  |
|--|--|--|



Works : Plot No. 25, HPSIDC - Industrial Area, Extension-1, Baddi - 173 205 (H.P.)  
 Regd. Off. : Industrial Area, Phase-II, Chandigarh - 160002, India,  
 E-mail : sales@solitairepharmacia.com, solitaire129@yahoo.com; Phone : 91-172-4237708-709 Fax : 91-172-4600087  
**GMP CERTIFIED & WHO-GMP COMPLIANT**



Registered Member of  
 (DUN & BRAD STREET  
 CORPORATION U.S.A.)  
 D & B D-U-N-S  
 Number 91-506-9586

| CATEGORY - A (FAST MOVING & LATEST)                    | DOSAGE | INDICATION /<br>PHARMACOLOGICAL<br>CLASSIFICATION /<br>DETAILS         |
|--|--------|--|
| Faropenem 200mg  | TAB    | Anti-Biotic  |
| Moxifloxacin 400mg                                     | TAB    | Anti-Biotic  |
| Cefixime 200 Mg + Clav 125 Mg                          | TAB    | Anti-Biotic  |
| Cefixime 50 / 100 / 200 / 400 Dispersible              | TAB    | Anti-Biotic  |
| Cefuroxime Axetil 250 / 500                            | TAB    | Anti-Biotic  |
| Cefpodoxime 50 / 100 / 200 Sweet flavoured Dispersible | TAB    | Anti-Biotic  |
| Cefixime 200mg + Erdosteine 300mg                      | TAB    | Acute Exacerbation of chronic bronchitis                               |
| Cefpodoxime 200 Mg + Clav 125 Mg                       | TAB    | Anti-Biotic  |
| Amoxicillin 500mg + Clavlanic acid 125mg               | TAB    | Anti-Biotic  |
| Aceclofenac 100mg (sweet flavoured dispersible)        | TAB    | For Pain Management  |
| Ebastin 5 / 10mg                                       | TAB    | Anti_allergic  |
| Tadalafil citrate 10 / 20 mg                           | TAB    | For Erectile Dysfunction ( For Long enjoyment of Sex)                  |
| Etoricoxib 60 / 90 /120                                | TAB    | For Pain Management  |
| Dexrabeprazole 5 / 10mg                                | TAB    | For duodenal ulcer, gstric ulcer and GERD                              |
| Omeprazole 20 / 40 mg + Sodium Bicarbonate 1100mg      | TAB    | For duodenal ulcer, gstric ulcer and GERD ( for Instant / fast Relief) |
| Tolterodine Tartrate 4mg + Tamsulocin 0.4 mg           | TAB    | For BPH with Overactive Bladder  |
| Alfuzocin Hcl 10mg + Dutasteride 0.5mg                 | TAB    | For BPH in men with enlarged prostate                                  |
| Renolazine (ER) 500mg                                  | TAB    | For Chronic Angina   |



**C**ATEGORY - A (FAST MOVING & LATEST)

**D**OSAGE

**I**NDICATION /  
**P**HARMACOLOGICAL  
**C**LASSIFICATION /  
**D**ETAILS

|   |     |   |
|---|-----|---|
| Cefditorene Pivoxil 30/50mg (Sweet Flavoured Dispersible)       | TAB | Anti-Biotic   |
| Glimepiride 1/2mg + Metformin 100mg (SR)                        | TAB |   |
| Aliskiren 150 / 300 mg  | TAB | For hypertension  |
| Citicholin 200mg / 500mg (chewable)                             | TAB |   |
| Eplerstat 50mg  | TAB | For abnormality of vibration sense and abnormal change in heart rate associated with diabetic peripheral neuropathy |
| Varenicline Tartrate 0.5 / 1mg                                  | TAB | As an adi to smoking cessation treatment in adults  |
| Acitretin   | TAB | For severr psoriasis in adults.   |
| Aprepitant 40mg   | TAB | For prevention of post-operative nausea & vomitin   |
| Baclofen 10 / 30 mg & 45 & 60 mg SR                             | TAB | For Spasticity / Muscle-Relaxant  |
| Calcium polycarbophil 500mg                                     | TAB | For constipation  |
| Cefixime 50 / 100 / 200 / 400 Dispersible                       | TAB | Anti-Biotic   |
| Citicholin 200 / 500mg Chewable & 750 Plain                     | TAB |   |
| Deflazocart 1/6/ 30 mg  | TAB | Anti-asthma, Anti_Arthritis   |
| Dexibuprofen 200/300/400mg + Pcm 500mg                          | TAB | Better than Ibuprofen / For RA (Rheumutoid arthritis) / OA (Osteo-Arthritis) & Ankolysing spondylosis               |
| Diclo Pot. 75 / 50 mg + Misoprostol 200 mcg                     | TAB | For Osteoarthritis & Rheumatoid Arthritis   |
| Eperisone hcl 50mg  | TAB | For neck-shoulder / low back pain   |
| Esomeprazole 40mg + Domperidone 30mg (SR)                       | TAB |   |
| Esomeprazole 40mg + itopride 150mg                              | TAB |   |
| Etodolac 400 / 500 (ER)   | TAB | For Osteoarthritis / Rheumatoid arthritis   |
| Ferrous Ascorbae 50Mg + Folic Acid 1.5Mg + Zinc Sulphate 61.8Mg | TAB |   |
| Gemifloxacin 320 Mg   | TAB |   |
| Hyoscine-N-Butylbromide 10mg + Paracetamol 500mg                | TAB | For spasmodic pain  |

**C**ATEGORY - A (FAST MOVING & LATEST)**D**OSAGE**I**NDICATION /  
**P**HARMACOLOGICAL  
**C**lassification /  
**D**etails

|  |     |   |
|--|-----|---|
| Letrozole 2.5mg  | TAB | For induction of ovulation in anovulatory infertility                                     |
| Levocetirizine 2.5 (Sweet Flavoured Dispersible)   | TAB |   |
| Levofloxacin 500mg + Ambroxol 60mg plain / 75 mg (SR)  | TAB | For lower Respiratory Infection in adults   |
| Azithromycin 500mg + Ambroxol 60 plain / 75mg (SR)   | TAB | For RTI caused by susceptible organisms in adults   |
| Levosulpride 25 mg   | TAB | For. Gastric Irritation problems/ dyspepsia / nausea, vomiting and diabetic Gastroperisis |
| Linezolid 600 Mg (Superior Than Cefpodoxime)   | TAB |   |
| Lornoxicam 4 / 8 mg  | TAB | For Osteoarthritis / Rheumatoid arthritis   |
| Lumiracoxib 100 / 200 / 400mg  | TAB | for OA / RA acute pain & primay dysmenorrhoea   |
| Mebeverine Hcl 135 mg + Chlordiazepoxide 5mg   | TAB | For Irritable Bowl Syndrome (for IBS)   |
| Mecobalamin / Methylcobalamine 1500 Mcg + Folic Acid 1.5 Mg + B6 3 Mg + Alpha Lipoic Acid 100 Mg | TAB |   |
| Mecobalamin 1500 Mcg & 500 MCG   | TAB |   |
| Mecobalamin 500mcg + Gabapentine 300mg   | TAB |   |
| Metaxalone 400mg + Diclo pot. 50mg   | TAB | Muscle Relaxtant  |
| Methylcobalamine / Mecobalamin 1500Mcg + Pyridoxine 20Mg + Folic Acid 5Mg                        | TAB |   |
| Nitazoxanide 500mg + ofloxacin 200mg   | TAB | For Urogenital infection in adults  |
| Olopatadine Hcl 2.5 / 5 mg   | TAB | Allergic Nasal inflammation hives, itching with skin diseases                             |
| Orlistate 120mg  | TAB | Anti-obesity  |
| Oxandrolone 2.5 / 10mg   | TAB | To promote / for Weight Gain  |
| Pantoprazole 20 / 40 mg + Itopride 150mg   | TAB |   |
| Pantoprazole 40mg + Sodium bicarbonate   | TAB |   |
| Rabeprazole 20 Mg + Itopride 150 Mg  | TAB |   |
| Rabeprazole 20 mg + Sodium biocarbonate  | TAB |   |

**C**ATEGORY - A (FAST MOVING & LATEST)

**D**OSAGE

**I**NDICATION /  
**P**HARMACOLOGICAL  
**C**lassification /  
**D**etails

|   |      |   |
|---|------|---|
| Racecadotril 10 / 30 mg (Sweet Flavoured Dispersible)   | TAB  | For Diarrhea  |
| Rebamipide 100mg  | TAB  | For gastric ulcer   |
| Rifaximine 200mg  | TAB  | For infections (anti-biotic) / diarrhea in adults   |
| Rupatadine 10mg   | TAB  | For perinial allergic rhinitis  |
| Tiopropramide Hcl 100mg   | TAB  | Anti-Spasmodic / for abdominal pain   |
| Voglibose 0.2 / 0.3 mg  | TAB  | Anti-Diabetic   |
| Voriconazole 50 / 200mg   | TAB  | Anti -Fungal  |
| Misoprostol 200mg   | TAB  | For Gyne ( for cervical ripening, prevention of post Martum Haemorrhage & first trimester of abortion with mifepristone |
| Mifepristone 200mg  | TAB  | For termination of pregnancy upto 49 days (for TMP)   |
| Levonorgestrel 1.5mg  | TAB  | Oral Contraceptive Tablets ( 1tab for   |
| Levonorgestrel 0.3mg  | TAB  | Oral Contraceptive Tablets ( 21 tab strip)  |
| Aceclofenac 100 Mg + Paracetamol 500 Mg   | TAB  |   |
| Aceclofenac 100 Mg + Paracetamol 500 Mg + Serratiopeptidase 15 Mg   | TAB  |   |
| Aceclofenac 100 Mg + Pcm 500Mg + Chlorzoxazone 250Mg  | TAB  |   |
| Aceclofenac 100Mg + Serratiopeptidase 10Mg  | TAB  |   |
| Acyclovir 200/800 Mg Dispersible (Anti-Viral)   | TAB  |   |
| Alfacalcidol 0.25 Mcg + Calcium Carbonate 500 Mg + Zinc 7.5 Mg + Vitamin A 2500 I.u.                                  | TAB  |   |
| Artemether 20 + Lumefantrine 120 (FOR <b>K</b> Id USE)  | TAB  |   |
| Azithromycin 100 Mg-Flavoured Dispersible / 250 / 500   | TAB  |   |
| Baclofen 10Mg Plain & 30Mg / 45 / 60 (Sr) Muscle Relaxant   | TAB  |   |
| Biotin 5 Mg + Calcium Pantothenate 100 Mg. + Selenium 65 Mcg. + Copper 2 Mg.+ Zinc 22.5 Mg. + N-Acetylcysteine 50 Mg. | TAB  |   |
| Calcitriol 0.25 Mcg + Calcium CITRATTE MALEATE 500 Mg + Zinc 7.5 Mg   | TAB  |   |
| Carbonyl Iron 100 Mg + Zinc 61.8 Mg + Folic Acid 1.5 Mg + Vitamin C 75 Mg + Vitamin B12 15 Mcg                        | CAPS |   |

**C**ATEGORY - A (FAST MOVING & LATEST)

**D**OSAGE

**I**NDICATION /  
**P**HARMACOLOGICAL  
**C**LASSIFICATION /  
**D**ETAILS

|   |     |  |
|---|-----|--|
| Cefixime 200 Mg + Clav 125 Mg   | TAB |  |
| Cefpodoxime 200 Mg + Clav 125 Mg (A-Adults)   | TAB |  |
| Ciprofloxacin 1000 (Sr)   | TAB |  |
| Ciprofloxacin 500 Mg  | TAB |  |
| Ciprofloxacin 500Mg + Ornidazole 500Mg  | TAB |  |
| Clarythromycin 250/500Mg  | TAB |  |
| Clindamycin 100 Mg + Miconazole 200 Mg = V <sub>AGINAL</sub> TAB  | TAB |  |
| Clindium Bromide 2.5 Mg + Chlordiazepoxide 5 Mg + Dicyclomine 10Mg  | TAB |  |
| Clomifen Citrate 25/50/200 Mg   | TAB |  |
| Danazol 50/100/200 Mg   | TAB |  |
| Diacerein 50 Mg   | TAB |  |
| Diacerine 50Mg + Glucosamine Sulphate 500Mg + Methyl Sulfonyl Methane (Msm) 200 Mg + Methylcobalamin 200Mcg (Perfect For Osteoarthritis / To Refill Joints & Cure Joints Pain.) | TAB |  |
| Diclo Pot. 100Mg Sustained Release  | TAB |  |
| Domeperidone 30Mg (Sr) + Rabeprazole 20Mg   | TAB |  |
| Domperidone 30Mg (Sr) + Pantoprazole 40Mg   | TAB |  |
| Doxophylline 400 Mg   | TAB |  |
| Doxylamine 10 Mg + Pyridoxine 10 Mg + Folic Acid 2.5 Mg   | TAB |  |
| Drotaverine 80 Mg + Nimesulide 100 Mg   | TAB |  |
| Gabapentin 300Mg + Methylcobalim 500 Mcg  | TAB |  |
| Gatifloxacin 400 Mg + Ambroxol 30 Mg  | TAB |  |
|   |     |  |
| Iron (Iii) Hydroxide Polymaltose Complex 100Mg + Folic Acid 350 Mcg (Chewable Tab)  | TAB |  |
| Isoxsuprine 40Mg (Sr)   | TAB |  |
| Ketoconazole 200 Mg   | TAB |  |
|   |     |  |
| Levocetizine 5Mg + Phenylpropanolamine 25Mg + Paracetamol 500Mg + Ambroxol 60Mg   | TAB |  |
| Levofloxacin 500 Mg   | TAB |  |
| Loratidine 10 Mg (Mouth Dissolving)   | TAB |  |

| L-Ornithine-L-Aspartate 150 Mg + Pancreatin 100 Mg  | TAB    |  |
|---|--------|--|
| CATEGORY - A (FAST MOVING & LATEST)   | DOSAGE | INDICATION /<br>PHARMACOLOGICAL<br>CLASSIFICATION /<br>DETAILS |
| Lycopene 10% 5000 Mcg + Betacarotene 20% 10 Mg+ Zinc 7.5 Mg + Vitamin E 25 I.u. + Vitamin C 50 Mg + Selenium 75 Mcg.  | CAPS   |  |
| Lycopene 1000 Mcg + Vit A 2500 Iu + Vit E 10 Iu + Vit C 50 Mg + Selenium 35 Mcg + Zinc 3 Mg + Manganese 2 Mg + Iodine 10 Mg + Copper + Vit B1 + B2 + B6 / 10 MI (Syrup) | CAPS   |  |
| Lycopene 6000 Mcg + Selenium 100 Mg + Alpha Lipoic Acid 50 Mg + Lutein 0.5 Mg + Chromium Picolinate 200 Mcg   | CAPS   |  |
| Mecobalime 1500 Mcg & 500 MCG (SUBLINGUAL)  | TAB    |  |
| Methylprednisolone 4/16 Mg  | TAB    |  |
| Montelukast 5/10 Mg   | TAB    |  |
| Moxifloxacin 400Mg  | TAB    |  |
| Nimesulide 100 Mg (Mouth Dissolving)  | TAB    |  |
| Nimesulide 100 Mg + Dicyclomine 20 Mg   | TAB    |  |
| Nimesulide 100 Mg + Paracetamol 500 Mg  | TAB    |  |
| Nimesulide 100Mg + Serratiopeptidase 15 Mg  | TAB    |  |
| Ofloxacin 200 Mg  | TAB    |  |
| Ondansetron 4/8 Mg  | TAB    |  |
| Pantoprazole 40 Mg  | TAB    |  |
| Pantoprazole 40 Mg + Domperidone 30 Mg(Sr)  | TAB    |  |
| Pantoprazole 40Mg + Clarithromycin 250 Mg + Metronidazole 400Mg   | TAB    |  |
| Pantoprazole 40Mg + Itopride 150Mg (Sr)   | TAB    |  |
| Piroxicam 20 Mg Dispersible   | TAB    |  |
| Prebiotic + Probiotic + L- Glutamine  | TAB    |  |
| Rabeprazole 20 Mg   | CAPS   |  |
| Rabeprazole 20 Mg + Itopride 150 Mg   | TAB    |  |
| Roxithromycin 150 Mg + Ambroxol 30 Mg   | TAB    |  |
| Serratiopeptidase 10 Mg   | TAB    |  |
| Tramadol 50 Mg + Pcm 350 Mg   | TAB    |  |
| Tranexamic Acid 500 + Mefenamic Acid 250 Mg   | TAB    |  |

**C**ATEGORY - A (FAST MOVING & LATEST)

**D**OSAGE

**I**NDICATION /  
**P**HARMACOLOGICAL  
**C**LASSIFICATION /  
**D**ETAILS

**C**ATEGORY - B

Albendazole 400Mg + Livamesole 150Mg

TAB

Azithromycin 1 Gm (1Tab + Fluconazole 150Mg (1Tab) + Secnidazole 1Mg (2 Tab) **Vaginal Kit**

TAB

Calcium Carbonate 1250 Mg + Vitamin D3 250 I.u.

TAB

Calcium Dobisilate 500 Mg.

TAB

Carbonyl Iron 50 Mg + Zinc 61.8 Mg + Folic Acid 0.5 Mg

TAB

Cefixime 200 Mg (Dispersible)

TAB

Cefixime 200Mg + Ofloxacin200 Mg

TAB

Cefixime 400 Mg

TAB

Cefpodoxime 50/100/200 Mg

TAB

Cefuroxime 250 / 500A Lethal Weapon Over Pathogens)

TAB

Cinnarizine 20 Mg + Domperidone 15 Mg

TAB

Ciprofloxacin 500 Mg + Tinidazole 600 Mg

TAB

Dicloenac Pot. 50Mg + Pcm 500Mg + Chlorzoxazone 15 Mg

TAB

Diclofenac Pot. 50 Mg + Serratiopeptidase 10 Mg + Paracetamol 500 Mg

TAB

Drotaverine 80 Mg + Mefenamic Acid 250 Mg

TAB

Duloxetine 60Mg / 20 / 40

TAB

Ebastine 5 / 10MG

TAB

Esomeprazole 40 Mg

TAB

Eszopiclone 1 2 3 Mg For Insomnia

TAB

Etoricoxib 60/90/120

TAB

Fluconazole 150 Mg (Anti-Fungal)

TAB

Gatifloxacin 400 + Ambroxol 75 (Sr)

TAB

Gatifloxacin 200Mg + Ornidazole 500Mg For diarrhoea of mixed infection in adults

TAB

Itopride 150Mg (Sr)

TAB

Ivermectin 6/12 Mg

TAB

**C**ATEGORY - A (FAST MOVING & LATEST)

**D**OSAGE

**I**NDICATION /  
**P**HARMACOLOGICAL  
**C**LASSIFICATION /  
**D**ETAILS

|   |      |   |
|---|------|---|
| Levocetirizine 5 Mg   | TAB  |   |
| Levofloxacin 250 Mg + Ornidazole 500Mg  | CAPS |   |
| Mecobalamin 1000 Mcg + Alpha Lipoic Acid 50 Mg + Folic Acid 5 Mg + Selenium 163.6 Mcg + Vit E-25 lu + Betacarotene 10.33 Mg (15%) + Vit B1-10 Mg + Vit B6-1.5 Mg + Calcium D-Pantothenate 10 Mg | TAB  |   |
| Mefenamic 250 Mg + Dicyclomine 20 Mg  | TAB  |   |
| Metronidazole 400Mg + Diloxanide Furoate 500Mg + Dicyclomine 10Mg + Activated Polydimethyl Siloxane 25 Mg   | TAB  |   |
| Nitazoxanide 500Mg  | TAB  |   |
| Ofloxacin 100Mg (Kid) Dispersible   | TAB  |   |
| Ofloxacin 200 Mg + Ornidazole 500 Mg  | TAB  |   |
| Ofloxacin 200Mg + Nitazoxanide 500  | TAB  |   |
| Ofloxacin 400 Mg  | TAB  |   |
| Omeprazole Magnesium 20 Mg + Dom 10 Mg TAB  | TAB  |   |
| Omeprazole Magnesium 20 Mg TAB  | TAB  |   |
| Pregabalin 75 / 150 / 300 Mg  | TAB  |   |
| Rabeprazole 20 Mg + Dom 30 Mg (Sustained Release)   | TAB  |   |
| Silimarin 70Mg +L-Ornithine - L-Aspartate 250Mg+Thiamine 5Mg + Riboflavin 5Mg + Pyridoxine 3 Mg + Niacinamide 50Mg + Cal-.d Panto 10Mg+ B 12 10Mcg + (Liver Corrective Tab)                     | TAB  |   |
| Sodium Feredetate 231 Mg. + Folic 1.5 Mg. + B12 15 Mcg.   | TAB  |   |
| Sucralfate 1 Gm (Chewable)  | TAB  |   |
| Tadalafil 10 / 20Mg   | TAB  |   |
| Tranexamic Acid 250Mg + Ethamsylate 250Mg   | TAB  |   |
| Tranexamic Acid 250Mg + Mefenamic Acid 250Mg  | TAB  |   |
| Trypsin Chymotrypsin 1 Lac lu   | TAB  |   |
| Ursodeoxycholic Acid 500Mg (Sr) 300 / 150   | TAB  | For dissolution of gall stones              |
| Vitamin C 500 Mg + Zinc Citrate 2.2 Mg + Selenium 60 Mcg  | TAB  | (FOR DERMATOLOGIT / GYNE / SKIN SPECIALIST) |

| CATEGORY - A (FAST MOVING & LATEST)  | DOSAGE | INDICATION /<br>PHARMACOLOGICAL<br>CLASSIFICATION /<br>DETAILS                            |
|--|--------|---|
| Everolimus Tablets (0.25 mg/ 0.5 mg/0.75 mg/1.0 mg)                                  | TAB    | Immunosuppressant   |
| Valdecoxib (20 mg) + Paracetamol (500 mg) tablet                                     | TAB    | For pain relief in adults.  |
| ACECLOFENAC 200MG (SR)   | TAB    |   |
| Acitretin  | TAB    | For sever psoriasis in adults.  |
| Ambroxol HCl 75mg (S.R) + Desloratadine 5mg Capsule.                                 | TAB    | For relief of productive cough.   |
| Aminophylline CR 225/350mg   | TAB    | Asthma, COPD, Bronchitis  |
| ASPIRIN 75/150MG + GLYCINE 37.5/75MG   | TAB    | FOR PREVENTION OF ACUTE CORONARY SYNDROME IN PATIENTS WITH CAD PROPHYLAXIS AGAINST STROKE |
| Atomoxetine (as HCl) Sachet (10/18/25/40mg)  | TAB    | For ADHD  |
| Calcium Polycarbophil (500mg) Tablet   | TAB    | IRRITABLE BOWN SYNDROME   |
| Cefditeron (as pivoxil) 200mg tablet   | TAB    | Anti-biotic   |
| CEFIXIME 400MG DISPERSIBLE   | TAB    |   |
| Cifixime 200mg + Erdosteine 300mg Capsules   | TAB    | Acute Exacerbation of chronic bronchitis  |
| CLINDAMYCIN 300MG  | TAB    |   |
| Desloratadine (2.5mg) + Ambroxol (30mg) +Guiphenasine (50mg) + Menthol 1mg/5ml Syrup | TAB    | For productive cough  |
| DICLO POT. 50MG + PITOFENONE HCL 5MG + FENPIVERINIUM BROMIDE 0.1MG                   | TAB    |   |
| Domperidone (10mg) + Activaed dimethicone (125mg) chewable tablet                    | TAB    | For dyspepsia, colicy pain & GERD.  |
| Doxofylline Syrup (20mg/ml)  | TAB    | For bronchial asthma & COPD.  |
| Doxofylline Tablet (400mg)   | TAB    | For bronchial asthma & COPD.  |
| DOXYLAMINE 10MG + PYRIDOXINE 10MG + FOLIC ACID 2.5MG                                 | TAB    |   |
| EPERISONE HCL 50MG   | TAB    | FOR NECK-SHOULDER ORM SYNDROME& LOW BACK PAIN & ARTHRITIS                                 |
| ESOMEPRAZOLE 40MG (EC) + ITOPRIDE 150MG SR   | TAB    |   |
| FDC of Rabeprazole (20 mg) + Mosapride S.R. (15 mg) Tablet                           | TAB    | For GERD  |
| Feropenem Sodium (150mg/200mg) Tablet  | TAB    | Anti-bacterial  |



**C**ATEGORY - A (FAST MOVING & LATEST)

**D**OSAGE

**I**NDICATION /  
**P**HARMACOLOGICAL  
**C**LASSIFICATION /  
**D**ETAILS

|  |     |   |
|--|-----|---|
| FINASTERIDE 1 / 5 MG   | TAB |   |
| FRUSEMIDE 20MG + SPIRONOLACTONE 50MG                                     | TAB |   |
| HYDROXYZINE HCL 10MG   | TAB |   |
| Hyoscine-N-Butylbromide (10mg) + Paracetamol 500mg Tablet                | TAB | For spasmodic pain  |
| ISOXSUPRINE 40MG (SR)  | TAB |   |
| Lanthanum Carbonate Chewable tablet (250mg/500mg)                        | TAB | For the treatment of hyperphosphatemia.                       |
| MECOBALAMINE 500 MCG + GABAPENTINE 300MG                                 | TAB |   |
| Memantine HCl tablet 5 mg/10 mg.   | TAB | For dementia of Alzheimer's type                              |
| Metaxalone (400mg) + Diclofenac Potassium (50mg) tablet                  | TAB | For acute painful musculoskeletal condition in adult          |
| Methimazole Tablet ( 5mg/10mg)   | TAB | For hyperthyroidism.  |
| MINOCYCLINE 100MG / 50MG   | TAB |   |
| NIMESULDE 100MG + SERRATIOPEPTIDASE 15 MG                                | TAB |   |
| Pantaprazole sodium 20mg/40mg Tablet (with sodium bicarbonate As buffer) | TAB | For gAstric ulcer, duodenal ulcer, Z. E Syndrome, GERD        |
| Pantoprazole (as Sodium) (E.C) 40mg + Itopride (150mg) S.R               | TAB | For GERD  |
| Pregabalin (75/150/300mg)  | TAB | For neuropathic pain.   |
| Rabeprazole Sodium 20mg/10mg with sodium bicarbonate As buffer           | TAB | For Duodenal ulcer, G.U, Z.E.S. & GERD                        |
| Rebamipide 100 mg tablet   | TAB | For gastric ulcer   |
| RIFAXIMINE 200MG   | TAB | FOR INFECTIONS DIARRHEA IN ADULTS                             |
| Rupatadine (10mg) tablet   | TAB | For perinial allergic rhinitis                                |
| SILYMARINE 70 / 140MG  | TAB |   |
| Tamsulosin HCl (MR) 0.4mg + Dutasteride 0.5mg tablet                     | TAB | For BPH   |
| TIROPRAMIDE HCL 100MG  | TAB | FOR ABDOMINAL PAIN  |
| Torsemide 10mg + Amiloride 5mg tablets                                   | TAB | Edema Associated with congestive heart failure & hypertension |
| TRAMADOL 50MG MOUTH DISSOLVING   | TAB |   |

| <b>C</b> ATEGORY - A (FAST MOVING & LATEST)                                  | <b>D</b> OSAGE | <b>I</b> NDICATION /<br><b>P</b> HARMACOLOGICAL<br><b>C</b> LASSIFICATION /<br><b>D</b> ETAILS  |
|--|----------------|---|
| Tranexamic Acid (500mg) + Mefenamic acid (250mg) tablet                      | TAB            | For primary dysmenorrhoea and pain associated with menorrhagia in women   |
| <b>TRIAMCILONE 4MG</b>   | TAB            | May be used as replacement therapy (along with mineralocorticoid) in adrenal insufficiency, collagen diseases (systemic lupus erythematosus, some cases of rheumatoid arthritis), dermatological diseases (severe allergic conditions, dermatitis, psoriasis), severe inflammation of eye and adnexa (iritis, iridocyclitis, keratitis, retinitis, choroiditis, uveitis, optic neuritis, sympathetic ophthalmia), palliation of neoplastic diseases (acute childhood leukaemia, leukaemias and lymphomas in adults), hematological disorders (hemolytic anemia, thrombocytopenia), tuberculous meningitis, selective gastrointestinal disorders, nephrotic syndrome and rheumatic carditis. |
| Pantaprazole sodium 20mg/40mg Tablet (with sodium bicarbonate As buffer)     | TAB            | For gAstric ulcer, duodenal ulcer, Z. E Syndrome, GERD  |
| levofloxacin (250mg/500mg) + ambroxol SR 75mg tablet                         | TAB            | For lower respiratory tract infection in adult  |
| Baclofen ER (GRS) Capsule 45mg/60mg (additional strength)                    | TAB            | MUSCLE RELAXANT   |
| Olopatadine Hcl. Tablet 2.5mg/5mg  | TAB            | Allergic nAsal inflammation hives, itching with skin diseAses   |
| Rabeprazole Sodium 20mg/10mg with sodium bicarbonate As buffer               | TAB            | For Duodenal ulcer, G.U, Z.E.S. & GERD  |
| <b>HYDROCORTISONE 10 / 20 MG</b>   | TAB            | Endocrine Disorders / Rheumatic Disorders / Collagen Disease / Dermatologic Diseases / Allergic States / Ophthalmic Diseases / Respiratory Diseases / Hematologic Disorders /Neoplastic Diseases  |
| <b>A</b> ND MANY MORE ALSO AVAILABLE AND CAN MANUFACTURE AS PER UR LIST ALSO |                |   |



Works : Plot No. 25, HPSIDC - Industrial Area, Extension-1, Baddi - 173 205 (H.P.)  
 Regd. Off. : Industrial Area, Phase-II, Chandigarh - 160002, India,  
 E-mail : sales@solitairepharmacia.com, solitaire129@yahoo.com; Phone : 91-172-4237708-709 Fax : 91-172-4600087  
**GMP CERTIFIED & WHO-GMP COMPLIANT**



Registered Member of  
 (DUN & BRAD STREET  
 CORPORATION U.S.A.)  
 D & B D-U-N-S  
 Number 91-506-9586

| <p style="text-align: center;"><b>DCGI &amp; LATEST</b></p>   | <p style="text-align: center;"><b>DOSAGE</b></p> | <p style="text-align: center;"><b>INDICATION /<br/>PHARMACOLOGICAL<br/>CLASSIFICATION /<br/>DETAILS</b></p> |
|---|--|---|
| <p style="text-align: center;"><b>CATEGORY - A</b></p>  |  |   |
| <p>Aceclofenac 100 Mg + Thiocolchicoside 4 Mg</p>   | <p style="text-align: center;">TAB</p>           |   |
| <p>Aceclofenac 100Mg + Drotaverine 80Mg</p>   | <p style="text-align: center;">TAB</p>           |   |
| <p>Deflazacort 6/9/90 Mg.</p>   | <p style="text-align: center;">TAB</p>           | <p style="color: red;">Anti-asthma, anti-arthritis.</p>   |
| <p>Diacerine 50 Mg + Aceclofenac 100 Mg</p>   | <p style="text-align: center;">TAB</p>           |   |
| <p>Diclo Pot. 50 Mg + Serratiopeptidase 10 Mg.</p>  | <p style="text-align: center;">TAB</p>           |   |
| <p>Etodolac 300Mg/400Mg + Paracetamol 500Mg Tab.</p>  | <p style="text-align: center;">TAB</p>           |   |
| <p>Levocetirizine 2.5Mg/5Mg. + Montelukast 10Mg/4Mg. Tablet</p>                                     | <p style="text-align: center;">TAB</p>           |   |
| <p>Lornoxicam 8 Mg + Paracetamol 500 Mg (Other Companies Are Giving Lornoxicam 4Mg + Pcm 500Mg)</p> | <p style="text-align: center;">TAB</p>           |   |
| <p>Montelukast 10 Mg + Levocetirizine 2Mg</p>   | <p style="text-align: center;">TAB</p>           |   |
| <p>Montelukast 10Mg + Desloratadine 5Mg</p>   | <p style="text-align: center;">TAB</p>           |   |
| <p>Montelukast 4 Mg + Levocetirizine 2.5Mg</p>  | <p style="text-align: center;">TAB</p>           |   |
| <p>Montelukast 5/10Mg + Fexofenadine 160Mg</p>  | <p style="text-align: center;">TAB</p>           |   |
| <p>Pancreatin 192 Mg + Bile Constituents 25 Mg + Dimethicone 40 Mg</p>                              | <p style="text-align: center;">TAB</p>           |   |
| <p>Prulifloxacin 600 Mg</p>   | <p style="text-align: center;">TAB</p>           |   |
| <p>Thicolchicoside 4/ 8Mg + Lornoxicam 4/8Mg</p>  | <p style="text-align: center;">TAB</p>           |   |
| <p>Thiocholchicoside 4/8Mg + Diclofenac Pot. 50Mg</p>   | <p style="text-align: center;">TAB</p>           |   |
| <p>Thicolchicoside 4Mg / 8Mg + Aceclofenac Sodium 100Mg.</p>  | <p style="text-align: center;">TAB</p>           |   |

| <p style="text-align: center;"><b>DCGI &amp; LATEST</b></p>                   | <p style="text-align: center;"><b>COMBINATIONAL DOSAGE</b></p> | <p style="text-align: center;"><b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b></p> |
|---|--|---|
| <b>CATEGORY - B</b>   |  |   |
| Aceclofenac 100 Mg <b>Dispersible</b>   | NONOZ<br>TAB   |   |
| Atenolol 50 Mg + Amlodipine 5 Mg  | FZ<br>TAB  |   |
| Atrovastatin 10 Mg + Amlodipine 5 Mg  | Y<br>TAB   |   |
| Calcium Polycarbophil 500Mg   | DO<br>TAB  | ( For Constipation)   |
| Citicholine 500 Mg ( <b>Chewable</b> )  | TU<br>TAB  |   |
| Clotrimazole 200Mg + Tinidazole 600Mg + Povidone Iodine 200Mg                 | M(C<br>TAB   | (Vaginal Tab) 1X6 Tab Strip With Applicator   |
| Deflazocart 1 / 6 / 9 /30 Mg  | E<br>TAB   |   |
| Dexibuprofen 200 / 300 / 400 Mg   | TA<br>TAB  | For OA, RA & ankylosing spondylitis   |
| Dexibuprofen 300Mg + Pcm 500Mg  | ZI<br>TAB  |   |
| Diclofenac 75 / 50 As Enteric Coated + Misoprostol 200 Mcg (New)              | ME<br>TAB  | For Osteoarthritis & Rehumatoid Arthritis   |
| Domperidone 30Mg (Sr) + Esomeprazole Magnesium 40Mg                           | -S<br>TAB  |   |
| Domperidone 30Mg (Sr) + Omeprazole Magnesium 20Mg                             | UL<br>TAB  |   |
| Ferrous Ascorbae 50Mg + Folic Acid 1.5Mg + Zinc Sulphate 61.8Mg               | LB<br>TAB  |   |
| Ferrous Ascorbate 100 Mg + Folic Acid 1.5 Mg                                  | AC<br>TAB  |   |
| GATIFLOXACIN 200MG + AMBROXOL 60MG  | TA<br>TAB  |   |
| GATIFLOXACIN 200MG + ORNIDAZOLE 500MG   | M<br>TAB   |   |
| Gemifloxacin 320 Mg   | )IN<br>TAB   |   |
| Levocettrazine 5Mg + Ambroxol 75 (Sustained Release)                          | A<br>TAB   | For Productive Cough  |
| Linezolid 600 Mg  | BI<br>TAB  | (Superior Than Cefpodoxime)   |
| Lornoxicam 4 / 8 Mg   | MI<br>TAB  |   |
| Lumiracoxib 100 / 200 / 400   | CER<br>TAB   | ( For Osteo-Arthritis , Ra Acute Pain & Primary Dysmenorrhoea)                                  |
| Mecobalamin 1500 Mcg + Folic Acid 1.5 Mg + B6 3 Mg + Alpha Lipoic Acid 100 Mg | A<br>TAB   |   |

| DCGI & LATEST   | INDICATION /<br>PHARMACOLOGICAL<br>CLASSIFICATION /<br>DETAILS | DOSAGE   |
|---|--|--|
| Metaxalone 400Mg + Diclofenac Pot. 50Mg                     | TAB  | (Muscle Relaxant)  |
| Methylcobalamine 1500Mcg + Pyridoxine 20Mg + Folic Acid 5Mg | TAB  |  |
| Montelukast 10Mg + Bambuterol 10Mg                          | TAB  |  |
| Olopatadine Hcl 2.5 / 5 Mg                                  | TAB  | For Allergic Nasal Inflammation<br>Hives, Itching With Skin Diseases |
| Orlistate 120Mg   | TAB  | (Anti-Obesity)   |
| Rabeprazole Sodium 10 / 20 With Sodim Bicarbonate As Buffer | TAB  | For Duodenal Ulcer, G.u.z.e.s &<br>Gerd.                             |
| Rebamipide 100Mg  | TAB  | (Anti-Ulcer)   |
| Rifaximin   | TAB  | (Anti Biotic & Anti-Diahrroal)                                       |
| Thiocholchicoside 4 Mg / 8 Mg                               | TAB  |  |
| Tiropramide 100Mg   | TAB  | ( Anti-Spasmodic)  |
| Trypsin Chemotrypsin 1 Lac I.u + Diclofenac Pot. 50Mg       | TAB  |  |
| Ursodeoxycholic Acid 500Mg (Sr)                             | TAB  |  |
| Voglibose 0.2 / 0.3 Mg                                      | TAB  |  |
| Voriconazole 50 / 200Mg                                     | TAB  | (Anti- Fungal)   |
| <b>CARDIAC CATEGORY - C</b>                                 |  |  |
| Olmesartan Medoxomil 20 Mg                                  | TAB  |  |
| Amlodipine 10mg + Perindopril 8mg                           | TAB  |  |
| Amlodipine 2.5mg + Lisinopril 5mg                           | TAB  |  |
| Amlodipine 2.5mg + Valsartan 80mg                           | TAB  |  |
| Amlodipine 25mg + Metoprolol 25mg                           | TAB  |  |
| Amlodipine 5 Mg+ Lisinopril 5 Mg Tablets                    | TAB  |  |
| Amlodipine 5 Mg+ Lisinopril 5 Mg Tablets                    | TAB  |  |

**DCGI & LATEST**

**DOSAGE**

**INDICATION /  
PHARMACOLOGICAL  
CLASSIFICATION /  
DETAILS**

Amlodipine 5mg + Bisoprolol 2.5mg

TAB

Amlodipine 5mg + Losartan Pot. 50mg

TAB

Amlodipine 5mg + Metoprolol ER 25mg

TAB

Amlodipine 5mg/10mg + Atorvastatin 10/20/40 mg

TAB

Amlodipine 5mg/5mg/10mg + Valsartan 80mg/160mg/160mg

TAB

Aspirin 150Mg + Clopidogrel 300Mg

TAB

Aspirin 75/150 Mg + Glycine 37.5 / 75Mg

TAB

Atenolol 50Mg + Alprazolam 0.25Mg

TAB

Atenolol 50Mg + Indapamide 2.5Mg

TAB

Atorvastatin 5mg + Fenofibrate 160mg

TAB

Atorvastatin Calcium 10 Mg + Fenofibrate 160 Mg

TAB

Atorvastatin Calcium 10mg + Fenofibrate 160mg

TAB

Atorvastatin 10mg + Nicotinic Acid 375/500mg ER

TAB

Ezetimibe 10mg + FENOFIBRATE 160MG

TAB

Ezetimibe 10mg + Simvastatin 10/20mg

TAB

Levodopa 50/100/150mg + Carbidopa 12.5/25/37.5 + Entacapone 200mg

TAB

Losartan 50 Mg + Hydrochlorothiazide 12.5 Mg + Ramipril 2.5 Mg

TAB

Losartan 50 Mg+ Ramipril 2.5 Mg Tablets

TAB

Losartan 50mg + Atenolol 50mg

TAB

Losartan 50mg + Ramipril 2.5/5mg

TAB

Losartan Pot 50 Mg + Amlodipine 5 Mg Tablets

TAB

Losartan Pot 50 Mg + Atenolol 50 Mg Tablets

TAB

Metoprolol 50Mg + Atorvastatin 10Mg

TAB

Metoprolol 50mg/25mg ER + Amlodipine 5mg/2.5mg

TAB

Metoprolol ER 25mg/50mg + Ramipril 2.5mg/5mg

TAB

| <p style="text-align: center;"><b>DCGI &amp; LATEST</b></p> | <p style="text-align: center;"><b>DOSAGE</b></p> | <p style="text-align: center;"><b>INDICATION /<br/>PHARMACOLOGICAL<br/>CLASSIFICATION /<br/>DETAILS</b></p> |
|---|--|---|
| Metoprolol Succinate Tartrate E.R 25/50mg + HCTZ 12.5mg     | TAB  |   |
| Metoprolol Tartrate 50mg+ Amlodipine 5 mg                   | TAB  |   |
| Nevibolol 5mg + Metoprolol Succinate 50mg                   | TAB  |   |
| Nicorandil 10 / 20 (Er) For Angina Pectoris                 | TAB  |   |
| Olmesartan 10mg   | TAB  |   |
| Olmesartan 20Mg + Hydrochlorothiazide 12.5Mg                | TAB  |   |
| Olmesartan 20Mg + Ramipril 5Mg                              | TAB  |   |
| Olmesartan 40Mg + Hydrochlorothiazide 25 Mg                 | TAB  |   |
| Olmesartan Medoximil 20mg + Ramipril 5mg                    | TAB  |   |
| Olmesartan Medoxomil 10Mg                                   | TAB  |   |
| Olmesartan Medoxomil 20mg/40mg/40mg + HCTZ 12.5mg/12.5/25mg | TAB  |   |
| Olmesartan Medoxomil 40Mg                                   | TAB  |   |
| Olmesartan Medoxomil 5mg/20mg/40mg                          | TAB  |   |
| Olmisartan 20 + Amlodipine 5Mg                              | TAB  |   |
| Olmisartan 40Mg + Hydrochlorothiazide 12.5Mg                | TAB  |   |
| Pitavastatin 1mg/2mg  | TAB  |   |
| Ramipril 2.5/5mg + Telmisartan 40mg                         | TAB  |   |
| Ramipril 5mg + Telmisartan 40mg                             | TAB  |   |
| Rosuvastatin 5 / 10 Mg                                      | TAB  |   |
| Telmisartan 10Mg / 20Mg                                     | TAB  |   |
| Telmisartan 40/80mg + HCTZ 12.5mg                           | TAB  |   |
| Telmisartan 40Mg  | TAB  |   |
| Telmisartan 40mg + Amlodipine 5mg                           | TAB  |   |
| Telmisartan 40Mg + Atorvastatin 10Mg                        | TAB  |   |
| Telmisartan 40Mg + Hydrochlorothiazide 12.5Mg               | TAB  |   |

| Telmisartan 40mg + Ramipril 2.5/5mg  | iv TAB |  |
|--|--------|--|
| DCGI & LATEST  | DOSAGE | INDICATION /<br>PHARMACOLOGICAL<br>CLASSIFICATION /<br>DETAILS |
|  |        | Torsemide 10Mg + Amiloride 5Mg                                 |
| <b>PSYCHOTROPIC CATEGORY - D</b>   |        |  |
| Alprazolam Dispersible 0.125mg/0.25mg/0.5mg  | TAB    |  |
| Amisulpiride Tablet (50/100/200/400Mg)   | TAB    |  |
| Divalproex Sodium E.R 750mg/7000mg   | TAB    |  |
| Flupentixol Hcl 0.5Mg + Melitracen Hcl 10Mg  | TAB    |  |
| Gabapentine 300 Plain / 900 (Extended Release)                                       | TAB    |  |
| Lamotrigin 50/100/200Mg <b>Dispersible Tabs</b>                                      | TAB    |  |
| Lamotrigine 200Mg Tablet (Addl. Strength) Dispersible Tablet (25Mg/50Mg/100Mg/200Mg) | TAB    |  |
| Lamotrigine S.R 75mg/100mg   | TAB    |  |
| Levetiracetam 250 / 500Mg  | TAB    |  |
| Levodopa 100Mg + Carbidopa 25Mg + Entacapone 200Mg                                   | TAB    |  |
| Levodopa 200Mg + Carbidopa 50Mg (Er) Tab   | TAB    |  |
| Levodopa 50mg/100mg/150mg + Carbidopa 12.5mg/25mg/37.5mg + Entacapone 200mg          | TAB    |  |
| Oxcarbazapine 300Mg (Sr)   | TAB    |  |
| Oxcarbazapine 600Mg (Sr)   | TAB    |  |
| Oxcarbazepine S.R 450mg/900mg  | TAB    |  |
| Oxcarbazepine S.r. (150Mg/600Mg)   | TAB    |  |
| Paroxetine 12.5 (Controlled Release)   | TAB    |  |
| Phenytoin sodium 300Mg (Er) Cap  | TAB    |  |
| Quetiapine 400Mg Sr  | TAB    |  |
| Quetiapine S.r Tablet 200/300Mg.   | TAB    |  |
| Sumatriptan 50Mg + Napraxan Sod. 550Mg   | TAB    |  |



AND MANY MORE ALSO AVAILABLE AND CAN MANUFACTURE AS PER UR LIST ALSO

he

| NAME OF DRUG   | INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS                           |
|--|---|
| <b>ABACAVIR</b>  | Anti – HIV  |
| <b>Abacavir Sulphate syrup 20mg/ml</b>   | For HIV Infection   |
| <b>Acamprosate Calcium</b>   | For Alcohol dependency  |
| <b>Aceclofenac</b>   | NSAID   |
| <b>Aceclofenac 200mg (S.R) tablet</b>  | NSAID   |
| <b>Aceclofenac dispersible tablet 100mg (new dosage form)</b>  | As Approved   |
| <b>Aceclofenac gel 1.5% alongwith linseed oil, menthol, Salicylate, Capsaicin</b>                                    | For pain, swelling etc  |
| <b>Aceclofenac Inj. (150mg/ml)</b>   | For pain in post operative & post traumatic cases                               |
| <b>Aceclofenac Inj. 50mg/ml (additional strength)</b>  | As Approved   |
| <b>Aceclofenac injection (150mg/3ml)</b>   | For short term treatment of pain due to post operative and post traumatic cAses |
| <b>Acesulfame Potassium</b>  | As sweetener in pharmaceutical preparation                                      |
| <b>Acitretin</b>   | For sever psoriasis in adults.  |
| <b>Alendronate Sodium (equiv. to Alendronic acid 70mg) + Cholecalciferol 70mcg (equiv. to 2800 I.U Vit.D) Tablet</b> | For osteoporosis  |
| <b>Alprazolam Dispersible Tab. 0.125mg/0.25mg/0.50mg</b>   | For anxiety   |
| <b>Alprazolam SR 0.25mg + Sertraline (As Hcl) 25mg/50mg tablet</b>   | For Panic disorder with or without agoraphobia                                  |
| <b>Alprostadi Injection</b>  | For Erectile Dysfunction  |
| <b>Ambroxol HCl 75mg (S.R) + Desloratadine 5mg Capsule.</b>  | For relief of productive cough.   |
| <b>Aminophylline CR 225/350mg</b>  | Asthma, COPD, Bronchitis  |
| <b>Amisulpiride Tablet (50/100/200mg)</b>  | For schizophrenic disorder  |
| <b>Amisulpride 400mg tablet (additional strength)</b>  | As Approved   |
| <b>Amllexanox Oral PAste (5%)</b>  | For aphthous ulcers in people with normal immune system                         |
| <b>Amlodipine (as besylate ) 5mg + Losartan Pot. 50mg</b>  | For hypertension  |
| <b>Amlodipine (As besylate )5mg/10mg + Perindopril 4mg tablet</b>  | For hypertension  |
| <b>Amlodipine (As besylate) 10mg + Perindopril 8mg tablets (additional strength)</b>                                 | As approved   |
| <b>Amlodipine (as besylate) 5mg + Metoprolol Succinate equivalent to Metoprolol Tartrate 50mg.</b>                   | For hypertension  |
| <b>Amlodipine (as besylate) 5mg + Bisoprolol 5mg Tablet (Addl. Strength)</b>   | For hypertension  |
| <b>Amlodipine (as besylate) 5mg + HCTZ 12.5mg Tablet</b>   | For hypertension  |
| <b>Amlodipine (As besylate) 5mg + Metoprolol (As succinate) ER 25mg (additional strength)</b>                        | As approved   |
| <b>Amlodipine (As besylate) 5mg/5mg/10mg + valsartan 80mg/160mg/160mg tablet</b>                                     | Essential hypertension  |
| <b>Amlodipine 25mg + Metoprolol 25mg (additional lower strength)</b>   |   |
| <b>Amorolfine</b>  | Anti-Fungal   |
| <b>Amoxycillin 1000mg + Clavulanate Potassium 62.5mg E.R tablet</b>  | Anti-biotic   |
| <b>Amoxycillin 250mg + Dicloxacillin 250mg cap.</b>  | Anti biotic   |
| <b>Ampicillin 250mg + Dicloxacillin 250mg tablet</b>   | Antibiotic  |
| NAME OF DRUG   | INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS                           |

|  |   |
|--|---|
| Anastrozole  | Anti cancer   |
| Apraclonidine Ophthalmic Sol.  | Alpha 2-adrenoreceptor agonist  |
| Aprepitant 40mg capsules (additional strength)   | Prevention of post-operative nausea & vomiting (additional indication)                    |
| Aprepitant cap (80mg/125mg)  | For chemotherapy induced nausea & vomiting  |
| Aripiprazole   | Anti schizophrenia  |
| Aspirin 150mg + Clopidogrel (as bisulphate) 300mg tablet (addl. Strength)                      | As loading dose for prevention of in-stent restenosis in PCI                              |
| Aspirin 75mg / 150mg + Glycine 37.5mg/75mg tablet  | For prevention of acute coronary syndrome in patients with CAD prophylaxis against stroke |
| Aspirin Bolus (Vet.) 6gm/bolus)  | For Veterinary use.   |
| Atazanavir (100/150/200mg)   | Anti-HIV in adults.   |
| Atazanavir 150mg + Ritonavir 50mg capsules   | Anti HIV  |
| Atenolol (25mg, 50mg) + HCTZ (12.5mg)  | Anti-Hypertensive   |
| Atenolol 25mg/50mg + Indapamide SR 1.5mg   | For essential hypertension  |
| Atenolol 50mg + HCTZ 25mg (addl. Strength)   | For hypertension  |
| Atomoxetine (as HCl) Sachet (10/18/25/40mg)  | For ADHD  |
| Atomoxetine 60mg capsule (Addl. Strength)  | For ADHD  |
| Atorvastatin   | Antihyperlipidemic; HMG-CoA reductase inhibitor   |
| Atorvastatin 5mg + Fenofibrate 160mg (additional strength)                                     | As Approved   |
| Azelaic Acid   | Anti-Acne   |
| Azelaic acid Cream (15%)   | For the treatment of inflammatory papules and pustules of mild to moderate rosacea        |
| Aztreonam  | Anti-Bacterial  |
| Bacillus calusii spores suspension (2billion/5ml vial)   | For alteration of intestinal bacterial flora  |
| Baclofen E.R capsule (30mg)  | For spasticity  |
| Baclofen ER (GRS) Capsule 45mg/60mg (additional strength)                                      | As approved   |
| Balanced salt intra ocular irrigating solution enriched with glutathione Dextrose, bicarbonate | For intraocular irrigating during intraocular surgical procedures                         |
| Balsalezide Disodium   | For ulcerative colitis  |
| Bambuterol   | Bronchodilator  |
| Basiliximab Inj.   | Immunosuppressant   |
| Bemiparin Sodium Solution for injection(5000/7500/10,000 I.U).                                 | For deep vein thrombosis  |
| Bendrofluazide   | Diuretic  |
| Bicalutamide   | Anticancer  |
| Bimatoprost (Ophthalmic Sol.)  | Anti-Glaucoma   |
| Bimatoprost 300mg + Timolol (as maleate) 5mg/ml eye drops                                      | For reduction of IOP  |
| Bivalirudin Injection (250mg/vial)   | Anti-coagulant in PTCA  |
| Bortezomib 2mg/vial (additional pack size)   | As approved   |
| Bortezomib for injection (3.5mg/vial)  | For the treatment of myeloma patients   |
| Brimonidine Tartrate   | Alpha2-adrenoreceptor agonist,adjunct in glaucoma   |
| Brimonidine Tartrate (2mg/1.5mg) + Timolol (as HCl) 5mg/ml.                                    | Ophthalmic  |
| Broncho-Vaxom  | Antiasthmatic, immune boosting drug   |
| Buclizine HCl tablet (25mg) & Syrup 6mg/5ml  | As appetite stimulant   |
| Bulaquine  | Antimalarial  |
| <b>NAME OF DRUG</b>  | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>                              |

|  |  |
|--|--|
| Buprenorphine (0.4mg) + Naloxone (0.1mg) sublingual tablet   | For opioid dependence  |
| Bupropion SR   | Smoking cessation adjunct                                    |
| Butarphenol Tartarate  | Opioid Analgesic   |
| Butenafine HCl cream   | Antifungal   |
| Cabergoline  | For hyperprolactemia   |
| Cabergoline 1mg tablet (additional strength)   | For Hyperprolactinemia                                       |
| Calcium Polycarbophil (500mg) Tablet   | IBS  |
| Candesartan  | Antihypertensive   |
| Capecitabine   | Antineoplastic   |
| Caroverine cap. 20mg & Inj. 40mg/2ml   | For abdominal pain & tinnitus in adult                       |
| Caspofungin Acetate injection (50mg/70mg per vial).  | For invasive candidiasis fungal infection.                   |
| Cefadroxil 250mg + Clavulanic acid 62.5mg dispersible tablet   | Antibiotic   |
| Cefadroxil 250mg + Clavulanic acid 62.5mg per 5ml syrup  | Antibiotic   |
| Cefadroxil 500mg + Clavulanic acid 125mg tablet  | Antibiotic   |
| Cefdinir   | Antibacterial  |
| Cefditeron (as pivoxil) 200mg tablet   | Anti-biotic  |
| Cefepem (as HCl) 0.5/1gm + Amikacin (as sulphate) 0.125/0.250gm Inj.   | Antibiotic   |
| Cefepime (As HCl) 500mg/1000mg + Tazobactam (as Sodium) 62.5mg/125mg   | Antibiotic   |
| Cefepine HCl   | Anti-Biotic  |
| Cefetamet Pivoxil Hcl oral suspension 250mg/ml   | Anti-biotic  |
| Cefetemet-piroxil  | Antibacterial  |
| Cefixime (50mg/100mg) + Clavulanic acid 31.125mg/62.5mg per ml dry syrup & tablet                            | Antibiotic   |
| Cefixime 100mg + Cloxacillin (as Sodium) 500mg + Lactobacillus (45 million spore)tab.                        | Antibiotic   |
| Cefixime 200mg + Cloxacillin 500mg (ER) + Lactobacillus 90 million Spore tab. (additional strength)          | Antibiotic   |
| Cefixime 200mg + Pot. Clavulanate (125mg) tablet   | Anti-biotic  |
| Cefixime dispersible tablet 400mg (new dosage Form)  | Antibiotic   |
| Cefotaxim (As sodium) 0.5mg/1gm + Sulbactam (As sodium) 250mg/500mg injection (for additional indication)    | For surgical prophylaxis (additional indication)             |
| Cefprozil  | Antibiotic   |
| Cefprozil Powder for oral suspension (125mg/5ml)   | Antibiotic   |
| Ceftazidime 500mg /1000mg + Tazobactam (as sodium) 62.5mg/125mg per vial for injection                       | Antibiotic   |
| Ceftiofur Sodium & Ceftiofur HCl   | Antibiotic (For Veterinary Use)                              |
| Ceftriaxone (as sodium) (500mg/1000mg) + Sulbactam (as sodium) (250mg/500mg) powder for injection.           | For LRTI   |
| Ceftriaxone (As sodium) 125mg/250mg + Sulbactam (As sodium) 62.5mg/125mg For injection (additional strength) | As approved  |
| <b>NAME OF DRUG</b>  | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b> |
| Ceftriaxone (as sodium) 250mg + Tazobactam 31.25 mg for injection (addl. Strength)                           | Anti-biotic  |
| Celecoxib  | NSAID  |

|   |  |
|---|--|
| Centbucridine (0.5%) + Feracrylem (3%)  | For hemorrhoid & anal fissure                                |
| Cerivastatin  | Lipid lowering agent   |
| Cetirizine HCl drops (10mg/ml)  | Anti-histaminic  |
| Chloroquine Phosphate eye drops (0.3mg/ml)  | For dry eye syndrome   |
| Cholestyramine Powder for oral suspension (4gm/sachet)  | For hypercholesterolaemia                                    |
| Ciclesonide 160mcg/320mcg + Formoterol Fumarate (12mcg) (Dry powder inhaler additional strength)                    | As approved  |
| Ciclesonide 160mcg/320mcg cap. for inhalation   | Anti asthmatic   |
| Ciclesonide Inhaler 80/160mcg per actuation   | For persistent Asthma  |
| Ciclesonide rotacaps (200/400mcg)   | For Asthma   |
| Ciclesonide 100mcg/ 200mcg/400mcg + Formoterol Fumarate 6mg rotacaps  | Anti asthmatic   |
| Ciclesonide 80mcg/160mcg + Formoterol 4.5mg inhaler   | Anti asthmatic   |
| Cifixime 200mg + Erdosteine 300mg Capsules  | Acute Exacerbation of chronic bronchitis                     |
| Cilostazol  | For intermittent claudication.                               |
| Ciprofloxacin 1g SR   | Antibacterial  |
| Citalopram Hydrobromide   | Antidepressant   |
| Citicoline (750mg) tablet (additional strength), syrup 500mg/5ml (new dosage Form) (not For children)               | As approved  |
| Citicoline tablet 200mg (additional strength)   | As approved  |
| Cladribine  | Anti-Cancer  |
| Clindamycin 1% + Isotretinoin 0.05% gel   | For acne   |
| Clobetasol Propionate (0.05%) + Calcipotriol Ointment (0.005%) Ointment.  | For plaque psoriasis   |
| Clopidogrel   | Antithrombotic; platelet aggregation inhibitor               |
| Comb kit of two capsule of Azaranari 150mg each + 1 tablet of Ritonavir 100mg)                                      | For HIV infection  |
| Comb pack of 1 bottle of ciprofloxacin Injection (200mg/100ml) & 1 bottle of Ornidazole injection (500mg/100ml)     | Antibiotic   |
| Comb pack of 1 tablet of Residronate sodium (35mg) + 6 tablet of calcium carbonate equivalent to 500mg calcium each | For osteoporosis in postmenopausal women                     |
| Combikit of 2 tablet of Lamivudine (150mg) + Zidovudine (300mg) each and 1 tablet of Egavirenz (600mg)              | For HIV infection in adults                                  |
| Combikit of 2 tablet of Stavudine (40mg) + Lamivudine (150mg) each & 1 tablet of Efavirenz (600mg)                  | For HIV infection in adults                                  |
| Combikit of Tamsulosin HCl 0.4mg M.R capsule (10 no.) & Dutasteride Soft Gelatin Capsule 0.5mg (10no.)              | For BPH  |
| Combipack of 21 tablet of Quinin sulphate 600mg each & 8 capsule of Doxycycline (as Hcl) 100mg each)                | For P. Falciparam malaria                                    |
| <b>NAME OF DRUG</b>   | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b> |
| combipack of one cap. Of aprepitant .125mg & two cap. Of aprepitant 80mg each (combipack)                           | As Approved  |
| Cyclosporin Eye drops (0.1%) (addl. Strength)   | For Ophthalmic use   |
| Cyproterone Tablet  | For Prostatic Cancer   |
| Daclizumab  | Immunosuppressive agent                                      |
| Dasatinib tablet 20mg/50mg/70mg tablet  | For chronic hepatitis B infection                            |
| Decapeptide   | For Vitiligo   |
| Deferasirox dispersible tablet 125/250/500mg.   | For chronic iron overload due to blood transfusion           |
| Desflurane liquid for inhalation (240mg/bottle).  | For induction & maintenance of anaesthesia.                  |

|   |   |
|---|---|
| <b>Desloratadine (2.5mg) + Ambroxol (30mg) +Guiphenasine (50mg) + Menthol 1mg/5ml Syrup</b> | For productive cough  |
| <b>Desloratidine</b>  | Antiallergic  |
| <b>Dexarazoxane Injection</b>   | Cardio Protective Agent   |
| <b>Dexibuprofen 200mg/300mg +Paracetamol 500mg tablet</b>                                   | For RA, OA & ankolyising spondylosis  |
| <b>Dexibuprofen Tablet (200mg/300mg/400mg)</b>  | For OA, RA & ankylosing spondylitis   |
| <b>Diclofenac Sodium (75/50mg) as (E.C) + Misoprostol 200mcg.</b>                           | For OA & RA   |
| <b>Didanosine</b>   | AntiHIV   |
| <b>Didanosine Powder for oral solution (2gm/4gm per bottles)</b>                            | Anti-AIDS   |
| <b>Diflorasone Diacetate Cream (0.5mg/gm)</b>   | For corticosteroid responsive dermatoses  |
| <b>Diltiazem Hcl. 2% gel</b>  | For anal fissure  |
| <b>Divalproax Sodium</b>  | Antiepileptic   |
| <b>Domperidone (10mg) + Activaed dimethicone (125mg) chewable tablet</b>                    | For dyspepsia, colicy pain & GERD.  |
| <b>Donepezil HCl</b>  | For Alzheimer's Dementia  |
| <b>Dorzolamide</b>  | Ophthalmic  |
| <b>Doxazosin (as Mesylate) 4mg/8mg E.R. Tablet</b>  | For hypertension  |
| <b>Doxazosin Mesylate</b>   | Antihypertensive agent  |
| <b>Doxofylline Syrup (20mg/ml)</b>  | For bronchial asthma & COPD.  |
| <b>Doxofylline Tablet (400mg)</b>   | For bronchial asthma & COPD.  |
| <b>Dried IVY Leaf Extract (7.5gm/100ml)</b>   | Cough Syrup   |
| <b>Drospirinone (3mg) + Ethinylestradiol (0.035mg tablet)</b>                               | Oral Contraceptive  |
| <b>Drotrecogin alpha</b>  | For severe sepsis   |
| <b>D-trans Fentanyl Transdermal patches</b>   | For pain  |
| <b>Duloxetine HCl (60mg) tablet (additional strength)</b>                                   |   |
| <b>Ebastine</b>   | Antiallergic  |
| <b>Eberconazole cream (1%)</b>  | Dermatophyte infection of skin such As T-corporis, T-c, T-Pedis   |
| <b>Efavirenz</b>  | Anti-HIV  |
| <b>Efavirenz Oral Solution (30mg/ml)</b>  | Anti-AIDS   |
| <b>Eflornithine HCl Cream (139mg/gm)</b>  | For reduction of unwanted facial hair in women.   |
| <b>Emtricitabine (200mg) capsule</b>  | For HIV infection in adults   |
| <b>Enalapril (2.5mg/5mg) + HCTZ (12.5) Tablet (Addl. Strength)</b>                          | For Hypertension  |
| <b>Entecavir Tablet (0.5mg/1.0mg) &amp; oral solution (0.05mg/ml).</b>                      | For chronic Hepatitis-B infection.  |
| <b>NAME OF DRUG</b>   | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>  |
| <b>Eperisone Hcl (50mg ) tablet</b>   | For neck-shoulder orm syndrome scapula hum oral per arthritis and low back pain                                     |
| <b>Epinastine Hcl (0.05%) Opthlamic solution</b>  | For allergic conjunctivitis   |
| <b>Eplerenone Tablet (25mg/50mg)</b>  | For hypertension  |
| <b>Eplerstat tablet 50mg</b>  | For abnormality of vibration sense and abnormal change in heart rate associated with diabetic peripheral neuropathy |
| <b>Eptifibatide</b>   | Platlet Aggregation Inhibitor   |
| <b>Erdosteine (150mg/300mg) Capsules</b>  | For chronic obstructive bronchitis  |
| <b>Erdosteine 150mg + Guaiphenesin 50mg + Terbutaline 1.25mg per 5ml syrup</b>              | Mucolytic   |
| <b>Erdosteine Powder for oral suspension 35mg/ml</b>  | For chronic obstructive bronchitis  |
| <b>Erlotinib Hydrochloride (25mg/100mg/150mg Tablet</b>                                     | For metastatic non-small cell lung cancer.  |
| <b>Ertapenem For injection (1gm/vial)</b>   | Antibiotic  |

|  |  |
|--|--|
| Escitalopram Oxalate.  | Anti depressant  |
| Esomeprazole 40mg (E.C.) + Itopride 150mg SR Capsules  | For GERD   |
| Esomeprazole Mag.  | Antiulcer  |
| Esomeprazole Sodium For injection  | For GERD in patients with esophagitis and/or severe symptoms of reflux as an alternative to oral therapy when oral intake is not appropriate |
| Estemestane  | Antineoplastic   |
| Estradiol topical emulsion 2.5mg/gm  | Vasomotor symptoms Associated with menopause   |
| Estrogen vaginal tablet 25mcg  | For atropic viginitis  |
| Eszopiclone tablet (1mg/2mg/3mg)   | For insomnia   |
| Etanercept-Recomb.   | Antirheumatic, Tumor Necrosis Factor Receptor  |
| Etodolac ER tablets 400mg/500mg  | For osteoarthritis & rheumatoid arthritis  |
| Etonogestrel (11.7mg) + Ethinylestradiol (2.7mg) Contraceptive rings   | For Contraceptive in women   |
| Etoricoxib 10mg + Methyl Salicylate 100mg + Mentol 50mg + Linseedoril 30mg per gm. of Gel                      | For acute Musculoskeletal pain   |
| Etoricoxib 10mg + Methyl salicylate 20mg per gm. of cream  | Acute Musenlosleteal pain  |
| Ezetimibe  | Lipid Lowering Agent   |
| Ezetimibe 10mg + Fenofibrate 160mg tablet  | For combined hypertipidemia  |
| Famciclovir  | Antiviral  |
| FDC of Papain + Urea Ointment  | For debriment of necrotic tissues.   |
| FDC of Amlodipine (5mg) + Bisoprolol (2.5mg)   | Anti-hypertension  |
| FDC of Atorvastatin (10mg) + Niacin (375mg/500mg E.R) Capsule  | For Hypercholesterolemia   |
| FDC of Calciptriol (50mcg) + Betamethasone Dipro (0.5mg/gm) Ointment   | For psoriasis vulgaris.  |
| FDC of Ceftriaxone (500mg/100mg) + Tazobactum (12.5mg/62.5mg) Injection  | Anti-bacterial   |
| FDC of Gabapentin (300mg) + Methylcobalamin (500mcg) Tablet  | For neuropathic pain in adults.  |
| FDC of Glimpiride (1mg/2mg) + Pioglitazone (15mg)+ Metformin (500mg E.R) Tablet                                | Anti-diabetic  |
| FDC of Levocetirizine (5mg) + Ambroxol (75mg S.R) Capsule  | Anti-histaminic & mucolytic  |
| FDC of Methylcobalamin (1500mcg E.R) + Pyridoxine (20mg) + Folic Acid (5mg) Tablet                             | For hyper-homocysteinemia  |
| <b>NAME OF DRUG</b>  | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>   |
| FDC of Olmesartan Medoxomil (20mg/40mg/40mg) + HCTZ(12.5mg/12.5mg/25mg)  | For essential hypertension   |
| FDC of S-Metoprolol Succinate Tartrate equivalent to Metoprolol Tartrate (E.R) 25/50mg + HCTZ (12.5mg) Tablet. | For essential hypertension   |
| Fenofibrate  | Lipid lowering agent   |
| Fenoverine   | Anti-spasmodic   |
| Feracrylum (1%) + Metronidazole 1%)  | Antiseptic gel.  |
| Feracrylum 1% mouth gargle 10mg/ml   | As hacmostatic agent in dental surgery   |
| Feropenem Sodium (150mg/200mg) Tablet  | Anti-bacterial   |
| Ferrous ascorbate (equivalent to 50mg Iron) + Folic acid 1.5mg.  | For iron deficiency anemia   |

|  |  |
|--|--|
| <b>Fexofenadine suspension (30mg/5ml)</b>  | SeAsonal allergic rhinitis & chronic idiopathic urticaria    |
| <b>Fluconazole (2%) + Zinc Pyrethione (1%) suspension</b>                                      | For seborrhoic dermatitis                                    |
| <b>Fludarabine Phosphate IV Inj.</b>   | Antineoplastic   |
| <b>Fluorescein Sodium Solution for Injection (100mg/ml)</b>                                    | Ophthalmological diagnostic agent                            |
| <b>Fluvastatin Sodium</b>  | Lipid Lowering Agent   |
| <b>FluvAstatin Tablet (As calcium) 10mg/20mg/40mg (additional strength)</b>                    | As approved  |
| <b>Fluvoxamine Maleate</b>   | Antidepressant   |
| <b>Fondaparinux Sodium</b>   | LMWH   |
| <b>Formoterol Fumarate (6mcg) + Fluticasone Propionate (100/250/500mcg) dry powder inhaler</b> | For Asthma & COPD  |
| <b>Formoterol fumarate 6mcg + Fluficasone propionate 50mcg/125mcg/250mcg MDI</b>               | For Asthma & COPD  |
| <b>Forskolin Eye drop (1%).</b>  | For open angle glaucoma                                      |
| <b>Fosinopril Sodium</b>   | Antihypertensive   |
| <b>Fosphenytoin Sod.</b>   | Anti-Epileptic   |
| <b>Fulvestrant Inj. 250mg/5ml prefilled syringe</b>  | Anti Cancer  |
| <b>Gabapentin ER 450/600/900mg tablet</b>  | For naturopathic pain & partial Seizures                     |
| <b>Gadobenate(Dimeglumine IV Injection)</b>  | MRI Contrast Medium  |
| <b>Gadoversetamide Injection</b>   | MRI Contrast Medium  |
| <b>Ganciclovir</b>   | Antiviral  |
| <b>Gatifloxacin</b>  | Antibacterial  |
| <b>Gatifloxacin (0.3%) + Prednisolone Acetate (1%) eye drops</b>                               | For Ophthalmic use   |
| <b>Gatifloxacin (200mg) +Ornidazole (500mg) tablet</b>   | For diarrhoea of mixed infection in adults                   |
| <b>Gemifloxacin (as msylate) 320mg tablet</b>  | Antibiotic   |
| <b>Gemtuzumab</b>  | For Myeloid Leukemia   |
| <b>Genirelix</b>   | Antigonadotropin releasing hormone (fertility drug)          |
| <b>Glatiramer Acetate injection (20mg/ml)</b>  | Multiple sclerosis   |
| <b>Glibenclamide 5mg + MetFormin SR 850mg tablet (additional strength)</b>                     | As approved  |
| <b>Gliclazide 40mg/80mg + MetFormin Hcl 500mg + Rosiglitazone 2mg tablet</b>                   | Ant- diabetic  |
| <b>Gliclazide M.R. (30mg/60mg)+ Metformin HCl (500mg) ER Tablet</b>                            | For type-II diabetes   |
| <b>NAME OF DRUG</b>  | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b> |
| <b>Glimepiride</b>   | Antidiabetic agent   |
| <b>Granisetron</b>   | Antiemetic   |
| <b>Halobetazol Propionate Cream (0.05%)</b>  | Corticosteroid responsive dermatomes                         |
| <b>Haloperidol Tablet (0.5mg) (addl. Lower strength)</b>                                       | As approved earlier.   |
| <b>Human Insulin (r-DNA) Powder inhaler</b>  | For type-I & Type-2 Diabetes                                 |
| <b>Human Recombinant Granulocyte Colony Stimulating Factor Inj.</b>                            | Haemopoietic stimulant, antineutropenic                      |
| <b>Hyoscine-N-Butylbromide (10mg) + Paracetamol 500mg Tablet</b>                               | For spasmodic pain   |
| <b>Ibandronic Acid Tablet (150mg) addl. Strength</b>   | Same as approved.  |
| <b>Ibopamine HCl</b>   | Ophthalmic   |
| <b>Icodextrin 7.5% peritoneal dialysis solution</b>  | For peritoneal dialysis                                      |
| <b>Imatinib Mesylate</b>   | Anticancer   |
| <b>Imipenem +Cilastatin</b>  | Anti-Bacterial   |



|   |   |
|---|---|
| Indinavir Sulphate  | Antiviral (Anti-HIV)  |
| Intralipid 30%  | For patients with essential fatty acid deficiencies   |
| Iobitridol  | Contrast Medium   |
| Iomeprol  | Contrast medium   |
| Irbesartan  | Antihypertensive  |
| ISMN 60mg Sr + Atenolol 50mg/100mg  | For angina pectoris   |
| ISMN SR 30mg + Aspirin75/150mg tablet (addl. Strength).                               | Same as approved  |
| ISMN SR 60mg + Metoprolol Succinate ER 25/50mg  | For angina & Hypertension   |
| Isopropyl Unoprostone   | Ophthalmic  |
| Isotretinoin Soft Gel Cap.  | For Acne vulgaris   |
| Itopiride Capsules  | Gastro Prokinetic Agent   |
| Itopride 150mg capsule (S.R)  | For GERD  |
| Ketorolac Tromethamine 0.4% Eye drops (addl. Strength)                                | Ophthalmic  |
| Ketorolac Tromethamine 5mg + Ofloxacin 3mg/ml Eye drops                               | Ophthalmic  |
| L- Lysine Hcl Ointment (150mg/gm)   | For wounds of various etiology  |
| Lactitol monohydrate Syrup 66.67/100ml  | For constipation  |
| Lactitol Sachet (10gm/20gm).  | For the treatment of constipation.  |
| Lactulose Enema (20%)   | For constipation & hepatic encephalopathy   |
| Lamivudine (40mg) +Nevirapine (70mg +Stavudine (10mg) (in 5ml) powder for suspension  | Anti-HIV.   |
| Lamivudine (40mg) +Stavudine (10mg/5ml) reconstituted solution                        | For HIV infection   |
| Lamivudine 20mg + Nevirapine 35mg + Stavudine 5mg tablet                              | Anti HIV  |
| Lamivudine 30/60mg + Stavudine 6mg/12mg + Nevirapine 50mg/100mg dispersible tablet    | For pediatric patients with HIV infection   |
| Lamivudine 40mg + Stavudine 10mg dispersible tablet.                                  | For HIV infection   |
| Lamotrigin 200mg tablet (addl. Strength) dispersible tablet (5mg/50mg/100mg/200mg     | Anti-epileptic  |
| Lanthanum Carbonate Chewable tablet (250mg/500mg)                                     | For the treatment of hyperphosphatemia.   |
| <b>NAME OF DRUG</b>   | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>  |
| Leflunomide   | Anti-rheumatoid Arthritis   |
| Lenalidomide capsule (5mg/10mg/15mg/25mg)   | For transfusion dependent anemia due to myelodysplastic syndrom Associated with deletion 5q cytogenic abnormality |
| Lercanidine HCl   | Antihypertensive  |
| Letrozole 2.5mg tablet (for additional indication)                                    | For induction of ovulation in anovulatory infertility ( additional indication)                                    |
| Levetiracetam (250mg,500mg, 750mg) Tablets  | As adjunctive therapy in treatment of partial onset seizures in adults with epilepsy.                             |
| Levetiracetam Oral Solution (100mg/ml)  | Anti-epileptic  |
| Levetiracetam Oral Solution (100mg/ml).   | Anti-epileptic  |
| Levocetirizem 2Hcl. Dispersible tablet (2.5mg)  | For allergic rhinitis & chronic urticaria   |
| Levocetirizine Syrup (2.5mg/5ml)  | For allergic rhinitis & urticaria   |
| Levocetrizine   | Anti-Histaminic   |
| Levocetrizine 2.5/5mg + Ambroxol 30mg/5ml of syrup                                    | For productive cough  |
| Levocetrizine 5mg + Ambroxol Hydrochloride SR (75mg) tablet                           | For production cough  |
| Levocitrizine 2 Hcl 5mg+ Ambroxol Hcl SR 75mg + Pseudoephedrine Hcl 120mg SR Capsules | For SAR, PAR & Chronic idiopathic urticatia   |

|   |  |
|---|--|
| Levodopa (50mg/100mg/150mg) + Carbidopa (12.5mg/25mg/37.5mg + Entacapone (200mg) tablet     | For Parkinson's disease  |
| Levodropropizine oral suspension (30mg/5ml)   | For non-productive cough in adults   |
| levofloxacin (250mg/500mg) + ambroxol SR 75mg tablet  | For lower respiratory tract infection in adult   |
| Levofloxacin 0.5% Ear drops   | For otitis media   |
| Levofloxacin Oph. Solu. (1.5%) 15mg/ml. (Addl. Strength).                                   | Ophthalmic   |
| Levofloxacin Ophthalmic Solution (0.5%)   | For susceptible bacterial conjunctivitis   |
| Levofloxacin Oral Solution (each 240ml bottle contains Levofloxacin 125mg/5ml.)             | Antibiotic (For adult use only)  |
| Levofloxacin tablet (250mg /500mg) & Infusion 5mg/ml (For additional indication)            | For prostatitis  |
| Levonorgestrel 0.03mg tablet  | For control of fertility   |
| Levonorgestrel 1.5mg tablets  | For emergency contraceptive  |
| Levosabutamol MDI (50mcg/actuation) & Dry Powder inhaler (100mcg/capsule) (New Dosage Form) | As approved  |
| Levosulpiride tablet (25mg)   | For G.I. problem like fanatical dyspepsia, nausea, vomiting and diabetic gAstroperisis                                       |
| Linezolid   | Antibacterial  |
| Livetiracetam conc. for infusion 100mg/ml (new dosage form)                                 | As adjunctive therapy in partial onset seizures in adults with epilepsy when oral administration is temporarily not feasible |
| Lopinavir 200mg + Ritonavir 50mg Tablet (addl. Strength)                                    | Anti-HIV   |
| Lornoxicam tablet 4mg/ 8mg  | For Osteoarthritis rheumatoid arthritis  |
| Loteprednol Etabonate 5mg + Tobramycine 3mg per ml ophthalmic solution                      | For steroid responsive inflammatory ocular condition   |
| Loteprednol Etabonate Ophtalmic Sol.  | Corticosteroid, ophthalmic anti-inflammatory   |
| Lumiracoxib Tablet (100/200/400mg).   | For OA, RA acute pain & primary dysmenorrhoea  |
| Mebeverine Hcl 135mg + Chlordiazepoxide 5mg tablet  | For IBS  |
| Mebeverine HCl 135mg + Isabgula husk 3.5gm sachet.  | Irritable bowel syndrome   |
| <b>NAME OF DRUG</b>   | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>   |
| Mecobalamine 500mcg + Alpha Lipoic acid 100mg soft gelatin capsule                          | For diabetic neuropathy  |
| Mecobalamine E.R. tablet (1500mcg)  | For neuropathic pain   |
| Meglumine gadoteric   | Contrast media   |
| Meloxicam   | NSAID  |
| Meloxicam Inj. (Vet)  | NSAID  |
| Meropenem Inj.  | Beta-lactum Antibiotic   |
| Mesalazine SR   | Bowel disease (inflammatory)   |
| Metadoxine  | For Hepatic Disorder   |
| Metaxalone  | Muscle Relaxant  |
| Metaxalone (400mg) + Diclofenac Potassium (50mg) tablet                                     | For acute painful musculoskeletal condition in adult   |
| Metformin Oral Solution (100mg/ml)  | For type-II diabetes mellitus  |
| Methimazole Tablet ( 5mg/10mg)  | For hyperthyroidism.   |
| Methotrexate Topical gel (1%) Addl. Strength  | Psoriasis.   |
| Methyl Cobalamin  | Peripheral Neuropathy  |
| Methyl Prednisolone Aceponate Cream (0.1%)  | For atopic dermatitis  |
| Methylprednisolone Acrponate topical solution 0.1%  | Atopic dermatitis (eczema) inflammatory and allergic skin reaction   |
| Metolazone  | Diuretic   |

|   |  |
|---|--|
| Metoprolol (As succinate) 25mg + Amlodipine (As besylate) 5mg (additional strength)               | As approved  |
| Metoprolol (As succinate) 50mg/25mg ER) + Amlodipine 5mg/2.5mg tablet (For additional indication) | Angina pectoris in adults  |
| Metoprolol (As succinate) ER 25mg/50mg + Ramipril 2.5mg/5mg                                       | Essential hypertension   |
| Metoprolol succinate 25mg /50mg ER + HCTZ 12.5mg  | Anti hypertensive  |
| Metoprolol Succinate equiv. to Metoprolol Tartrate 50mg + Amlodipine (as besylate) 5mg            | For hypertension   |
| Midazolam (as maleate) 7.5mg/15mg tablet  | For insomnia   |
| Midazolam Maleate Bulk  | Anesthetic   |
| Mifepristone  | Progesterone Antagonist  |
| Milrinone Lactate Inj.  | Cardiotonic  |
| Miltefosine   | For Kalazar  |
| Mirtazapine   | Antidepressant   |
| Misoprostol   | Antiulcer agent  |
| Misoprostol tablet 25mcg/100mcg/200mcg (additional strength indication)                           | For cervical ripening, prevention of post partum haemorrhage & First trimester of abortion with mifepristone |
| Mizolastine   | Antiallergic   |
| Moclobemide   | Antidepressant   |
| Modafinil   | For sleeping disorder  |
| Montelukast Granules (4mg/pack)   | For Prophylaxis and chronic treatment of asthma in adult and pediatric patients of 12 months age and older   |
| Montelukast Sodium  | Antiasthmatic (Leukotriene Receptor Antagonist)  |
| Mosapride   | Prokinetic agent, GERD   |
| Moxifloxacin  | Antibacterial  |
| Moxifloxacin (0.5%) + Dexamethasone Phosphate (0.1%) Eye drops                                    | For Ophthalmic use.  |
| Moxifloxacin Eye Ointment (5mg/gm)  | For ophthalmic use.  |
| <b>NAME OF DRUG</b>   | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>   |
| Moxonidine tablet 0.2mg/0.3mg/0.4mg   | For hypertension   |
| Mycophenolate Mofetil   | Immunosuppressant  |
| Nabumetone  | NSAID  |
| Nadifloxacin (1%) + Miconazole Nitrate (2%) + Mometasone Furoate (0.1%) Cream                     | For dermatoses   |
| Nadifloxacin (10mg/gm) + Mometasone Furoate (1mg/gm) cream  | For mixed infection of skin  |
| Nadifloxacin Cream  | Antibacterial; antiacne  |
| Nadifloxacin Gel 1%   | Acne vulgaris  |
| Nafarelin Acetate   | Antiendometriotic agent; gonadotropin inhibitor  |
| Nalbuphine injection 10mg/20mg per ml.  | For moderate to severe pain  |
| Nateglinide   | Antidiabetic   |
| Nebivolol (as HCl) 5mg + Valsartan 80mg   | For hypertension   |
| Nebivolol HCl   | Antihypertensive   |
| Nelfinavir 625mg tablet (addl.strength)   | For HIV patients   |
| Nelfinavir Mesylate   | Anti-HIV   |
| Nevibolol (as HCl) 5mg + Amlodipine (as besylate) 5mg/10mg  | For hypertension   |
| Nevirapine  | Anti HIV   |
| Nicorandil E.R Tablet (10mg/20mg)   | Angina Pectoris  |
| Nimesulide 1% + Methyl Salicylate 5%.   | Aerosol For local application in acute pain.   |

|  |  |
|--|--|
| <b>Nitazoxanide (500mg) + Ofloxacin (200mg) Tablet</b>                           | For urogenital infection in adults.                                  |
| <b>Octylonium Bromide</b>  | Irritable bowel syndrome   |
| <b>Ofloxacin (200mg) + Ornidazole (500mg)</b>                                    | For diarrhea of mixed infection                                      |
| <b>Olanzapine</b>  | Antipsychotic  |
| <b>Olanzapine powder For oral suspension (10mg/5ml)</b>                          | For schizophrenia in adults  |
| <b>Olmesartan (as Medoxomil) 10mg (addl. Strength)</b>                           | Anti-hypertensive  |
| <b>Olmesartan 40mg + HCTZ 25mg tablet (addl. Strength)</b>                       | Anti-hypertensive  |
| <b>Olmesartan Medoxomil (5mg/20mg/40mg) Tablet</b>                               | Anti-hypertension  |
| <b>Olopatadine Ophthalmic solution (0.2%) (additional Strength)</b>              | As approved  |
| <b>Olopatadine Hcl. Tablet 2.5mg/5mg</b>   | Allergic nasal inflammation hives, itching with skin diseases        |
| <b>Olopatadine Ophthalmic solution (0.1%)</b>                                    | For allergic conjunctivitis  |
| <b>Omeprazole (20mg) Enteric coated + Domperidone (30mg) (S.R.) capsule</b>      | For GERD not responding to Omeprazole.                               |
| <b>Omeprazole Powder for suspension (20mg/Sachet)</b>                            | Anti-ulcer   |
| <b>Oseltamivir (as phosphate) Capsule (75mg) &amp; oral suspension (12mg/ml)</b> | For influenzae   |
| <b>Oseltamivir formulation (additional indication)</b>                           | For Prophylaxis of influenzae in adult and children >14 years of age |
| <b>Oxandrolone Tablet (2.5/10mg)</b>   | To promote weight gain   |
| <b>Oxcarbazepine</b>   | Antiepileptic  |
| <b>Oxcarbazepine S.R 450mg/900mg (addl. Strength).</b>                           | Anti-epileptic   |
| <b>Oxcarbazepine S.R. (150mg/300mg/600mg) Tablet</b>                             | Anti-epileptic   |
| <b>Oxiconazole</b>   | Antifungal   |
| <b>Paclitaxel nanoparticle Inj. (20mg/ml)</b>                                    | For metastatic breast cancer   |
| <b>Pantaprazole sodium 20mg/40mg Tablet (with sodium bicarbonate As buffer)</b>  | For gastric ulcer, duodenal ulcer, Z. E Syndrome, GERD               |

| NAME OF DRUG  | INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS   |
|---|---|
| Pantoprazole (as Sodium) (E.C) 40mg + Itopride (150mg) S.R                | For GERD  |
| Parecoxib Inj.  | NSAID   |
| Paromomycin Inj. 375mg/ml   | For visceral leishmaniasis (Kalaazar)                   |
| Paroxetine Hydrochloride  | Antidepressant  |
| Pegaptinib Sodium Injection (0.3mg).                                      | For neovascular (wet) age related macular degeneration. |
| Perflutren liquid microsphere injectable suspension                       | For diagnostic use                                      |
| Phenylephrine 2.5% Eye drops  | Ophthalmic  |
| Phenytoin Sodium (300mg) tablet   | Addl. Strength  |
| Pioglitazone 15mg/30mg + MetFormin ER 1000mg tablet (additional strength) | As approved   |
| Pioglitazone Hydrochloride  | Antidiabetic  |
| Piperacillin - Tazobactam Inj.  | Antibiotic  |
| Pitavastatin (1mg/2mg) Tablet   | Lipid Lowering agent                                    |
| Polonasetron (As Hcl.) For Injection 0.25mg/5ml                           | Chemotherapy induced nausea & Vomiting                  |
| Poractant a   | For respiratory distress in preterm babies              |
| Pramipexole Di-hydrochloride Tablet (0.125mg/0.25mg/0.5mg/1mg/1.5mg).     | For Parkinson's disease                                 |
| Pravastatin   | Lipid lowering agent                                    |
| Pravastatin 40mg tablet (Additional strength)                             | As Approved   |
| Pregabalin capsule (75/150/300mg)   | For neuropathic pain.                                   |
| Pregabalin Capsule 25/50/100/200mg (addl. Strength)                       | Same as approved.                                       |
| Premetrexed(Disodium) powder For solution For Inj. 500mg/vial             | Anti Cancer   |
| Propionyl-L-Carnitine HCl Tablet (500mg) & injection 300mg/vial           | Chronic congestive heart failure                        |
| Propofol 10mg + Lignocaine 1mg per ml injection                           | For induction of anesthesia                             |
| Pygenum Africum   | For BPH   |
| Quetiapine (As fumarate) SR 400mg tablet (additional strength)            | As approved   |
| Quetiapine Fumerate   | Antipsychotic   |
| Quetiapine S.R tablet 200/300mg.  | For psychotic disorder                                  |
| Quetiapine SR Tablets 50mg ( additional strength)                         | As approved   |
| Quinapril   | Anti – Hypertensive                                     |
| R (-) Ondansetron oral Solution (1mg/5ml)                                 | For Chemotherapy induced nausea and vomiting            |
| R(-) Ondansetron (2mg/4mg) tablet   | For chemotherapeutic induced nausea and vomiting        |
| Rabeprazole   | Antiulcer; Proton pump inhibitor                        |
| Rabeprazole 20mg (EC) + Itopride SR 150mg                                 | For GERD  |
| Rabeprazole Sodium 20mg/10mg with sodium bicarbonate As buffer            | For Duodenal ulcer, G.U, Z.E.S. & GERD                  |
| Racecadotril  | Antidiarrhoeal  |
| Racecadotril dispersible tablet (10mg/30mg) (new dosage Form)             | For diarrhea  |
| Raloxifene HCl  | Menopausal osteoporosis                                 |
| Ramipril (5mg) + Telmisartan (40mg) tablet                                | For Hypertension  |
| Ramipril 10mg + HCTZ 12.5mg tablet (additional strength)                  | As approved   |
| Reboxetine  | Anti-depressant   |
| Repaglinide   | Antidiabetic  |

| NAME OF DRUG   | INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS  |
|--|--|
| Resperidone Tablet & Syrup (addl. Ind )  | Acute mania & mixed episode in bipolar-I disorder.   |
| Rifaximine 200mg tab.  | For infections diarrhea in adults  |
| Rimonabant tablet 20mg   | For Obese Patients BMI≥ 30kg/m2 or overweight patients BMI≥ 27kg/m2 with Associated risk factors such As type-I diabetes or dyslipidemia |
| Risedronate Sodium   | For Osteoporosis   |
| Rituximab  | Antineoplastic   |
| Rizatriptan  | Anti migrain   |
| Rofecoxib  | NSAID  |
| R-Ondansetron (As Hcl. Dihydrate) (1mg/ml) injection   | Chemotherapy induced nausea & vomiting   |
| Ropinirole   | Dopamine Agonist (for Parkinson's Disease)   |
| Rosiglitazone  | Antidiabetic   |
| Rosiglitazone (as maleate)2mg + Glibenclamide 5mg + MetFormin 500mg tablet                       | Anti Diabetic  |
| Rosiglitazone 1mg + Metofmin Hcl 500mg tablet (additional strength)                              | As approved  |
| Rosiglitazone Maleate  | Antidiabetic   |
| Rosuvastatin   | Lipid lowering Agent   |
| Rupatadine (10mg) tablet   | For perinial allergic rhinitis   |
| S (-) Amlodipine Besylate  | Anti-hypertensive  |
| S(-) Metoprolol (As succinate) 25mg + S(-) Amlodipine (As besylate 2.5/5mg                       | For essential hypertension   |
| S(-) Metoprolol Succinate S.R. tablets (equivalent to S(-) Metoprolol Tartrate 12.5mg/25mg/50mg) | For Hypertension   |
| S(-) pantoprazole (as sodium) 20mg (E.C.) + Domperidome SR 30mg tablet                           | FOR GERD   |
| S(-) Pantoprazole (as Sodium) Inj. 20mg/vial   | For peptic ulcer, GERD & Zollinger Ellison Syndrome  |
| S(-)Pantoprazole (10mg/20mg) tablet  | For gastric ulcer, duodenal ulcer & GERD   |
| Saquinavir (500mg) tablet (addl. Strength)   | Anti-AIDS  |
| Saquinavir (as mesylate) 500mg Tablet  | Addl. Strength.  |
| S-Atenolol   | Anti-hypertensive  |
| Sevelamer (400mg/800mg) tablet   | For control of serum phosphorus in patients with chronic kidney disease and hemodialysis.  |
| Sibutramine Hydrochloride  | Appetite suppressant   |
| Sildenafil Citrate   | Male Erectile Dysfunction  |
| Sildenafil Citrate 20mg Tablet   | For pulmonary osterial hypertension  |
| Simvastatin (10/20mg) + Ezetimibe (10mg) Tab   | For primary Hypercholesterolemia   |
| Sirolimus  | Immunosuppressant  |
| Sodium Hyaluronate 0.1% eye drops (addl. Strength)   | Ophthalmic use.  |
| Sodium Hyaluronate Cream 0.2%  | For leg ulcer, diabetic ulcer etc.   |
| Sodium Hyaluronate Injection (1%).   | For OA   |
| Sodium Valproate (750mg/1000mg) C.R. Tablet  | Addl. Strength   |
| Solifenacin Succinate Tablet (5mg/10mg).   | For overactive bladder with urge urinary incontinence urgency & urinary frequency  |
| Stavudine 10mg+Lamivudine 40mg+ Nevirapine 70mg dispersible tablet                               | For HIV infection  |
| Stavudine powder for suspension  | For HIV-1 infusion   |
| Stavudine SR 100mg tablet  | Anti HIV   |
| Strontium Ranelate Granules (2gm/Sachet)   | For post-menopausal women with Osteoporosis  |
| Sucralfate (7%) + Povidone Iodine (5%) Ointment  | Anti-infective   |
| Sufentanil Citrate   | Anesthetic Agent   |

| NAME OF DRUG  | INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS  |
|---|--|
| Sulpiride   | Antipsychotic  |
| Sunitinib Maleate Capsules 12.5mg/25mg/50mg                                       | For G.I. Stromal tumor, advanced renal cell carcinoma  |
| Tacrolimus Ointment   | Immuno-modulator   |
| Tadalafil   | For Erectile Dysfunction   |
| Tamsulosin HCl  | For BPH  |
| Tamsulosin HCl (MR) 0.4mg + Dutasteride 0.5mg tablet                              | For BPH  |
| Tazarotene  | Anti-Acne  |
| Tazarotene (0.05%) + Mometasone Furoate (0.1%) Cream (addl.strength)              | For Plaque psoriasis   |
| Tazarotene (1mg) +Mometasone Furoate (1mg) per gram cream                         | For plaque psoriasis   |
| Tegaserod Maleate   | For irritable bowel syndrome   |
| Telbivudine 600mg tablet  | For chronic hepatitis B infection  |
| Telmisartan   | Antihypertensive   |
| Telmisartan 40mg + Amlodipine (as Besylate) 5mg tablet                            | For essential hypertension   |
| Temozolomide  | Antineoplastic   |
| Tenofovir Disoproxil Fumarate (300mg) + Emtricitabine (200mg) tablet              | For HIV-1 infection  |
| Tenofovir Disoproxil Fumarate Tablet (300mg)                                      | Anti-HIV   |
| Tenofovir Disoproxil Fumarate 300mg + Emtricitabin 200mg + Efavirenz 600mg tablet | For HIV-1 infection  |
| Teriparatide  | For Osteoporosis   |
| Testosterone cypionate (100mg/200mg) + Cotton seed oil 736/566mg per ml injection | For testosterone deficiency (i) primary hypogonadism (ii) Hypogonadotropic hypogonadism          |
| Testosterone Gel 1%.  | For replacement therapy in male with Testosterone deficiencies and hypogonadotropic hypogonadism |
| Testosterone Spray (25mg)   | For replacement therapy in males with testosterone deficiency.                                   |
| Testosterone Transdermal Spray (12.5mg/spray) (addl. Lower strength)              | For replacement therapy in males with Testosterone deficiency.                                   |
| Tetrabenazine   | Pre-Synaptic monoamine depleting agent   |
| Thalidomide   | For Leprosy  |
| Thymogen Inj.   | Anticancer   |
| Thymosin Alfa-1 Inj.  | Immunomodulator (for chronic Hepatitis-B)  |
| Tigecycline powder For Inj. 50mg/vial   | For skin & skin structure infection & intra abdominal infection                                  |
| Tiotropium Bromide  | Anti asthematic  |
| Tirofiban (0.25mg/ml injection) (additional strength)                             | For acute coronary syndrome including patients undergoing PTCA or atherectomy                    |
| Tirofiban HCl I.V   | Anti-Platelet  |
| Tiropramide Hcl (100mg) tablet  | For abdominal spasmodic pain, colics of hepatobiliary track, abdominal colics                    |
| Tizanidine SR   | Multiple Sclerosis   |
| Tobramycin Inhalation solution (300mg/5ml)  | For chronic pulmonary infection cystic fibrosis.   |
| Tolterodine-L-Tartrate  | Overactive Bladder   |
| Topiramate  | Antiepileptic  |
| Topotecan Hydrochloride   | Antineoplastic   |
| Torsamide   | Diuretic   |
| Torseamide 10mg + Amiloride 5mg tablets   | Edema Associated with congestive heart failure & hypertension                                    |

| NAME OF DRUG  | INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS                   |
|---|---|
| Trandalopril 1mg/2mg/4mg/2mg + Verapamil (ER) 240mg/240mg/240mg/180mg | Anti hypertensive   |
| Trandolapril  | Anti-Hypertensive   |
| Tranexamic Acid   | Antifibrinolytic  |
| Tranexamic Acid (500mg) + Mefenamic acid (250mg) tablet               | For primary dysmenorrhoea and pain associated with menorrhagia in women |
| Trapidil  | Adjunct in angioplasty  |
| Trastuzumab   | Antineoplastic  |
| Travoprost Eye drops (40mcg/ml)                                       | For glaucoma & ocular hypertension.                                     |
| Triflusal   | Platelet Aggregation Inhibitor  |
| Trimebutine Maleate   | For irritable bowel syndrome  |
| Ursodeoxycholic Acid (500mg) S.R Tablet                               | Addl. Strength  |
| Valacyclovir  | Anti-viral  |
| Valdecoxib  | NSAID   |
| Valgancyclovir  | For CMV   |
| Valsartan   | Antihypertensive  |
| Varenicline (As tartrate) 0.5mg/1mg tablets                           | As an aid to smoking cessation treatment in adults                      |
| Venlafaxine Hdrochloride  | Antidepressant  |
| Vimocetine  | Vasodilator   |
| Vinorelbin Tartrate Inj.  | Antineoplastic aggregation inhibitor                                    |
| Vinpocetin  | Anti-psychotic  |
| Vitamin C 500mcg + Zinc Citrate 2.2mg + Selenium 60mcg tablet.        | For vitamin C deficiency  |
| Voglibose (0.2mg/0.3mg) Tablet  | Anti-diabetic   |
| Voriconazole Powder for oral soluion (40mg/ml)                        | Anti-fungal   |
| Zafirlukast   | Antiasthmatic (Leukotriene Receptor Antagonist)                         |
| Zaleplon  | Sedative-Hypnotic   |
| Zanamavir inhalation powder 5mg/blister                               | For influenzae  |
| Zinc (Gluconate) oral solution (20mg/5ml)                             | For acute diarrhoea   |
| Ziprasidone HCl   | For Schizophrenia   |
| Zolendronic Acid  | For Hypercalcaemia  |
| Zolpidem  | Sedative-Hypnotic   |
| Zolpidem Tartrate E.R tablet (6.25mg/12.5mg).                         | For insomnia  |
| Zonisamide (100mg) capsule  | Anti-epileptic  |
| Zonisamide capsule 25/50mg (addl. Strength)                           | Same as approved.   |
| Zuclopenthixol Acetate  | Antimaniac & antischizophrenic  |



| <p style="text-align: center;"><b>NAME OF DRUG</b></p> <p><b>FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER &amp; REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP &amp; DOSSIER IS NOT REQUIRED</b></p>   | <p style="text-align: center;"><b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b></p>  |
|---|--|
| 1 tablet of Atazanavir 300mg & 1 tablet of ritonavir Ritonavir 100mg & FDC of Tenofovir Disoproxil fumarate 300mg + Lamivudine 300mg (Each Co-pack contains :- 1 capsule of Atazanavir 300mg & 1 Tablet of Ritonavir 100mg & 1 Tablet of FDC of Tenofovir Disoproxil Fumarate 300mg + Lamivudine 300mg) | For the treatment of HIV infections in adults  |
| 1 tablet of Tenofovir disoproxil 300mg + Lamivudine 300mg & 2 tablet of Nevirapine 200mg combipack  | For the treatment of HIV infection in adults   |
| 3 tablets of artesunate 100mg + 3 tablets of Artesunate 50mg & 2 tablets of FDC of Pyrimethamine 25mg + Sulphadoxine 500mg combipack  | Additional strength  |
| Abacavir Sulfate Tablet 60mg  | For the treatment of HIV-1 infection in combination with other antiretroviral agents   |
| Abatacept Injection 250mg/vial (additional indication)  | For reducing signs and symptoms of moderately to severely active polyarticular juvenile idiopathic arthritis/juvenile rheumatoid arthritis in pediatric patients 6 years of age and older who have had an inadequate response to one or more DMARD's such as MTX |
| Abatacept Injection 250mg/vial (Addl. Indication)   | In moderately to severely active rheumatoid arthritis in adults and may be used as monotherapy or concomitantly with DMARD's other than TNF antagonists  |
| Abatacept powder for injection 250mg/vial   | For adult patients with severe active rheumatoid arthritis who had an inadequate response to one more DMARDs such as methotixate or TNF antagonists  |
| Acebrophylline capsules 100mg   | For the treatment of adult patients with chronic obstructive pulmonary disease and bronchial asthma  |
| Acebrophylline SR Tablet 200 mg   | For the treatment of adult patients with chronic obstructive pulmonary disease (COPD) and bronchial asthma.  |
| Acebrophylline Syrup 10mg/ ml   | For the treatment of adult patients with chronic obstructive pulmonary disease(COPD) and bronchial asthma.   |
| Acebrophylline Syrup 10mg/ml (Additional Indication)  | For the treatment of children (age 6to 12years) with chronic obstructive pulmonary disease(COPD) and bronchial asthma.   |
| Aceclofenac 1% w/w + Menthol 5% Spray   | For the treatment of acute painful inflammatory conditions in adults only  |
| Aceclofenac 100mg + Tizanidine 2mg film coated tablets  | For the treatment of acute low back pain in adult patients only  |
| Aceclofenac injection 150mg/ml  | For short term treatment of pain due to post operative and post traumatic cases  |
| Aceclofenac Roll - On 1%  | For the treatment of acute musculoskeletal pain in patients  |
| Aceclofenac(100mg) + Thiocolchicoside ( 8 mg) tablets   | For the treatment of acute inflammation conditions associated with spasm in adults only  |
| Acetyl Cysteine Eye Drops 5% w/v  | Indicated the relief of Dry eye symptoms associated with deficient tear secretion, impaired or abnormal mucus Production.  |
| Actarit 100mg Tablets   | For the treatment of rheumatoid arthritis patients   |
| Activated Dimethicone 50mg + Magnesium Hydroxide 250mg+ Dried Aluminium Hydroxide250 mg + Sorbitol (70%)1.25 gm /5ml Solution   | For treatment of symptoms of hyperacidity (e.g. heartburn, epigastric discomfort, or their equivalents) that are often associated with dyspepsia, peptic ulcers, gastritis, peptic esophagitis and indicated for relief of flatulence                            |
| Acyclovir SR Tablet 1200 mg   | For the treatment of uncomplicated Herpes Zoster in immunocompetent patients.  |
| Adapalene 0.1% + Benzoyl Peroxide 2.5% gel  | For the treatment of acne vulgaris   |
| Ademetionine enteric coated Tablets ..200mg/400mg   | For the management of intrahepatic cholestasis and liver disease.  |
| Adenosylcobalamin 15mcg + Ferrous Ascorbate Eq. to Elemental iron 100mg + Folic Acid IP 1.5mg + Zinc Sulphate USP Eq. to Elemental Zinc 22.5mg tablet   | For the treatment of iron deficiency anaemia in adults only  |
| Albendazole 400 mg + Ivermectin 6 mg tablet   | For the treatment of intestinal helminthes and suppression of microfilaraemia especially with bancrofti infections   |
| Alfuzocin Hcl. ER (10mg) + Dutasteride 0.5mg tablet   | For BPH in men with enlarged prostate  |
| Aliskiren 150/150/300/300mg + HCTZ 12.5/25/12.5/25mg tablets  | For the treatment of essential hypertension in adult patients whose blood pressure is not adequately controlled on monotherapy .   |
| Aliskiren 150/160mg + Valsartan 300/320mg tablets   | For the treatment of hypertension  |
| Aliskiren Tablet 150mg/300mg  | For hypertension   |
| Alpha lipoic acid USP 100mg + Methylcobalamin 1500mcg + Vitamin B6 IP 3mg + Folic acid IP 1.5mg + Benfotiamine 50mg + Biotin USP 5mg + Chromium Picolinate USP Eq. to Chromium 200mcg Capsule   | For the treatment of diabetic neuropathy   |
| Ambrisentan film coated Tablets 5 mg / 10mg   | For the treatment of pulmonary arterial hypertension (WHO Group I) in patients with WHO class II or III symptoms to improve exercise capacity and delay clinical worsening.  |
| Ambroxol + loratadine + Guaifenesin Syrup (30mg + 5mg + 50mg per 5ml)   | For the treatment of productive cough  |
| Ambroxol 30mg + Levo salbutamol 1mg+ Guiphenesin 50mg /5ml syrup  | For the symptomatic relief of bronchospasm in bronchial asthma & chronic bronchitis  |
| <p style="text-align: center;"><b>NAME OF DRUG</b></p>  |  |

| FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER & REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP & DOSSIER IS NOT REQUIRED | INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS  |
|--|--|
| Ambroxol HCl 30mg + Guaiphenesin 100mg + Terbutaline sulphate 2.5mg per 10ml Syrup   | For the symptomatic relief of bronchospasm in bronchial asthma & chronic bronchitis  |
| Ambroxol HCl. 15mg + Guiphenesin 50mg + Terbutalin sulphate 1.25mg + Menthol 2.5mg per 5 ml of syrup   | For symptomatic relief of bronchospasm in bronchial asthma and chronic bronchitis  |
| Amino Acid, Glucose Parental Solution (Solution for intravenous infusion)  | Indicated to meet daily requirement of nitrogen (amino acids), energy (glucose) for patients needing parental Nutrition  |
| Amiodarone Injection (additional Indication).  | For cardiopulmonary resuscitation in the event of cardiac arrest related to ventricular fibrillation resistant to external electric shock.   |
| Amisulpiride 300mg tablets (Additional Strength)   | Same as Approved   |
| Amisulpride S.R.Bilayered tablet 200/400mg   | For acute and chronic schizophrenic disorders, in which positive symptoms and or negative symptoms are prominent, including patients characterised by predominant negative symptoms.   |
| Amitraz 2%w/v pour on solution   | For the control of ticks on cattle and ostriches   |
| Amitriptyline Hydrochloride IP 4%w/w + Ketamine HCL eq. to Ketamine 2% w/w per gm cream.   | For the treatment of patients suffering from neuralgia   |
| Amlodipine (5mg) + Nebivolol (5mg) tablet (addl. Strength).  | As approved.   |
| Amlodipine + Metoprolol (2.5/5 mg + 25/50mg (ER))Tablets   | Additional Lower Strength  |
| Amlodipine 5mg/2.5mg + Valsartan 320mg/80mg + HCTZ 12.5mg/12.5mg tablet  | Additional strength  |
| Amlodipine besilate IP Eq. to Amlodipine 5mg + Indapamide USP SR 1.5mg tablet  | For the treatment of mild to moderate hypertension   |
| Amlodipine Besylate IP Eq. to Amlodipine 10mg/5mg/2.5mg +Telmisartan 80mg/40mg/20mg + HCTZ 25mg/12.5mg/12.5mg tablet                                   | For the treatment of essential hypertension  |
| Amlodipine Tablets 5mg/10mg (additional indication)  | 1. To reduce of fatal coronary heart disease and non-fatal myocardial infarction, and to reduce the risk of stroke.<br>2. To reduce the risk of coronary revascularization procedures and the need for hospitalization due to angina in patients with coronary artery disease.                           |
| Amlodipine5mg + Ramipril10mg/5mg Tablets (additional strength)   | For the treatment of hypertension only   |
| Ammonium Lactate Cream 12% w/w   | Indicated For the treatment of Dry,scaly skin(xerosis) and ichthyosis vulgaris and for temporary relief of itching associated with these condition.  |
| Amoxicillin 250mg + Lacto- Bacillus 1.7 billion Spores   | For RTI, SRS of tissue infection, bons & joint infection, ENT infection in adults prone to antibiotic associated diarrhoea   |
| Amoxicillin 250mg/125mg + Cloxacillin 250mg/125mg + Lactic Acid Bacillus 1.7 Billion spores  | For RTI, SRS of tissue infection, bons & joint infection, ENT infection in adults prone to antibiotic associated diarrhoea   |
| Amoxycillin + Clavulanic acid(1gm + 62.5mg ) FC Tablets  | For the treatment and management of patients with community acquired pneumonia or acute bacterial sinusitis due to beta lactamase producing pathogens  |
| Amoxycillin 125mg/250mg/500mg + Lactobacillus 1.66 billion Spores (Capsules)   | For the treatment of respiratory tract infection, skin and soft tissue infections & antibiotics associated diarrhoea in adult patients   |
| Amoxycillin 250mg + Cloxacillin 250mg + Lactobacillus 2 billion spores capsules  | For the treatment of lower RTI, skin & soft tissue bone & joint infections, ENT infections in adult patients prone to antibiotic associated diarrhoea  |
| Amoxycillin Oral Suspension 200/400 mg per 5ml   | in the treatment of infections due to susceptible strains of the designated micro-organisms in the condition of E.N.T infection, skin & skin structure infection, lower respiratory tract infection, genito-urinary tract infection, gonorrhoea, acute uncomplicated (anogenital & urethral) infections. |
| Amphotericin B Emulsion 5mg/ml (Addl. Indication)  | Febrile Neutropenia in cancer patients   |
| Amphotericin B Lipid suspension 50mg/ vial (Addl. Strength)  | Additional Strength  |
| Amphotericin B Lipid suspension injection (25mg/vial) with lipid suspension  | For invasive fungal infection in patients who are refractory to or intolerant of conventional amphotericin B therapy   |
| Amtolmetin Guacil tablets 600mg  | For the treatment of osteoarthritis & rheumatoid arthritis   |
| Anidulafungin Injection (Lyophilized powder) 50mg/100mg per vial   | For the treatment of invasive candidiasis including candidemia and esophageal candidiasis in adult patients.   |
| Apomorphine HCL-2mg/3mg Sublingual tablet.   | For erectile dysfunction in adult men.   |
| Arformoterol (as Tartrate ) 15mcg / 2ml Inhalation Solution  | For the long term, twice daily (morning and evening) maintenance treatment of bronchoconstriction in patients with chronic obstructive pulmonary disease (COPD), including chronic bronchitis and emphysema.   |
| Armodafinil uncoated tablet ..50/150/250mg   | To improve wakefulness in patients with excessive sleepiness associated with treated obstructive sleep apnea (OSA), shift work sleep disorder (SWD) or narcolepsy.   |
| Artemether + Lumefantrine (80mg + 480mg/5ml) Dry syrup   | for the treatment of chloroquine resistant/multidrug resitant on complicated malaria   |
| Artemether + Lumefantrine Dispersible tablet (40/80mg + 240/480mg ) (Additional Strength)  | Same as approved   |
| Artemether 40mg/80mg + Lumefantrine 240mg/480mg tablets (additional Strength)  | Same as Approved   |

| <b>NAME OF DRUG</b><br><b>FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER &amp; REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP &amp; DOSSIER IS NOT REQUIRED</b> | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>   |
|--|--|
| Aspirin 75mg + Simvastatin 10mg/20mg + Lisinopril 5mg/10mg + Atenolol 25mg/50mg Tablets  | For secondary prevention of coronary heart disease/stroke in patients where use of such combination is appropriate   |
| Atazanavir + Ritonavir(300mg + 100mg) FC Tablets   | For the treatment of patients with HIV infection   |
| Atazanavir 300mg capsules (Additional strength)  | Same as approved   |
| Atorvastatin (40mg) + Ezetimibe (10mg) Tablet (addl. Strength).  | As approved.   |
| Atorvastatin + Metformin(10mg + 500mg SR) Tablets  | As adjunctive therapy to diet and exercise in patients with diabetic dyslipidemia  |
| Atorvastatin 10mg + Aspirin 75/150mg Capsules  | For the treatment of dyslipidemia associated with atherosclerotic arterial disease with risk of myocardial infarction, stroke or peripheral vascular disease   |
| Atorvastatin 10mg + Fenofibrate 80mg tablet (Additional Indication)  | For the treatment of combined hyperlipidemia in patients with normal hepatic and renal functions.  |
| Atorvastatin 20mg + Ramipril 2.5mg/5mg Capsules  | Additional higher strength   |
| Atorvastatin Calcium (10mg) + Ramipril (2.5mg/5mg) tablet  | For treatment of patients with both hypertension and hypercholesterolemia.   |
| Atorvastatin Calcium (10mg) + Fenofibrate (145mg) (addl. strength)   | As Approved  |
| Atorvastatin Calcium 80mg tablets (Additional Strength)  | additional Strength (it should not be used routinely because of increased risk of adverse events. It should be reserved for patients who are considered to be at higher risk after careful risk assessment |
| Atorvastatin10mg + Ramipril 5mg + Aspirin (EC pellets) 75mg/150mg + Metoprolol (ER tablets) 25mg Capsules  | For secondary prophylaxis of ischemic heart disease in patients where use of such combinations in appropriate  |
| Azathioprine 25mg Tablets  | Additional Strength  |
| Azithromycin + Dexamethasone (10mg + 1mg) Eye Drops  | For post operative steroid responsive inflammatory ocular condition when bacterial ocular infections or a risk of bacterial ocular infections exists.  |
| Azithromycin 500mg + Ambroxol S.R (75mg) Tablet.   | For RTI caused by susceptible organisms in adults.   |
| Azithromycin eye drops 1%  | Conjunctivitis   |
| Azithromycin SR Granules for oral suspension 2000mg  | for the treatment for mild to moderate susceptible infection including RTI, uncomplicated skin/ skin structure, non gonococcal urethritis, cervicitis  |
| Azithromycin SR Granules for Oral Suspension 1gm (Addl. Strength)  | Same as Approved   |
| Bacillus Clausii Spores (2 Billion) Capsules (additional dosage form)  | Same as Approved   |
| Baclofen ER Capsule 10 mg/50 mg. (Additional Strength)   | Same as approved   |
| Beclomethasone Dipropionate 0.25mg + Econazole 10mg + Neomycin 5mg per gm of Cream   | For the topical treatment of bacterial and fungal infections   |
| Beclomethasone Dipropionate IP 0.025% w/w + Neomycin sulphate IP 0.5% w/w cream  | Additional lower strength  |
| Beclomethasone Dipropionate IP 100mcg + Formoterol Fumarate dihydrate BP Eq. to Formoterol Fumarate 6 mcg Metered Dose Inhaler   | For the treatment of bronchial asthma where use of inhaled corticosteroid therapy found appropriate  |
| Bendamustine Hydrochloride Lyophilized powder Injection 100mg/ vial  | For the treatment of patients with chronic lymphocytic leukemia.   |
| Benzoyl Peroxide Medicated Solution (each textured pad contains 4.5%/6.5%/8.5% of solution   | For the topical treatment of acne vulgaris   |
| Betahistine Mesilate Tablet 6mg/12mg   | For the treatment of dizziness and feeling of dizziness resulting from Meniere's disease, Meniere's syndrome and vertigo.  |
| Betamethasone 0.05% +Miconazole 2% Cream   | For the treatment of steroid responsive dermatoses associated with superficial fungal infections of the skin   |
| Bicalutamide Tablet 150 mg.(Additional Strength and Indication)  | Indicated either alone or as adjuvant to radical Prostatetomy or radiotherapy in Patients with Locally advanced Prostate cancer at High risk for disease Progrssion.                                       |
| Bimatoprost Eye Drps 0.1mg/ml  | for the treatment of hypotrichosis of the eye-lashes by increasing their growth including length, thickness & darkness.  |
| Bimatoprost Ophthalmic Solution 0.01% w/v (Additional Strength)  | Same as approved.  |
| Bimatoprost Ophthalmic solution 0.03%  | For the treatment of hypotrichosis of the eyelashes by increasing their growth including length, thickness and darkness.   |
| Bortezomib inj.3.5mg/vial (Additional Indication)  | Treatment of patients with multiple myeloma  |
| Bortezomib Injection (additional indication)   | For the treatment of patients with mantle cell lymphoma who have received at least one prior therapy.  |
| Bosentan (as monohydrate) Tablets 62.5/125mg   | For the treatment of pulmonary arterial hypertension (WHO Group I) in patients with WHO Class III or IV symptoms, to improve exercise ability and decrease the rate of clinical worsening.                 |
| Boswellia Serrata 0.05gm/gm of Cream   | For the treatment of mild to moderate psoriasis  |
| Brimonidine Tartrate Ophthalmic solution 0.1% (with purite as preservation 0.0005%) (additional strength)  | For lowering of IOP in patients with open angle glaucoma ocular hypertension   |
| Bromfenac Sodium Eye Drop (0.09%)  | For the treatment of postoperative inflammation & reduction of postoperative ocular pain in patients who have undergone cataract extraction  |
| Buclizine Hcl 25mg Tablet (Additional Indication)  | For the Symptomatic treatment of various allergic conditions (rhinitis, conjunctivitis and urticaria) and for prevention and treatment of motion sickness  |

| <b>NAME OF DRUG</b><br><b>FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER &amp; REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP &amp; DOSSIER IS NOT REQUIRED</b>  | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>  |
|---|---|
| Budesonide + Formoterol (80/160mcg + 4.5mcg) Inhalational Powder (Additional Indication)  | Indicated in the regular treatment of patients with moderate to severe COPD with frequent symptoms and a history of exacerbations   |
| Buprenorphine + Naloxone (2 mg/0.4mg + 0.5/0.1 mg) Tablets  | Additional Lower Strength   |
| Buserelin Acetate injection 1mg/ml (Additional Indication)  | indicated for the palliative (initial & maintenance treatment) of patients with hormone-dependent advanced carcinoma of the Prostate gland (Stage D).   |
| Butaphosphan 100g + Methyl Hydroxybenzoate 1gm + Cyanocobalamin50 gm Oral powder (Veterinary Drug)  | As vitamin and phosphorous supplement for livestock, shirmp and fish.   |
| Butarphenol tartrate 10mg/ml nasal spray  | For management of pain in patients using opioid analgesics.   |
| Cabergoline 1mg Tablets (Additional indication)   | For the treatment of hyperprolactinemia and inhibition of lactation.  |
| Caffeine Citrate 20mg / ml (equivalent to 10mg of Caffeine base) Oral Solution (Addl. Dosage form)  | same as approved  |
| Caffeine(as Citrate) 10mg / ml Injection  | For the short term treatment of apnoea of prematurity of infants between 28 and < 33 weeks gestational age.   |
| Calamine 8% + Liquid Paraffin10% lotion   | As antipruritic and smoothening agent   |
| Calcitriol + Calcium + Zinc (0.25mcg + 200mg + 7.5mg) Capsules  | For the treatment of hypocalcaemia and/or osteoporosis  |
| Calcium (as Calcium Citrate Malate) + Colecalciferol (as Colecalciferol Concentrate) + Folic Acid (250mg + 100IU + 50mcg) Tablets   | For the treatment of calcium and Vitamin D deficiency states (pregnancy, lactation, growing Children)   |
| Calcium acetate 435mg + Magnesium carbonate 235mg tablets   | For the management of hyperphosphatemia in adults patients with renal failure being treated with dialysis (hemodialysis or peritoneal dialysis)   |
| Calcium and Magnesium 24% (Veterinary) injectable solution.   | For the treatment of milk fever, hypocalcaemia tetanias and disorders of calcium metabolism in dairy cattle.  |
| Calcium carbonate 600mg +Simethicone 80mg Chewable tablet   | To relieve the uncomfortable symptoms of acid indigestion, heart burn, gas or sour stomach  |
| Calcium citrate maleate Eq. to elemental calcium 250mg +Vitamin D3 IP 200 IU tablet   | For the treatment of calcium and Vitamin D deficiency states  |
| Calcium Hypochlorite 4gm Sachet (Calcium Hypochlorite 0.542% Other Ingredients: 99.458%)  | For purification of contaminated ground water sources.  |
| Calcium Pidolate equivalent to Calcium 500mg + Vit-D3 250 IU  | For osteoporosis and calcium deficiency state.  |
| Calf lung surfactant Intratracheal Suspension containing Phospholipids... 35mg (containing 26 mg phosphatidylcholine of which 16mg is disaturated phosphatidylcholine) Proteins....0.65mg (including 0.26mg of surfactant associated proteins B) per ml | (a). As a prophylaxis therapy for premature infants <29 weeks of gestational age at significant risk for Respiratory Distress Syndrome (RDS). (b). For the treatment of infants <72 hours of age with RDS (confirmed by clinical and radiologic findings) and requiring endotracheal intubation.  |
| Camostat Mesylate tablets 100mg   | For remission of acute symptoms of chronic pancreatitis and post-operative reflux esophagitis   |
| Capecitabin Tablet (150mg/500mg). (for additional indication).  | (i). First line treatment of advanced gastric cancer in combination with platinum based regimen.(ii). Treatment of patients with locally advanced or metastatic breast cancer in combination with docetaxel following failure of cytotoxic chemotherapy.  |
| Capecitabine 150/500mg Tablets (addl. Indication)   | For the treatment of patients with metastatic colorectal cancer   |
| Carboinoxamine Maleate + Ammonium Chloride + Sodium Citrate (Each 5 ml contains: 2 mg + 120 mg + 120 mg) syrup  | For symptomatic treatment of cough  |
| Carmustine (polifeprosan 20 with carmustine Implant (Wafer)   | 1:- In newly diagnosed high-grade malignant glioma patients as an adjunct to surgery and radiation. 2:- In recurrent glioblastoma multiforme patients as an adjunct to surgery  |
| Carmustine for inj. 100 mg  | Indicated as palliative therapy as a single agent or in established combination therapy with other approved chemotherapeutic agents in the following: 3.Hodgkin's Disease—as secondary therapy in combination with other approved drugs in patients who relapse while being treated with primary therapy, or who fail to respond to primary therapy.<br>1.Brain tumors—glioblastoma, brainstem glioma, medulloblastoma, astrocytoma, ependymoma, and metastatic brain tumors.<br>2.Multiple myeloma—in combination with prednisone. 4.Non-Hodgkin's lymphomas—as secondary therapy in combination with other approved drugs for patients who relapse while being treated with primary therapy, or who fail to respond to primary therapy. |
| CarvedilolTablets 3.125/6.25/12.5/25mg (additional indication)  | To reduce cardiovascular mortality in clinically stable patients who have survived the acute phase of a myocardial infarction and have a left ventricular ejection fraction of ≤ 40% (with or without symptomatic heart failure)  |

| <b>NAME OF DRUG</b><br><b>FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER &amp; REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP &amp; DOSSIER IS NOT REQUIRED</b> | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>  |
|--|---|
| Caspofungin acetate Injection (Addl. Indication)   | For use in following: (I) Empirical therapy for presumed fungal infections in febrile neutropenic patients. (II) Treatment of Candidemia and the following Candida (III) Treatment of Esophageal Candidiasis. infections: Intra-abdominal abscesses, Peritonitis and Pleural space infections. (IV) Treatment of invasive Aspergillosis in patients who are refractory to or intolerant of other therapies (i.e, amphotericin B, lipid formulations of amphotericin B, and/or itraconazole) |
| Cefadroxyl (as monohydrate) 125mg + Clavulanic acid (as potassium) 31.25 per 5ml Syrup (Additional strength)   | Same as Approved  |
| Cefdinir 250mg dispersible tablets & oral suspension 250mg/5ml   | For the treatment of community acquired pneumonia, acute exacerbation of chronic bronchitis, uncomplicated skin and skin structure infection, Pharyngitis/tonsillitis   |
| Cefditoren pivoxil 400mg tablets (Additional Strength)   | Same as Approved  |
| Cefditorene pivoxil dispersible tablet (30mg/50mg) (New Dosage form for children)  | As approved   |
| Cefepime (250mg) + Tazobactam (31.25mg) Injection (addl. Strength).  | As approved.  |
| Cefepime (as hydrochloride) 2000/1000/500mg + Sulbactam (as sodium) 1000/500/250mg per vial of injection   | For serious CRTI, uncomplicated and complicated UTI, Uncomplicated skin & skin structure, infection acute exacerbation of chronic bronchitis & intraabdominal infection.  |
| Cefepime Injection (New indication)  | For bacterial meningitis in children.   |
| Cefepime injection 500mg/1gm/2gm (For additional indication)   | For bacterial meningitis in children  |
| Cefixime 100mg/200mg + Cloxacillin 500mg/500mg tablets   | For the treatment of adult patients with upper & lower respiratory tract infections, skin and soft tissue infections  |
| Cefixime 100mg/200mg + Ofloxacin 100mg/200mg Tablets   | For the treatment of patients with typhoid fever and urinary tract infection in adults  |
| Cefixime 200mg/100mg + Lactic acid bacillus 2.5 billion spores tablet & dispersible tablet   | For the treatment of Urinary tract infections, respiratory tract infections, biliary tract infections in adult patients prone to antibiotic associated diarrhoea  |
| Cefixime SR 200mg/400mg + Ofloxacin SR 200mg/400mg Tablet  | Additional strength   |
| Cefotaxime sodium + Sulbactam sodium for injection (Additional Indication)   | For the treatment of lower respiratory tract infection in children  |
| Cefpirome (as sulphate) 500/1000mg/2000mg + Sulbactam (as sodium) 250mg/500mg/1000mg powder for injection  | For the treatment of infection caused by sensitive organisms viz. lower RTI, complicated UTI, Septicemia, bacteremia  |
| Cefpodoxime (as Proxetil) (100mg/200mg) + Clavulanic acid (62.5/125mg) tablet.   | For LRTI, URTI and UTI.   |
| Cefpodoxime 100/200mg+Dicloxacillin ER 500/500mg   | For the treatment of lower RI, Skin and soft tissue, bone and joint infections and ENT infections in adult patients prone to antibiotic induced diarrhoea   |
| Cefpodoxime 50mg + Clavulanic acid 31.25mg dispersible tablet & dry syrup (Additional strength)  | Same as Approved  |
| Cefprozil 250mg/500mg+Clav. Acid-62.5mg /125mg. tab  | For the treatment of adult patients with upper&lower RTI, Skin & Skin structure infection   |
| Ceftazidime + Sulbactam (500/1000mg + 250/500mg) Injection   | 1. For LRTI infections, 2. for UTI - Complicated and uncomplicated, 3. for bacterial septicemia, 4. for bone and joint infections, 5. for gynaecologic infections including endometritis, pelvic cellulitis, and other infections of female genital tract, 6. for CNS infections including meningitis   |
| Ceftazidime + Tobramycin injection (1gm + 120mg) (Additional Strength)   | Same as approved  |
| Ceftazidime 500mg + Tobramycin 60mg per vial (Injection)   | For the treatment of lower respiratory tract infection caused by pseudomonas aeruginosa   |
| Ceftazidime 500mg/1000mg + Sulbactam (As Sodium) 250mg/500mg For injection   | Antibiotic  |
| Ceftazidime (2gm) + Sulbactam (1gm) Injection ( addl. strength for additional indication).   | For serious abdominal infection.  |
| Ceftiofur Crystalline free acid Suspension equi to Ceftiofur ---- 200 mg(veterinary)   | For treatment of bovine respiratory disease (BRD, Shipping fever, pneumonia) associated with Mannheimia haemolytica, Pasteurella multocida, and Histophilus somni in beef, non-lactating dairy, and lactating dairy cattle  |
| Ceftiofur HCl Suspension (as HCl salt) ----125mg (veterinary)  | For treatment of clinical mastitis in lactating dairy cattle associated with coagulase- negative staphylococci, Streptococcus dysgalactiae, and Escherichia coli.   |
| Ceftiofur HCl Suspension(as HCl salt) ----500mg (veterinary)   | For treatment of sub clinical mastitis in dairy cattle at the time of dry off associated with staphylococcus aureus, Streptococcus dysgalactiae, and Streptococcus uberis.  |
| Ceftriaxone + Sulbactam injection (Additional Indication)  | for the treatment of acute bacterial otitis media, skin & soft structure infections, UTI, uncomplicated gonorrhoea, pelvic inflammatory disease, bacterial septicemia, bone and joint infections, intra abdominal infections, meningitis, surgical prophylaxis  |
| Ceftriaxone --2gm+ Tazobactam 250mg for injection  | As Approved   |
| Cefuroxime Axetil (250mg) + Clavulanic Acid (125mg) Tablet.  | For adult patients with infection caused susceptible micro-organisms including S.aureus viz UTI, upper and lower RTI and gonococcal urethritis.   |

| <b>NAME OF DRUG</b><br><b>FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER &amp; REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP &amp; DOSSIER IS NOT REQUIRED</b> | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>   |
|--|--|
| Cefuroxime Axetil (250mg) + Clavulanic acid (125mg) tablet.  | For UTI, URTI and LRTI and gonococcal urethritis.  |
| Cefuroxime Sodium 750/1500mg +Sulbactam Sodium 375/750mg   | For the treatment of mild to moderate lower respiratory tract infection  |
| Cefuroxime-125/250/500mg +Clav.Acid-31.25/62.5/125mg   | For adult patients with infection caused by susceptible microbs,including s.aureus.(e.g-UTI,Upper&lower RTI & gonococcal urethrities)  |
| Celecoxib 100/200mg +Diacerein 50/50mg   | For the treatment of adult patients with osteoarthritis of knee and/or hip joints  |
| Celecoxib Mouth Dissolving Tablet 50/100/200 mg  | For the Treatment of Osteoarthritis and Rheumatoid Arthritis   |
| Cerebroprotein Hydrolysate injection (Lyophilised) .....1050mg / 2100mg (approx) equivalent to nitrogen....30mg / 60mg respectively.   | For amelioration of cranial injury, cerebrovascular pathological sequelae and aprosexia in dementia.   |
| Cetrimide 15% w/v + Chlorhexidine Gluconate 7.5% v/v + Isopropyl Alcohol 7.5% v/v Concentrate Solution   | For cleansing of physically contaminated wounds and for pre-operative disinfection   |
| Cetirizine 10 mg + Ambroxol 75 mg SR Tablet  | For symptomatic relief of productive cough associated with allergic rhinitis, when both anti-histamine and mucolytic agents are desired  |
| Cetirizine 5/10mg + Ambroxol 30mg per 5ml syrup  | For the symptomatic relief of productive cough associated with allergic rhinitis, when both anti-histamine and mucolytic agents are desired  |
| Chemically Modified Sodium Hyaluronate and Absorbable Adhesion Barrier. Caboxymethylcellulose  | As an adjunct in abdominal or pelvic surgery for reducing the incidence, extent and severity of postoperative adhesions at the site of placement.  |
| Chlorhexidine gluconate IP 1%w/v + Ethyl Alcohol IP 61%w/v Solution  | Surgical hand scrub & healthcare personnel hand wash   |
| Ciclesonide 160mcg/320mcg/Formoterol 12mcg + Tiotropium 18mcg Dry powder inhaler   | As third line treatment of severe cases of COPD, when monotherapy and second line therapy with two drugs do not respond adequately   |
| Ciclesonide 200mcg + Formoterol 6mcg + Tiotropium 9mcg MDI   | Indicated as third line treatment of severe cases of COPD, when monotherapy and second line therapy with two drugs do not respond adequately.  |
| Ciclesonide Nasal Spray 50mcg/spray  | For seasonal & perennial allergic rhinitis in adults, adolescents aged ≥ 12 years  |
| Cilostazole E.R Tablet (100mg/200mg).  | For management intermittent claudication.  |
| Cimetropium Bromide tablet 50mg  | For the treatment of irritable bowel syndrome  |
| Cinacalel (as HCl) Tablet 30/60/90mg   | For the treatment of secondary hyper parathyroidism in patients with chronic kidney diseases (CKD) on dialysis and for hypercalcemia in patients with parathyroid carcinoma  |
| Cinitapride (as hydrogen tartrate) 1mg tablet  | For the treatment of gastroesophageal reflux disease and functional inconveniences of the gastrointestinal motility  |
| Cinitapride (ER) 3mg + Omeprazole (EC) 20mg Capsules   | For the treatment of gastric ulcer,gastroesophageal reflux disease(GERD) & Dyspepsia not responding to omeprazole alone  |
| Cinnarizine 20mg + Dimenhydrinate 40mg tablets   | For the treatment of vertigo   |
| Citicholine 500mg + Piracetam 400mg Tablets  | For the treatment of acute stroke  |
| Citicholine Syrup 750mg/5ml  | For the treatment of disturbance of consciousness resulting from head injuries, brain operation and acute stage of cerebral infarction in adults only  |
| Citicholine(as Sod.)-200mg/500mg/750mg granules per sachet.  | As Approved  |
| Citicoline 500mg +Piracetam 400mg per 5 ml syrup   | Additional dosage form   |
| Citicoline Chewable tablet (500mg)   | For the treatment of disturbance of consciousness as resulting from head injuries , brain operation and acute stage of cerebral infraction in adult only   |
| Citicoline CR Tab 1000mg   | For the treatment of patients with serious cerebral injuries of vascular traumatic nature with or without loss of consciousness & for treatment of degenerative damages & chronic cerebral vascular injuries in senile dementia.                 |
| Citicoline Oral Drops  | For the treatment of disturbance of consciousness resulting from head injuries, brain operation & acute stage of cerebral infraction in adult.   |
| Citicoline Troches 200/500mg   | For the treatment of patients with serious cerebral injuries of vascular traumatic nature with or without loss of consciousness and for treatment of degenerative damages and chronic cerebral vascular injuries in senile dementia.             |
| Clebopride (as Malate) (1)Tablets...0.5 mg Ph. Eur. (2.) Syrup...0.1 mg / ml Ph. Eur. (3.) Injection...1 mg / 2mlPh. Eur.  | For the treatment of various disorders associated with altered gastrointestinal motility like non-ulcer dyspepsia (NUD) and / or chronic gastritis, gastroesophageal reflux disease (GERD), nausea and vomiting of organic or functional origin. |
| Clindamycin Palmitate Hcl For Oral Solution 75mg/5ml.  | Indicated for the Prophylaxis against alpha-hemolytic(viridans group) streptococci before dental, oral and upper respiratory tract surgery.  |
| Clindamycin Phosphate Inj. 150mg/ml & Clindamycin HCl Capsules 150mg/300mg (additional indication)   | Prophylaxis of infection in neck and head surgery  |
| Clonazepam IR 0.5mg/0.5mg+ Paroxetine CR 12.5/25mg   | For the treatment of patients with co-morbid depression and anxiety  |
| Clopidogrel 300mg Tablet (addl. Strength)  | As approved  |

| <b>NAME OF DRUG</b><br><b>FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER &amp; REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP &amp; DOSSIER IS NOT REQUIRED</b>   | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>  |
|--|---|
| Closantel Injection 100mg/ ml (for veterinary use.)  | For the infestation of trematodes, nematodes, cestodes and arthropods of domestic animals, including milch and other food producing animals.  |
| Clostimethate Sodium of 1,00,000IU Injection   | For the treatment of serious infection caused Gram-Ve bacteria including LRTI, UTI, where commonly used anti bacterial agent may be infective because of bacterial resistance   |
| Clostridium Botulinum type-A toxin haemagglutinin complex (Additional Indication)  | For focal spasticity, including the treatment of arm symptoms associated with focal spasticity in conjunction with physiotherapy  |
| Clotrimazole (10mg) + Methyl-prednisolone aceponate 1mg/gm of cream.   | For fungal infection of skin associated with inflammation.  |
| Clozapine Tablet 200mg (Addl. Strength)  | Indicated in the management of Schizophrenic patients   |
| Colistimethate Sodium powder for solution for inhalation 500000IU/1000000IU/2000000IU  | Treatment by inhalation of Pseudomonas aeruginosa lung infection in patients with cystic fibrosis   |
| Colistimethate Sodium powder for solution for injection/infusion 500000IU and 2000000IU (additional Strength)  | same as approved  |
| Combikit 4 tablets of Alendronate sodium trihydrate equivalent to Alendronic acid 70mg each + 24 tablets of Calcium carbonate 1250mg (equivalent to 500mg Calcium) + cholecalciferol-250IU   | For the treatment of osteoporosis in post-menopausal women  |
| Combikit of tablet & sachet Each bowel preparatory kit contains: One enteric coated tablet Biscodyl IP 5mg & One sachet of powder for reconstitution contains: Polyethylene glycol 3350NF: 210gm + Sodium Bicarbonate IP 2.86gm + Sodium chloride IP 5.6gm + Potassium Chloride IP 0.74gm  | For bowel cleansing prior to colonoscopy in adult patients only   |
| Combipack of 12 Artesunate –50mg tablets & 6 Mefloquin-250mg tablets   | For drug resistant P.falciparum malaria infection.  |
| Combipack of 12 tablet of Artesunate (50mg) each + 3 tablet of each containing Sulfadoxine (500mg) + Pyrimethamine (25mg) Tablet. (Addl. Strength)   | As Approved   |
| Combipack of 21 tablets of FDC of Ethinylestradiol IP 0.03 mg + Levonorgestrel IP 0.15 mg and 7 tablets of Ferrous Fumarate IP 75mg (Eq. to 24.375 mg of Ferrous iron)   | As contraceptive pill for women   |
| Combipack of artesunate tablet and FDC Tablet of sulphadoxine + pyrimethamine Composition:<br>A. combipack of 1 strip of 3 tablets of artesunate 25 mg and 1 strip of 1 tablet of sulphadoxine 125mg+ pyrimethamine 6.25 mg B. combipack of 1 strip of 3 tablets of artesunate 50 mg and 1 strip of 1 tablet of sulphadoxine 500mg+ pyrimethamine 25 mg C. combipack of 1 strip of 3 tablets of artesunate 100 mg and 1 strip of 2 tablet of sulphadoxine 500mg+ pyrimethamine 25 mg D. combipack of 1 strip of 3 tablets of artesunate 200 mg and 1 strip of 3 tablet of sulphadoxine 500mg+ pyrimethamine 25 mg. | For the treatment of P. falciparum resistant malaria patients   |
| Combipack of two tablet of chloroquine phosphate (250mg) each + 14 tablet of Proguanil HCl (100mg) each  | For drug resistant malaria.   |
| Coseal Surgical Sealent 2/4/8ml (Addl. Indication)   | (1) Enforcement of suture and staple lines in lung resection procedures. (2) Patients undergoing cardiac surgery to prevent or reduce the incidence, severity and extent of post surgical adhesion formation. (3) Patients undergoing laparotomy or laproscopic abdomino-pelvic surgery as an adjunct to good surgical technique intended to reduce the incidence, severity and extent of post surgical adhesion formation. |
| Cross linked Hyaluronic Acid 24mg + Lidocaine 3mg Pre-filled syringes  | For filling any medium sized depression of the skin via mid dermis injection as well as for lip definition. The presence of lidocaine is meant to reduce the patients pain during the treatment   |
| Cyanocobalamin 15mcg+Chromium Picolinate USP 250mcg+Folic Acid USP 1500 mcg+Nicotinamide IP 100 mg+Pyridoxine 3mg +Selenius Acid USP 100mcg+Zinc Sulfate Monohydrate USP 61.8 mg eq. to 22.5 mg  | For Mineral & Vitamins deficiency states in adult patients  |
| Cyclobenzaprine 7.5mg tablets (Additional Strength)  | Same as approved  |
| Cyclobenzaprine HCl ER Capsule 15/30mg   | As an adjunct to rest and physical therapy for relief of muscle spasm associated with acute, painful, musculoskeletal conditions.   |
| Cyclobenzaprine HCl. Tablets 5mg/10mg  | As adjunct to rest and physical therapy for relief of muscle spasm associated with acute painful musculoskeletal conditions   |
| Cytarabine Injection 100mg Additional Packsize (20ml)  | In combination with other approved anticancer drugs is indicated for remission induction in acute non-lymphocytic leukemia of adults and children. It has also been found useful in the treatment of acute lymphocytic leukemia and the blast phase of chronic myelocytic leukemia. Intrathecal administration of cytarabine is indicated in the prophylaxis and treatment of meningeal leukemia.                           |

| <b>NAME OF DRUG</b><br><b>FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER &amp; REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP &amp; DOSSIER IS NOT REQUIRED</b> | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>   |
|--|--|
| Dalteparin Sodium Injection(Additional Indication)   | For the extended treatment of symptomatic venous thromboembolism (VTE) proximal deep thrombosis (DVT) and/or pulmonary embolism (PE), to reduce the recurrence of VTE in patients with cancer  |
| Dapoxetine ( as Hydrochloride) Tablets ...30mg/60mg  | For the treatment of premature ejaculation (PE) in men 18 to 64 years of age.  |
| Daptomycin powder for concentrate for solution for infusion (350mg/500mg per vial)   | For the treatment of complicated skin and skin structure infections and for staphylococcus aureus bloodstream infections (bacteremia)  |
| Darifenacin (as hydrobromide) 7.5mg/15mg ER tablets  | For the treatment of overactive bladder with symptoms of urge urinary incontinence, urgency and frequency  |
| Darunavir(as ethanolate) Tablet 300mg  | For the treatment of human immunodeficiency virus (HIV) infection in antiretroviral treatment experienced adult patients, such as those patients with HIV-1 strains resistant to more than one protease inhibitor when co-administered with 100mg ritonavir, and with other antiretroviral agents.   |
| Dasatinib 20mg/50mg/70mg (Additional Indication)   | Treatment of Newly Diagnosed Adults with Chronic Myeloid Leukemia(CML) in Chronic Phase.   |
| Dasatinib Tablets 100mg (addl. Strength)   | same as approved   |
| Decitabine Lyophilized powder for injection 50mg/20ml vial   | For treatment of patients with myelodysplastic syndromes (MDS) including previously treated and untreated, de novo and secondary MDS of all French-American-British subtypes(refractory anemia, refractory anemia with ringed sideroblasts, refractory anemia with excess blasts, refractory anemia with excess blasts in transformation, and chronic myelomonocytic leukemia) and intermediate-1, intermediate-2, and high-risk international Prognostic Scoring System groups. |
| Deferasirox 100mg dis.tablet(addl. strength)   | As Approved  |
| Deferasirox dispersible tablet (400mg) (addl. Strength).   | As approved  |
| Deferasirox Tablet for Oral Suspension (Additional Sorage Form)  | Same as approved   |
| Deflazacort Oral Suspension (6mg/5ml) (New dosage form)  | For asthma, rheumatoid arthritis when glucocorticosteroid therapy is warranted.  |
| Deflazacort Tablet 18mg (Additional Strength)  | Same as approved   |
| Deflazacort 24mg tablets (Additional strength)   | Same as Approved   |
| Deflazacort oral suspension (6mg/5ml) (new Dosage Form)  | As approved  |
| Desmopressin Acetate tablet 0.1/0.2 mg   | For the treatment of cranial diabetes insipidus , primary nocturnal enuresis in patients.  |
| Desmopressin lyophilisate Oral tablets 60mcg/120mcg/240mcg per tablets   | For diabetes insipidus and nocturnal emuresis  |
| Desvenlafaxine (as Succinate) ER Tablets 50mg/100mg  | For the treatment of major depressive disorder (MDD)   |
| Dexamethasone Intravitreal Implant 0.7mg (in solid polymer drug delivery system)   | For the treatment of macular edema following branch retinal vein occlusion (CRVO)  |
| Dexibuprofen Suspension 50mg/5ml   | For the treatment of mild to moderate pain, reduction of fever   |
| Dexketoprofen (as Trometamol ) tablets 12.5mg/25mg   | For the treatment of mild to moderate pain, such as dental pain, dysmenorrhoea & musculoskeletal pain  |
| Dexketoprofen 12.5 mg/25 mg + Paracetamol 500 mg film coated tablets   | For the treatment of Acute musculoskeletal pain  |
| Dexketoprofen Trometamol 25mg + Thiocolchicoside 4mg tablets   | For the treatment of acute low back pain and other musculoskeletal painful & inflammatory conditions in adult patients   |
| Dexketoprofen Trometamol ER tablet 50 mg (Additional Strength)   | Same as approved   |
| Dexketoprofen1.25% w/w +Linseed Oil 3.0%w/w +Menthol 5%w/w +Methyl Salicylate 10%w/w (12.5mg)  | For the topical treatment of acute musculoskeletal pain  |
| Dexmedetomidine ( as HCl) 100mcg /ml Injection   | For sedation of initially and mechanically ventilated patients during treatment in an intensive care setting.  |
| Dextrabeprazole 10mg (EC) + Domperidone 30mg SR Capsules   | For the treatment of Gastroesophageal Reflux Disease (GERD) in patients not responding to dextrabeprazole alone  |
| Dextrabeprazole Sodium E. coated tablet 5mg/10mg.  | For duodenal ulcer, gastric ulcer and GERD.  |
| Dextrabeprazole sodium Enteric Coated tablet 5mg/10mg  | For Duodenal ulcer, Gastric ulcer & GERD   |
| Dextrometharphan HBr-10mg+Chlorphenaramine maleate-2mg /5ml syrup.   | For the temporary relief of cough due to throat irritation, sneezing & running nose.   |
| Dextromethorphan Extended Release oral Suspension  | For the Relief of Persistent Dry irritating cough in adult patients Only.  |
| Dextromethorphan Orodispersible strip 5.5mg/11mg   | For the relief of persistent dry irritating cough in adult patients only   |
| Diacerin 50mg + Aceclofenac 100mg tablets  | For the treatment of adult patients with osteoarthritis of knee and or hip joints  |
| Diacerin 50mg + Glucosamine sulphate 500mg tablets.  | For the treatment of adult patients with osteoarthritis of knee and hip joints   |
| Diclofenac + Thiocolchicoside (50 mg + 4 mg) Capsules  | Additional Lower Strength  |
| Diclofenac + Thiocolchicoside (50mg (EC) + 8mg) Capsules   | For the treatment of acute inflammation conditions associated with spasm in adults only  |
| Diclofenac 50mg + Chlorzoxazone500mg Tablets   | For the treatment of acute inflammation conditions associated with spasm in adults only  |
| Diclofenac 50mg + Serratiopeptidase 10mg enteric coated tablet   | For the treatment of acute pain in adults  |
| <b>NAME OF DRUG</b>  |  |



| FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER & REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP & DOSSIER IS NOT REQUIRED | INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS  |
|--|--|
| Diclofenac Potassium 50mg + Serratiopeptidase (as enteric coated pellets) 15mg capsules (Additional Strength)  | For the treatment of acute pain in adults  |
| Diclofenac Sodium (75mg/ml) Injection (addl. Strength).  | For management of painful conditions in post-operative cases, rheumatoid arthritis and osteoarthritis.   |
| Diclofenac Sodium 100mg (SR Pellets) + Rabeprazole Sodium 20mg (E.C Pellets) Capsules  | For treatment of painful inflammatory conditions associated with gastroduodenal ulcers   |
| Diclofenac Sodium 50mg + Codeine Phosphate 50mg tablets  | For the treatment of adult patients with signs & symptoms of acute painful conditions  |
| Diclofenac sodium 50mg + Dicyclomine HCl 20mg per ml of injection  | For the treatment of acute colicky pain in adults  |
| Diclofenac Sodium 50mg + Paracetamol 500mg tablets   | For the symptomatic treatment of acute pain and inflammation in patients with osteoarthritis, rheumatoid arthritis and ankylosing spondylitis  |
| Diclofenac sodium SR Tablet 150 mg   | For the treatment of rheumatoid arthritis, osteoarthritis, ankylosing spondylitis, gout, painful post operative pain following dental surgery etc.   |
| Dicyclomine 2.5mg + Dried Aluminium Hydroxide 200mg + Light Magnesium Oxide 100mg + Simethicone 20mg per 5ml suspension.                               | For the treatment of the symptoms of functional gastrointestinal disorders like irritable bowel syndrome, functional dyspepsia, peptic ulcers, GERD which includes smooth muscle spasm, flatulence, abdominal distension, hyperacidity, gastric distress, bloating etc.  |
| Difluprednate Ophthalmic Emulsion 0.05% w/v  | For the treatment of inflammation and pain associated with ocular surgery.   |
| Docetaxel injection conc.  | For additional indication "advanced gastric adenocarcinoma, locally advanced squamous cell carcinoma of head & neck, Hormone refractory metastatic prostate cancer, locally advanced or metastatic breast cancer   |
| Docetaxel injection concentrate 80mg/2ml, 20mg/0.5ml (Additional Indication )  | In combination with cisplatin and 5-fluorouracil is indicated for the induction treatment of patients with locally advanced squamous cell carcinoma of the head and neck.  |
| Doripenem (as monohydrate) Injection 250mg/500mg   | For the treatment of nosocomial pneumonia in adults.   |
| Doripenem 500 mg powder for injection (Additional Indication)  | Complicated intra-abdominal infections and complicated urinary tract infections, including complicated and uncomplicated pyelonephritis and cases with concurrent bacteremia   |
| Doxulepin Hcl Tablet 25mg/75mg (Additional Indication)   | For the treatment of chronic pain.   |
| Doxercalciferol (0.5/ 2.5mcg) Soft Gelatin Capsule (Additional Indication)   | For the treatment of secondary hyperparathyroidism in patients with stage 3 or stage 4 chronic kidney disease  |
| Doxercalciferol 0.5mcg/2.5mcg Soft Gelatin capsules  | For the treatment of secondary hyperthyroidism in patients with chronic kidney disease on dialysis   |
| Doxifluridine Capsules 100mg/200mg   | For carcinoma of the stomach, colon, rectum, breast, uterine, cervix and bladder   |
| Doxofylline ER tablets 400mg/800mg (addl. Strength)  | For the treatment of bronchial asthma & COPD in adults   |
| Doxofylline MR Tablet 650 mg   | For the treatment of Bronchial Asthma and COPD in Adults   |
| Doxophylline (SR) 400mg/800mg + Montelukast 10mg/10mg Tablets  | For the treatment of bronchial asthma in adults  |
| Doxophylline injection-10mg /ml  | For bronchial asthma & COPD in adult patients, when oral therapy is in appropriate.  |
| Doxophylline-400mg+Salbutamol(as sulphate)-2mg/4mg Tablets   | For treatment of Bronchial asthma in adults  |
| Doxorubicin HCl Pegylated Liposomal Injection (20/50MG) (Additional Indication)  | In combination with bortezomab for the treatment of progressive multiple myeloma in patients who have received at least one prior therapy and who have already undergone or are unsuitable for bone marrow transplant  |
| Doxycycline-100mg +L.bacillus spores-5 billion   | For adult patients prone to intrabdominal bacterial infection & Antibiotic associated diarrhoea  |
| Doxyphylline 400 mg + Terbutaline 5mg tablets  | For the treatment of asthma and chronic obstructive pulmonary disease in adult patients only   |
| Dried Aluminium Hydroxide Gel IP 600mg +Magnesium Hydroxide IP 300mg +Simethicone IP 25mg +Oxetacaine BP 10mg per 5ml syrup                            | For the treatment of symptoms of functional gastrointestinal disorders like irritable bowel syndrome, functional dyspepsia, peptic ulcer, gastroesophageal reflux disease which include smooth muscle spasms, flatulence, abdominal distension, hyperacidity, gastric distress, bloating etc.  |
| Dronedarone( as Hydrochloride) film coated tablet .... 400 mg.   | To reduce the risk of cardiovascular hospitalization in patients with paroxysmal or persistent atrial fibrillation (AF) or atrial flutter (AFL), with a recent episode of AF/AFL and associated cardiovascular risk factors (i.e., age > 70, hypertension, diabetes, prior cerebrovascular accident, left atrial diameter > 50mm or left ventricular ejection fraction [LVEF] < 40%), who are in sinus rhythm or who will be cardioverted. |
| Drosperinone + Ethinylestradiol tablets Same as approved   | For the treatment of moderate acne vulgaris in adult females, who have no known contraindications to oral contraceptive therapy, and have achieved menarche. It should be used for the treatment of acne only if the patient desires an oral contraceptive for birth control.  |
| Drosperinone 3mg + Ethinyl Estradiol 0.02mg tablets  | For the treatment of symptoms of premenstrual dysphoric disorders (PMDD) in women (additional indication)  |
| Drospirenone 3mg + Ethinyl estradiol 0.02mg tablets (Additional Strength)  | Oral contraceptive in women  |

| <b>NAME OF DRUG</b><br><b>FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER &amp; REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP &amp; DOSSIER IS NOT REQUIRED</b>   | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>  |
|--|---|
| Drotaverine + Aceclofenac (80mg + 100mg) Tablets   | For the treatment of adult patients with muscular pain associated with spasm  |
| D-Trans Fentanyl Metrix system (12mcg/hr.) (Additional Strength)   | Same as Approved  |
| Each 1000 ml of emulsion contains: Medium chain triglycerides 100 gm + Soya oil 80 gm + Omega-3 acid triglycerides 20 gm + egg lecithin 12 gm + Glycerol 25 gm + Sodium oleate 0.30 gm + Alpha -tocopherol 0.20 gm + Ascorbypalmitate 0.30 gm + Sodium hydroxide max. 0.06 gm + water for injection 784 gm emulsion for infusion | For the supply of fats, including essential omega-6 fatty acids and omega-3 fatty acids, as part of a parenteral nutrition regimen in adults if oral or enteral nutrition is impossible, inadequate or contraindicated.   |
| Each 15 gm sachet contains: Lactulose 10 gm + Ispaghula husk 3.50 gm granules  | For the treatment of chronic idiopathic constipation in adult patients only   |
| Each film coated bilayered tablet contains: Metoprolol 25mg/50mg + Chlorthalidone 12.5mg   | For the treatment of patients with mild to moderate essential hypertension  |
| Each film coated bilayered tablet contains: Metoprolol 25mg/50mg + Chlorthalidone 6.25 mg /12.5mg  | Additional strength   |
| Each gm contains: Halobetasol 0.05% w/w + Mupirocin 2.0 % w/w gel  | For the topical treatment of inflammatory dermatitis with secondary bacterial infection   |
| Each ml contains Calamine 15% w/v + Zinc oxide 5% w/v + Bentonite 3% w/v+ Glycerin 5%w/v + Sodium citrate 0.05 % w/v lotion  | For the treatment of pruritis and prickly heat  |
| Eberconazole 1% w/w + Mometasone Furate USP 0.1% w/w cream   | For the treatment of mild to moderate inflamed cutaneous mycoses  |
| Eltrombopag (as Olamine) Tablets ...25mg / 50mg  | for the treatment of thrombocytopenia in patients with chronic immune (idiopathic) thrombocytopenic purpura who have had an insufficient response to <b>(It should be used only in patients with ITP whose degree of thrombocytopenia and clinical condition increase the risk for bleeding. It should not be used in an attempt to normalize platelet counts).</b> corticosteroids, immunoglobulins, or splenectomy. |
| Enoxaparin Sodium Injection (Addl. Indication)   | Treatment of acute ST-segment elevation myocardial infarction including patients to be managed medically or with subsequent percutaneous coronary intervention (PCI)  |
| Eprosartan Mesylate 400 mg / 600mg Tablets   | For the treatment of essential hypertension   |
| Erlotinib HCl 25/100 mg Tablet (Additional Indication)   | As monotherapy for maintenance treatment in patients with locally advanced or metastatic non-small cell lung cancer with stable disease after 4 cycles of standard platinum based first line chemotherapy.  |
| Erlotinib Hcl Tablet 150 mg (Additional Indication)  | Monotherapy for the Maintenance Treatment of Patients with locally advanced metastatic non-small lung cancer whose disease has not progressed after four cycles of Platinum based First Line Chemotherapy.  |
| Ertapenem for injection 1gm/vial (additional indication)   | For the prophylaxis of surgical site infections following elective colorectal surgery   |
| Escitlopram (as oxalate)10mg + Clonazepam-0.5mg tablet (addl. Strength).   | For comorbid depression and anxiety disorder.   |
| Esllicarbazepine Acetate Tablets 200mg/400mg/600mg/800mg   | As an adjunctive therapy in adults with partial-onset seizures with or without secondary generalisation.  |
| Esomeprazole (with Sodium bicarbonate as buffer) 20mg/40mg tablets   | For the treatment of GERD, gastric and duodenal ulcer, Zollinger-Ellison syndrome   |
| Etizolam 0.25 mg tablet (Additional Strength)  | Same As Approved  |
| Etizolam Tablet (0.5mg/1mg).   | For anxiety disorder associated with depression.  |
| Etodolac 300/300mg +Thiocolchicoside 4/8mg   | For the treatment of patients with acute painful musculoskeletal conditions   |
| Etodolac 400mg + Paracetamol IP 500mg tablet   | Additional higher strength  |
| Etodolac 400mg/400mg + Thiocolchicoside 4mg/8mg tablet   | Additional higher strength  |
| Etodolac USP 400mg +Tolperisone HCL 150mg tablet   | For the treatment of acute inflammation conditions associated with spasm in adults only   |
| Etoricoxib + PCM (60mg + 500mg) Tablets  | For the short term use in acute painful and inflammatory condition  |
| Etoricoxib 1%+ Menthol 5% Spray  | For the topical treatment of acute musculoskeletal pain   |
| Etoricoxib injection 90mg/ml   | For short term use in acute painful condition in adults only  |
| Etoricoxib roll on Topical Solution 1% v/v   | For the treatment of pain, swelling & inflammatory conditions due to arthritis.   |
| Euphorbia Prostrata Dry Extract (ethanolic 80% (v/v) (35-70) :100mg tablet   | For the treatment of haemorrhoid  |
| Everolimus 5/10mg Tablets (Addl. Indication)   | Treatment of advanced renal cell carcinoma  |
| Exemestane 25mg Tablet (Addl. Indication)  | Indicated for adjuvant treatment of Post Menopausal Women with estrogen receptor positive early breast cancer who have received two-three year of tamoxifen and are switched to exemestane for completion of total of five years of adjuvant hormonal therapy.  |
| Exenatide Inj. (Additional Indication)   | Use in patients with type-2 diabetes mellitus who are using a thiazolidinedione alone or in combination with metformin but have not achieved adequate glycemic control  |

| <b>NAME OF DRUG</b><br><b>FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER &amp; REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP &amp; DOSSIER IS NOT REQUIRED</b>   | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>   |
|--|--|
| Exenatide Injection (Additional indication)  | Exenatide is a glucagon like peptide-1 (GLP-1) receptor agonist indicated as an adjunct to diet and exercise to improve glycemic control in adults with Type 2 diabetes mellitus.  |
| Exenatide injection (Each 2ml vial contains- Exenatide 5mcg/10mcg per 0.2ml ) (Additional Strength)  | For adjunctive therapy to improve glycemic control in patients with type-II diabetes mellitus, who have not achieved adequate glycemic control with metformin, a sulfonylurea or a combination of metformin and a sulfonylureas  |
| Exenatide Injection -pre-filled pen (250mcg/ml).   | For adjunctive therapy to improve glycemic control in patients with Type-II diabetes mellitus, who have not achieved adequate glycemic control with Metformin, a sulfonyl urea or a combination of metformin and sulfonylurea.   |
| Faropenam Sodium Extended Release Tablet 225/300/450 mg  | For the Treatment of respiratory tract infections, urinary tract infection, skin and skin structure infections and gynaecological infections   |
| Febuxostat 40mg Additional Strength  | Same As approved   |
| Fenofibril Disoproxil fumarate 300mg + Lamivudine 300mg + Efavirenz 600mg tablets  |  |
| Ferric Carboxymaltose equivalent to elemental Iron...50mg/ml Injection   | For the treatment of iron deficiency in adults when oral iron preparations are ineffective or cannot be used.  |
| Ferrous Ascorbate + Folic Acid + Zinc FC Tablets (100mg + 1.5 mg + 22.5 mg)  | For the treatment of iron deficiency anaemia   |
| Ferrous Ascorbate + Folic Acid Suspension (Equiv. to elemental iron 30mg + 550mcg per 5ml) (New Dosage Form)   | Same as approved   |
| Ferrous ascorbate 100mg + Folic acid 1.1 mg tablet and Omega-3-fatty acid 200mg capsules combikit  | For iron, folic acid & omega-3-fatty acid deficiency   |
| Ferrous Ascorbate Eq. to Elemental iron 100mg + Folic acid IP 1.5mg + Cyanocobalamin IP 15mcg + Zinc sulphate monohydrate Eq. to elemental Zinc 22.5mg tablet  | For the treatment of iron deficiency anaemia   |
| Ferrous bisglycinate 60mg + Zinc sulphate monohydrate Eq. to Zinc 14mg + Copper as copper sulphate 1 mg + Selenium as selenomethionine 70mcg + Vitamin B6 IP 10mg + Methylcobalamin 1500mcg + Folic acid 5mg + Fish oil 10/40 (DHA 200mg) 500mg capsule. | For Vitamin and mineral deficiency   |
| Fexofenadine 120mg + Montelukast 10mg  | For treatment of allergic rhinitis in adults only  |
| Fluconazole + Zinc Pyrethron (Each 30/60ml bottle contains: 2% + 1%) Lotion  | For the treatment of seborrhoeic dermatitis  |
| Fluconazole Dispersible tablets 50mg   | For the treatment of systemic candidiasis, mucosal candidiasis, prevention of fungal infections in patients with malignancy  |
| Fluconazole For Oral suspension 50/200 mg per 5ml (Pack Size : 35ml)   | for the treatment of systemic candidiasis, mucosal candidiasis, prevention of fungal infections in patients with malignancy.   |
| Flupirtine Maleate Capsules 100mg  | For treatment of acute and chronic pain .i.e, for painful increased muscle tone of the posture and motor muscles, primary headache, tumor pain, dysmenorrhea and pain after traumatologic / orthopaedic operations and injuries. |
| Fluticasone furoate Nasal spray 27.5mcg per spray  | For the treatment of symptoms of allergic rhinitis.  |
| Fluticasone Propionate 50mcg/125mcg/250mcg + Salmeterol xinafoate 25mcg/25mcg/25mcg Powder for inhalation  | For the maintenance treatment of asthma and for the treatment of COPD associated with chronic bronchitis   |
| Fluvoxamine Maleate 100/150mg ER Tablets   | For the treatment of obsessive compulsive disorder (OCD) and depression  |
| Fondaparinux Sodium injection (Additional Indication)  | Treatment of acute coronary syndrome (ACS) with and without ST-segment elevation   |
| Fosfomycin Tromethamine Sachet 3gms  | For the treatment of uncomplicated urinary tract infections (acute cystitis) in women due to susceptible strains of E.Coli and Enteroococcus faecalis  |
| Gabapentin 100mg + methylcobalamin 500mcg tablets (Additional Strength)  | Same as Approved   |
| Gabapentin SR 600mg tablets  | As adjunctive therapy in the treatment of partial seizures of epilepsy   |
| Gatifloxacin (as sequihydrate)-3mg + Flurbiprofen sod.-0.3mg/ml eye drops.   | For reduction of post-operative inflammatory conditions of eye ,when bacterial infection exists.   |
| Gatifloxacin 0.3% + Ketorolac Tramthamine 0.4% eye Drop  | For reduction of part operative inflammatory condition of eyes   |
| Gatifloxacin Eye drop 5 mg/ml  | For the treatment of bacterial conjunctivitis caused by susceptible strains  |
| Gemcitabine HCl injection 2gm/vial (Additional Strength)   | Same as Approved   |
| Gemfibrozil Capsule USP & Gemfibrozil Tablet USP 200mg/600mg (Add. Indication)   | For the treatment of other dyslipidemias: (a) Fredrickson Types III and V.(b) Associated with diabetes.(C) Associated with xanthomata.   |
| Gemfloxacin + Ambroxol (320mg + 75mg SR) FC Tablets  | Indicated for the treatment of lower respiratory tract infections in adult patients  |

| <b>NAME OF DRUG</b><br><b>FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER &amp; REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP &amp; DOSSIER IS NOT REQUIRED</b>                  | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>   |
|---|--|
| Glatiramer Acetate Injection (20mg/ ml) & Pre-filled syringe (20mg/ml)  | For the reduction of the frequency of relapses in patients with Relapsing-Remitting Multiple Sclerosis. <b>For the treatment of unresectable metastatic liver tumors from primary colorectal cancer with intra-hepatic artery chemotherapy (IHAC) of FUDR (Floxuridine)</b>  |
| Glibenclamide 5mg + Pioglitazone 15mg + Metformin500mg film coated tablets  | As 3rd line treatment of type II diabetes mellitus when diet, exercise and the single agents and the second line therapy with two drugs do not result in adequate glycemic control   |
| Gliclazide 40/80mg+Metformin 500mg+Pioglitazone15mg   | Additional strength  |
| Glimepiride 1mg/2mg. + Metformin SR 1000mg tablet (additional strength)   | As approved  |
| Guaiphenesin ER Tablet (600mg)  | For the treatment of productive cough accompanied by phlegm  |
| Guaiphenesin ER Tablet 1200mg   | For the treatment of productive cough accompanied by Phlegm  |
| Haemodialysis Powder/Liquid Form containing citrate   | For use for patients being treated by hemodialysis   |
| Halobetasol 0.05% + Clotrimazole 1.0% cream   | For the treatment of steroid responsive fungal infections including eczema and psoriasis   |
| Halobetasol 0.05% + Salicylic acid 6% Ointment (additional Strength)  | For the treatment of plaque psoriasis  |
| Halobetasol 0.5mg + Miconazole 20mg per gram Cream  | For steroid responsive dermatoses associated with superficial fungal infection of skin   |
| Halobetasol Propionate (0.5mg) + Salicylic Acid 30mg per gm of ointment.  | For plaque psoriasis.  |
| Halobetasol Scalp Approved 0.05% w/v  | For the relief of inflammatory and pruritic manifestation of corticosteroid responsive dermatosis  |
| Halometasone (as monohydrate ) 0.05% Cream  | For the relief of inflammatory and pruritic manifestation of non-infected corticosteroid responsive dermatoses like eczema   |
| HPMC 0.3% +Dextran 0.1% + Glycerin 0.2%   | For the temporary relief of burning and irritation due to dryness of the eye and for use as a protection against further irritation. For the temporary relief of discomfort due to minor irritations of the eyes or to exposure to wind or sun   |
| Hyaluronic acid (cross linked) Pre-filled syringe 18mg/0.6ml and 24mg/0.8ml   | For intradermal implantation and facial soft tissue augmentation   |
| Hyaluronic Acid Salt 25mg + Cross-Linked Hyaluronic acid 25mg per ml in prefilled syringe   | For intradermal implantation and facial soft tissue augmentation   |
| Hyaluronic Acid Sodium Salt (i) Each 15gm tube contains: Hyaluronic Acid Sodium Salt 0.2gm/100gm (ii) Sterile Gauze Pads impregnated with cream: Each gauze pad contains Hyaluronic Acid Sodium Salt 50/100mg | For the treatment of wound of different etiology   |
| Hyaluronic Acid Sodium Salt 0.2 gm + Silver Sulfadiazine 1.0 gm/25 gm tube<br>Hyaluronic Acid Sodium Salt 50 mg + Silver Sulfadiazine 1.0 gm/ 100 gm gauze pads impregnated with cream.                       | For the treatment of wound of different etiology   |
| Hydroquinone 2% + Tretinoin 0.025% (w/w) Mometasone 0.10% Gel   | For short term intermittent treatment of moderate to severe melasma of the face in the presence of measures for sun avoidance including use of sun screen  |
| Hydroquinone 2%+ Tretinoin 0.05% + Hydrocortisone1% Cream   | For the treatment of patients with skin hyperpigmentation  |
| Hydroquinone 20mg + Tretinoin 0.25mg + Fluocinolone Acetonide 0.1mg per gm Cream  | For the treatment of melasma of face in adults   |
| Hydroquinone USP 2% w/w + Tretinoin USP 0.025% w/w + Allantoin USP 1%w/w Gel  | For treatment of hyper pigmentry disorders   |
| Hydroxy ethyl starch 10% Solution for infusion  | For the treatment of imminent or manifest hypovolemia and shock.   |
| Hydroxychloroquine 400mg tablets (Additional Strength)  | Same as Approved   |
| Hydroxychloroquine Sulphate (Additional indication )  | For the treatment of systemic lupus erythematosus  |
| Hydroxyzine Hydrochloride SR Tablets 25/50/75mg   | For management of pruritus due to allergic conditions such as chronic urticaria and atopic contact dermatoses, and in histamine - mediated pruritus.   |
| Hylan GF 20 Injection (Synvisc) (Additional Indication)   | For pain management in patients suffering with osteoarthritis of the knee, hip, shoulder and ankle   |
| Hyoscine Butylbromide 20 mg tablet (Additional Strength)  | Same as Approved.  |
| Ibuprofen 400mg + Chlorzoxazone 500mg Tablets   | For the short term treatment of musculoskeletal pain associated with inflammation and spasm in adults only   |
| Idaravone Injection (1.5mg/ml).   | For improvement of neurologic symptoms, disorders of activities of daily living and functional disorder associated with acute ischemic stroke.   |
| Iloperidone Tablets 1mg/2mg/4mg/6mg/8mg /10mg/12mg  | For the acute treatment of adults with schizophrenia.  |
| Imatinib Mesylate 100/400mg Tablets (Addl. Indication)  | Adjuvant treatment of adult patients following resection of gastrointestinal stromal tumours (GIST)  |
| Imipenem 50mg + Clistatin 50mg  | Treatment of infection caused by susceptible bacteria for the following indication as in neonates and infants (below 3 months of age) 1. Lower respiratory tract infections 2. Urinary tract infections 3. Intra-abdominal infections 4. Bacterial septicemia 5. bone and joint infections 6. Skin and Skin structure infections 7. Bacterial endocarditis |

| <b>NAME OF DRUG</b><br><b>FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER &amp; REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP &amp; DOSSIER IS NOT REQUIRED</b> | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>  |
|--|---|
| Indacaterol ( as Maleate ) Inhalation Powder Hard Capsules .....150/300mcg   | For maintenance bronchodilator treatment of airflow obstruction in adult patients with chronic obstructive pulmonary disease (COPD).  |
| Indapamide (SR) 1.5mg/1.5mg +Nebivolol 2.5mg/5mg tablet  | For the treatment of hypertension not controlled with monotherapy   |
| Irinotecan HCl Trihydrate Injection 20 mg/ml (Pack Size 25ml)  | for the treatment of metastatic colorectal cancer .   |
| Irsogladine Maleate Tablet 2mg /4mg  | For gastric ulcers, improvement of gastric mucosal lesion (erosion, hemorrhage, redness and edema) caused by acute gastritis and acute exacerbation stage of chronic gastritis.   |
| ISMN 30mg SR + Atenolol 50mg tablets (Additional Strength)   | Same as Approved  |
| ISMN 30mg SR + Metoprolol Succinate equivalent to metoprolol tartrate 25mg/50mg tablets (Additional Strength)  | Same as Approved  |
| Isotretinoin 0.05% + Erythromycin 2% gel   | For acne  |
| Ivabradine (Hcl.) 5mg/7.5mg Tablets  | For the treatment of chronic stable angina pectoris in patients with normal sinus rhythm who have a contraindication or intolerance for Beta-blockers   |
| Ivabradine Hcl Tablets 5/7.5mg (Additional Indication)   | For Symptomatic Treatment of chronic stable angina pectoris in coronary artery disease patients with normal sinus rhythm, indicated in combination with beta-blockers in patients inadequately controlled with an optimal beta-blocker dose and whose heart rate is >60bpm.   |
| Ixabepilone lyophilized powder (additional Indication)   | As monotherapy for the treatment of metastatic or locally advanced breast cancer in patients whose tumors are resistant or refractory to cytotoxic chemotherapy. Previous therapy should have included as anthracycline, a taxane, and capecitabine   |
| Ixabepilone lyophilized powder inj. 15mg/45mg per vial   | in combination with capecitabine for the treatment of patients with metastatic or locally advanced breast cancer resistant to treatment with an anthracycline and a taxane, or whose cancer is taxane resistant and for whom further anthracycline therapy is contraindicated.  |
| Ketoconazole 2% + Zinc Pyrithone 1% Lotion   | For the treatment of pityriasis and dandruff of the scalp   |
| Ketoconazole 2% w/v + Prepared Coal Tar 2% w/v (I.P. 1966) Solution  | For the treatment of dandruff   |
| Ketoprofen Plaster ( Size - 7cm x 10 cm)   | For the Relief of Musculoskeletal pain and Inflammation.  |
| Ketorolac Tromethamine 0.4% w/v +Moxifloxacin 0.5% w/v Ophthalmic solution   | Additional lower strength   |
| Ketorolac Tromethamine 4mg + Gatifloxacin 3mg Eye Drops  | For the reduction of post operative inflammatory conditions of the eye  |
| Ketorolac Tromethamine Gel 2%/w/w  | For the treatment of muscle, joint and post-traumatic stress.   |
| Ketorolac Tromethamine Ophthalmic Solution 0.45%   | Indicated for the treatment of pain and inflammation following cataract surgery.  |
| Lacosamide film coated tablet 50mg /100mg /150mg /200mg  | As an adjunctive treatment of partial onset seizures in patients > 17 years of age.   |
| Lamivudine 20mg + Stavudine 5mg dispersible tablets (Additional Sgtrrength)  | Same as Approved  |
| Lamivudine 30mg + Zidovudine 60mg + Nevirapine 50mg Oral Suspension (Tablets for oral Suspension)  | For the treatment of HIV patients   |
| Lamotrigine 25mg Modified Release Tablet (Addl. Strength)  | Same as Approved  |
| Lamotrigine MR Tablets 50/100mg  | For the treatment of bipolar I disorder. (addl. Indication)   |
| Lamotrigine Orodispersible Tablet 12.5 mg(additional strength)   | Same as Approved  |
| Lansoprazole for injection 30mg/vial   | For short term treatment of erosive esophagitis when patients are unable to take the oral formulation   |
| Lapatinib (as Ditosylate) (250mg) Tablet.  | In combination with capecitabine it is indicated in patients with advanced or metastatic breast cancer whose tumour overexpress HER2 and who have received prior therapy including trastuzumab.   |
| Lapatinib Ditosylate Tablets 250mg (addl. Indication)  | In combination with letrozole for the treatment of postmenopausal women with hormone receptor positive metastatic breast cancer that overexpresses the HER2 receptor for whom hormonal therapy is indicated.  |
| Lecithin Liquid (each 5 ml contains lecithin 500mg equivalent to essential phospholipids 250mg)  | For alcoholic liver disease, drug induced hepatitis   |
| Lenalidomide Capsule 5mg/10mg/15mg/25mg (Additional Indication)  | In combination with dexamethasone for the treatment of multiple myeloma patients who have received at least one prior therapy   |
| Levetiracetam SR Tablet 500/750/1000mg   | same as approved  |
| Levetiracetam Tablet (addl. indication)  | (i) (i) As monotherapy in partial onset seizures with or without secondary generalisation in patients with 16 years of age with newly diagnosed epilepsy. (ii) As adjunctive therapy in myoclonic seizures in adults and adolescents from 12 years of age with Juvenile myoclonic epilepsy. In primary generalised tonic-clonic seizures in adults and adolescents from 12 years of age with idiopathic generalised epilepsy. |

| <b>NAME OF DRUG</b><br><b>FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER &amp; REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP &amp; DOSSIER IS NOT REQUIRED</b> | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>  |
|--|---|
| Levobetaxolol HCl Ophthalmic Suspension 0.5%   | For lowering of intraocular pressure in patients with chronic open-angle glaucoma or ocular hypertension.   |
| Levocetirizine Di-HCl mouth dissolving tablets (5mg) (new dosage form).  | For the treatment of allergic rhinitis and chronic urticaria.   |
| Levocetirizine Di-HCl syrup (2.5mg/5ml) (for use in children 2 years and above).   | As approved.  |
| Levocetirizine dihydrochloride 2.5mg +Montelukast 5mg dispersible tablet   | Additional strength   |
| Levocetirizine Di HCl Dispersible tablet 5mg/10mg (New Dosage form)  | For allergic rhinitis & chronic urticaria   |
| Levocloperastine ( as Fendizoate) Suspension eq. to Levocloperastine Hcl 20mg / 5ml.   | For the treatment of non productive cough in adult patients   |
| Levodopa 100/100/250 + Carbidopa 10/25/25mg mouth dissolving tablet  | For the symptomatic symptoms of idiopathic Parkinson's Disease  |
| Levodopa 200mg + Carbidopa 50mg C.R. tablet  | For Parkinson's Disease   |
| Levofloxacin (15mg) + Prednisolone Acetate 10mg per ml eye drops.  | For post-operative steroid responsive inflammatory ocular conditions when ocular bacterial infections or a risk of bacterial infection exists.  |
| Levonorgestrel 100mcg +Ethniyl estradiol IP 20mcg tablet   | (Additional indication) For the treatment of moderate acne vulgaris in women more than 18 years of age who have no therapy contraindications to oral contraceptive therapy, desire contraceptiopn, and have achieved menarche |
| Levosimendan Injection 2.5mg / ml  | For the short term treatment of acutely decompensated chronic heart failure (ADHF) in situations where conventional therapy is not sufficient and in cases where inotropic support is considered appropriate.                 |
| Levosulpiride Inj. 25mg/ml, 2ml  | For the treatment of depression and schizophrenia in adults when oral therapy is not possible   |
| Levosulpiride Tablet (50mg/100mg) (addl. strength for addl. indication).   | For depression and schizophrenia in adults.   |
| Levosulpride Injection 25mg/2ml (Additional Strength)  | For the treatment of different Gastro intestinal problems like functional dyspepsia, nausea, vomiting & diabetic gastroparesis. For the treatment of schizophrenia and depression in adults.                                  |
| Lidocaine 2.5% w/w+Prilocaine 2.5% w/w Gel   | Additional higher Strength  |
| Lidocaine HCl Ophthalmic Sterile Gel 35 mg/ml  | Indicated for ocular surface anaesthesia during ophthalmologic procedures.  |
| Lidocaine Lozenges 100mg (Additional Strength)   | Same as Approved  |
| Lidocaine Lozenges 200/300mg   | For single agent anesthesia in upper gastro intestinal endoscopy.   |
| Lidocaine Lozenges 200/300mg (Addl. Indication)  | For single agent anesthesia in procedure involving the introduction of instrument & tubes into respiratory tract.   |
| Lidocaine Patch 350mg (Additional Pack Size)   | For the relief of pain associated with post-herpetic neuralgia. It should be applied only to intact skin.   |
| Lidocaine Patch 700mg in aqueous base. (50 mg per gram adhesive)   | For the relief of pain associated with post-herpetic neuralgia. It should be applied only to intact skin.   |
| Lidocaine7.5mg + Prilocaine2.5mg per acutation spray   | For the treatment of adult male patients with premature ejaculation   |
| Lipid Based Amphotericin-B Gel 0.1%  | Indicated in the treatment of cutaneous and mucocutaneous mycotic infections caused by candida (Monilia) species.   |
| Liquid paraffin 6% + White soft paraffin 15%w/v Cream  | For symptomatic relief of dermatological condition associated with dry skin including atopic dermatitis, eczema, pruritus, ichthyosis, xerosis, psoriasis   |
| Liquid Paraffin1.25ml + Milk of Magnesia 3.75ml + Sodium Picosulphate 3.33mg per 5ml   | For symptomatic treatment of constipation in adults   |
| Live freeze-dried lactic acid bacteria and bifidobacteria capsules   | For the treatment of irritable bowel syndrome   |
| Lopinavir + Ritonavir (100 + 25mg) Tablets (additional strength)   | For the treatment of patients with HIV infection  |
| Lornoxicam 12 mg SR (additional strength)  | same as approved  |
| Lornoxicam 4mg + Eperisone 50mg tablet   | For the improvement of myotonic conditions caused by neck shoulder arm syndrome, scapulumeral periartthritis and low back pain in adult patients only   |
| Lornoxicam 4mg + Paracetamol 500mg film coated tablets   | For the short term use in acute painful & inflammatory conditions in adults   |
| Lornoxicam 4mg/4mg + Thiocolchicoside 4mg/8mg tablets  | For the treatment of patients with acute painful musculoskeletal conditions   |
| Lornoxicam 8mg /2ml inj.   | For Short-term treatment of mild to moderate pain, when oral administration is inappropriate (i.e after dental surgery)   |
| Lornoxicam 8mg/8mg + Thiocolchicoside 4mg/8mg Tablets  | Additional higher strength  |
| Lornoxicam SR 16mg Tabs  | For the symptomatic treatment of pain and inflammation in patients of osteoarthritis & rheumatoid arthritis   |
| Losartan + Chlorthalidone (25/25/50/50mg + 6.25/12.5/6.25/12.5mg) Tablets  | For the treatment of mild to moderate hypertension in adult patients whose blood pressure is not adequately controlled by monotherapy   |
| Losartan + HCTZ (100 mg + 25 mg) Tablets   | Additional Strength   |
| Losartan 100mg+ HCTZ 25 mg tablet  | Additional higher strength  |
| Losartan Potassium 25mcg + Amlodipine (as besylate) 5mg tablets. (Additional Strength)   | Same as Approved  |
| <b>NAME OF DRUG</b>  |   |

| FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER & REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP & DOSSIER IS NOT REQUIRED                                     | INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS   |
|--|---|
| Loteprednol Etabonate (0.5%) + Levofloxacin (1.5%) Eye drops.  | For post-operative steroid responsive inflammatory ocular conditions when ocular bacterial infections or a risk of bacterial infection exists.  |
| Loteprednol Etabonate Nasal spray 0.1% w/v   | For prophylaxis and treatment of the nasal symptoms of seasonal allergic rhinitis.  |
| Loxoprofen Sodium tablet (60mg)  | For the symptomatic treatment of pain and inflammation condition in patients with osteoarthritis  |
| Lubiprostone Soft Gelatin Capsules .....8mcg /24mcg  | 1. For the treatment of chronic constipation in adults. 2. For the treatment of irritable bowel syndrome with constipation (IBS-C) in women > 18 years old.   |
| Luliconazole Cream 1%  | For the treatment of cutaneous mycosis viz. Tinea pedis, Tinea corporis, Tinea cruris.  |
| Magnesium Valporate Prolonged release tablet 600mg   | 1) For the treatment of generalized or partial seizures as monotherapy or adjunctive therapy. 2) For prophylaxis of migraine headache in adults. 3) For the treatment of manic episodes associated with bipolar disorders   |
| Magnesium Valproate CR Tablet 200/ 300/400/ 500 mg (additional strength)   | Same as Approved  |
| Magnesium Valproate Tablet 200mg/400mg   | For the treatment of generalized or partial seizures as monotherapy or adjunctive therapy. For the treatment of manic episodes associated with bipolar disorders. For prophylaxis of migraine headache in adults.   |
| Mebeverine HCl prolonged release capsule (200mg).  | For irritable bowel syndrome  |
| Mecobalamin 0.5mg+ Alpha Lipoic Acid 100mg+ Benfotiamin100mg + Pyridoxine 50mg tablets   | For the treatment of diabetic Neuropathy  |
| Mecobalamin 1000mcg+ Alpha Lipoic Acid 200mg+ vitamin B6 3mg + Folic Acid 1.5mg+ Inositol 100mg + Benfotiamine 100mg capsule   | For the treatment of diabetic neuropathy  |
| Mecobalamin 750 mcg + Pyridoxine 1.5mg + Nicotinamide 45 mg + Benfotiamine 150mg Tablets   | For the treatment of diabetic neuropathy in adults  |
| Mecobalamin0.5mg + Pyridoxine 50mg + Benfotiamine100mg capsule   | For the treatment of diabetic Neuropathy  |
| Mecobalamin1500mcg +Alpha Lipoic Acid100mg+Benfotiamine15mg+B63mg+Calcium Pantothenate25mg+Folic Acid 1.5mg+Zinc oxide22.5mg+Chromium picolinate65mcg+Inositol10mcg+Lutein5mg capsule      | For Vitamins and Minerals deficiency states in adult patients   |
| Mecobalamin500mcg + Alpha Lipoic Acid200mg + Benfotiamin 10mg + Pyridoxine3mg + Biotin5mg + Folic acid 1.5mg capsule   | For Vitamins deficiency states in adult patients  |
| Mecobalamin 500/1500mcg + Alpha Lipoic Acid 100mg + Inositol 100mg + Folic Acid 0.5/1.5mg + Chromium Polynicotinate 65mcg/200mcg+ Selenium Dioxide18/55mcg + Benfotiamine 50/150mg capsule | For Vitamins and Mineral deficiency states in adult patients  |
| Memantine 5mg /10mg + Donepezil 5mg Tablets  | For moderate to severe Alzheimer's disease  |
| Memantine ER Tablet 7mg/14mg/21mg. (Additional Strength)   | Same as approved  |
| Memantine HCl ER Tablet 28mg   | in the treatment of moderate to severe Alzheimer's disease.   |
| Meropenem IP 1000mg + Sulbactam sodium USP 500mg injection   | For the treatment of lower respiratory tract infection caused by gram negative bacteria in adults only  |
| Mesalamine PR Tablets 1.2gm  | For the induction of remission in patients with active, mild to moderate ulcerative colitis.  |
| Me-salicylate 30% + Menthol 10% + camphor 4% Cream   | For temporary relief from pain, swelling & inflammation due to musculoskeletal disorder   |
| Metformin 500/500mg + Repaglinide 1/2mg  | Indicated as an adjunct to diet and exercise to improve glycemic control in adults with type 2 diabetes mellitus who are already treated with a meglitinide & metformin or who have inadequate glycemic control on a meglitinide alone or metformin   |
| Metformin 500/850/1000mg+Sitagliptin Phosphate 50/50/50mg (Additional Indication)  | A) FDC is indicated as triple combination therapy with a PPARy agonist (i.e a thiazolidinedione) as an adjunct to diet and exercise in patients inadequately controlled on their maximal tolerated dose of metformin and a PPARy agonist. B) FDC is also indicated as add-on to insulin(i.e triple combination therapy) as an adjunct to diet and exercise to improve glycemic control in patients when stable dosage of insulin and metformin alone do not provide adequate control. |
| Metformin HCl ER 500mg + Fenofibrate 80mg/160mg tablet   | For the treatment of Type-II diabetes associated with mixed dyslipidemia  |
| Metformin Hcl IP 500mg + Alpha lipoic acid USP 200mg tablet  | For the treatment of patients with diabetic polyneuropathy  |
| Metformin SR 500mg/500mg + GliclazideSR 60mg/30mg + Pioglitazone 15mg/15mg tablets   | As 3rd line treatment of type II diabetes mellitus when diet, exercise and the single agents and the second line therapy with two drugs do not result in adequate glycemic control  |
| Methadone Hydrochloride 5mg/10mg per ml syrup; 5mg/ 10mg/ 20mg / 40mg tablet   | For the treatment of opioid dependence and in maintenance treatment for opioid dependence.  |
| Methoxsalen USP-20mg Tablet  | 1:- For repigmentation of idiopathic vitiligo alongwith phototherapy. 2:- For symptomatic control of severe, recalcitrant, disabling psoriasis in conjunction with phototherapy   |

| <b>NAME OF DRUG</b><br><b>FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER &amp; REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP &amp; DOSSIER IS NOT REQUIRED</b>  | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>   |
|---|--|
| Methyl cobalamine 500mcg+folic acid1.5mg+B5-5mg,+Zn.sulphate 25mg+Cr.Polynicotinate 200mcg+selenium-65mcg+inositol-1.5mg + alpha lipoic acid –100mg capsule   | For Vitamins and mineral deficiency states.  |
| Methyl cobalamine 500mcg+folic acid1.5mg+B6-3mg,+Zn.sulphate 61.8mg+Ca.Pantothenate 10mg+ Niacinamide-50mg +chromium-50mcg capsule  | For Vitamins and mineral deficiency patients.  |
| Methyl Phenidate ER Tablet 10/20/30mg   | For the treatment of Attention Deficit Hyperactivity Disorder (ADHD)   |
| Methyl prednisolone aceponate-1mg + salicylic acid-50mg ointment  | For treatment of psoriasis   |
| Methylcobalamin (500mcg) + Alpha Lipoic Acid (100mg) + Pyridoxine (3mg) + Folic acid (1.5mg) Soft Gelatin Capsule.  | For diabetic neuropathy.   |
| Methylcobalamin 1000mcg + Pyridoxine Hcl IP 100mg + Nicotinamide IP 100mg + D-Panthenol IP 50mg per 2 ml of injection   | For peripheral neuropathy  |
| Methylcobalamin 1500mcg + Alpha Lipoic Acid 200mg + Benfotiamine 50mg + Vit B6 3mg + Biotin 5mg + Folic Acid 1.5mg capsule  | For the treatment of diabetic Neuropathy   |
| Methylcobalamin 1500mcg +Folic acid 0.7mg +Niacinamide 12mg injection   | For the treatment of diabetic neuropathy in adults   |
| Methylcobalamin 1500mcg +Pyridoxine 100mg +Nicotinamide 100mg injection   | For the treatment of diabetic neuropathy in adults   |
| Methylcobalamin 500mcg + Folic acid IP 1.5mg + Zinc sulphate IP 25mg + Chromium Polynicotinate 200mcg + Selenium as sodium selenite USP 65mcg + Inositol 100mg + Alpha lipoic acid 50mg + Streptococcus facalis 30million (30 lakh) + Clostridium butyricum 2 million (20 lakh) + Bacillus mesentericus 1 million (10 lakh) + Lactic acid bacillus 50 million (500lakh) capsule | For Vitamins and Minerals deficiency states in adult patients  |
| Methylcobalamin 500mcg+beta carotene-10.33mg+alpha lipoic acid 100mg+B6 1.5mg+B1 2mg & Cr.polynicotinate.   | For adult patients with diabetic neuropathy.   |
| Methylcobalamin1500mcg + Calcium 200mg + Calcitriol 0.25mcg + Folic Acid1.5mg + Pyridoxine3mg Capsules  | For the treatment of vitamin deficiency states in adults   |
| Methylcobalamin750mcg + Pregabalin75/150mg + Vitamin B61.5mg + Folic acid0.75mg + Benfotiamine7.5mg capsules  | For the treatment of painful diabetic neuropathy in adults only  |
| Methylcobalamine (500mcg) + Alpha Lipoic acid (100mg) + Pyridoxine HCl (1.5mg) + Thiamine (2mg) + Calcium Picolinate (200mg) tablet.  | For diabetic neuropathy.   |
| Methylcobalamine 500mcg+folic acid 1.5mg+ alpha lipoic acid –100mg +B6-3mg+Thiamine 10mg capsule  | For diabetic neuropathy  |
| Methylcobalamine 500mcg+folic acid1.5mg+ alpha lipoic acid –300mg +Benfotiamine-50mg. capsule   | For diabetic neuropathy  |
| Methylcobalamine 750mcg + Alpha lipoic acid 100mg + Benfotiamine 7.5mg + B6 1.5mg + Calcium pantothenate25mg + Nicotinamide 50mg + Folic acid0.75mg capsule   | For Vitamins and Minerals deficiency states in adult patients  |
| Methylparaben 0.15%/w/w +Propyl paraben 0.05%/w/w+Glycerin 20%/w/w +CMC 1.74%/w/w +Allantoin 0.5%/w/w +Benzyl alcohol 0.5%/w/w.   | For short term treatment of chronic wounds including stage III & IV pressure sores, leg ulcers   |
| Methylprednisolone aceponate-1mg + Mupirocin-20mg. cream  | For the treatment of atopic dermatitis   |
| Metolazone + Spironolactone FC Tablets (2.5/5mg + 50mg)   | For the treatment of oedema associated with congestive heart failure, cirrhosis and nephritic syndrome   |
| Metolazone 2.5mg + Losartan Potassium 25mg/50mg tablets   | For hypertension in patients whose blood pressure is not adequately controlled in monotherapy  |
| Metolazone 2.5mg + Ramipril 2.5mg/5mg   | For essential hypertension in adult patients whose blood pressure is not adequately controlled on monotherapy  |
| Metoprolol 50/50/25 mg + Atorvastatin 20/10/10 mg + Ramipril 10/5/2.5 mg capsules   | As 2nd line treatment of patients with both essential hypertension and hypercholesterolemia who are not adequately controlled by combination of an anti-hypertensive with lipid lowering agent.  |
| Metoprolol ER + Amlodipine tablets (Additional Indication)  | For coronary artery disease/ischaemic heart disease  |
| Metoprolol Succinate Equivalent to Metoprolol Tartrate [ER 25/50mg] + Atorvastatin (As calcium ) 10mg tablets   | For the treatment of patient with both essential hypertension and hypercholesterolemia   |
| Metoprolol succinate ER 25/50 mg+Telmisartan 20/40mg  | For the treatment of essential hypertension  |
| Metoprolol succinate ER 25mg+50mg + Olmesartan 20/20mg  | For the treatment of essential hypertension  |
| Metoprolol tartrate tablets 50 mg (Addl. Indication)  | Adjunct to the treatment of Hyperthyroidism  |
| Metronidazole CR tablet 600mg   | For the treatment of amoebiasis, urogenital trichomoniasis & giardiasis  |
| Miconazole ( as sodium) Powder for solution for infusion 50mg / vial  | For the treatment of patients with candidemia, acute disseminated candidiasis, candida peritonitis, abscess and esophageal candidiasis. For the prophylaxis of Candida infection in patients undergoing hematopoietic stem cell transplantation (HSCT) |
| Mifepristone + Misoprostol (1 tab of mifepristone 200mg and 4 tab of misoprostol 200mcg) Combipack  | For the medical termination of intrauterine pregnancy (MTP) of up to 63 days gestation based on the first day of the last menstrual period   |
| Miglitol (50mg) + Metformin HCl SR (500mg) tablet.  | For adult with Type-II diabetes mellitus where simple drug therapy, diet and exercise do not result in adequate glycemic control.  |
| Miglitol 25 mg + Metformin 500mg tablets  | Additional Strength  |
| Milnacipran 100mg (additional Strength)   | same as approved   |
| <b>NAME OF DRUG</b>   |  |



| FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER & REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP & DOSSIER IS NOT REQUIRED | INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS  |
|--|--|
| Milnacipran 25/50mg Caps (Addl. Indication)  | For the management of fibromyalgia.  |
| Milnacipran Hcl 12.5mg (Addl. Strength)  | Same as approved   |
| Milnacipran Hcl. 25mg/50mg equivalent to Milnacipran free base 21.77 or 43.55 mg. tablet.  | For the treatment of adult patients with major depressive disorder   |
| Miltefosin Capsule 10mg/50mg (Additional Indication)   | Treatment of cutaneous leishmaniasis   |
| Misoprostol 50Mcg tablet (Additional Strength)   | Same as approved   |
| Misoprostol Tablet 600mcg  | Addl. Strength   |
| Mometasone 0.1 % + Fusidic acid 2% cream/ointment  | For the treatment of dermatoses where secondary bacterial and/or candidial infection is present  |
| Monteleukast Sodium Tablet 10mg; Monteleukast Sodium 4/5mg Chewable Tablet; Monteleukast Sodium Oral granule(Additional Indication)                    | For the relief of symptoms of seasonal allergic rhinitis in adults and pediatric patients 2 years of age and older.  |
| Montelukast + Desloratidine(10mg + 5mg) FC Tablets   | For the treatment of allergic rhinitis in adults only  |
| Montelukast 10mg + Levocetirizine 5mg film coated tablets  | For the treatment of allergic rhinitis in adults only  |
| Montelukast 4 mg+ Levocetirizine 2.5 mg tablet   | Additional lower paediatric dose   |
| Montelukast Sodium 10 mg Tablet, Montelukast Sodium 4/5 mg Chewable Tablet and Montelukast Sodium Oral Granules (Additional Indication).               | For The relief of perennial allergic rhinitis in adults & pediatrics patients 6 months of age and older.   |
| Montelukast Suspension 5mg/5ml   | 1. For the treatment of Prophylaxis & chronic treatment of Asthma in Pediatrics patients 12 months of age & older. 2. For relieving symptoms of seasonal allergic rhinitis in Pediatric patients 2 years of age & older & perennial allergic rhinitis in Pediatric Patients 6 months of age & older.   |
| Moxifloxacin HCL (0.5%) + Ketorolac Tromethamine 0.5% Ophthalmic Solution.   | For reduction of post-operative inflammatory conditions of the eyes.   |
| Moxifloxacin HCl (5mg) + Prednisolone Acetate (10mg)per ml. (eye drops)  | For inflammation after ocular surgery and where a risk of bacterial ocular infection exists.   |
| Moxifloxacin Hcl BP 0.5% w/v + Bromfenac Sodium 0.09% w/v eye drop   | For the reduction of post operative inflammatory conditions of the eye   |
| Mupirocin (2%) + Methylprednisolone Aceponate (0.1%) Cream.  | For atopic dermatitis.   |
| Mycophenolate Mofetil Capsule 250mg, 500mg & Oral suspension 200mg/ml (Additional Indication)  | For the prophylaxis of acute organ rejection in patients receiving allogeneic hepatic transplantation  |
| Mycophenolate mofetil Capsules 250mg, Tablets 500mg, Oral suspension 200mg/ml (addl. Indication)   | For the prophylaxis of acute organ rejection in patients receiving allogeneic hepatic transplantation.   |
| Mycophenolate Mofetil Tablets 750mg Additional Strength  | Same as approved   |
| Nadolol tablet USP 20/40/80 mg   | in the treatment of angina-pectoris, cardiac arrhythmias & essential hypertension.   |
| Naftopidil Tablets 25/50/75mg  | For the treatment of dysuria associated with benign prostratic hyperplasia.  |
| Nanocrystalline Silver Gel 0.002%  | For the treatment of burns and wound infections  |
| Naproxen Suspension 125mg/5ml  | For the treatment of RA in children 5 years of age and above   |
| Naratriptan (as HCl) Tablets 1/ 2.5mg  | For the acute treatment of migraine with or without aura in adults.  |
| Nepafenac Ophthalmic suspension (1mg/ml)   | For the treatment of pain and inflammation associated with cataract surgery  |
| Nevirapine tablet 50 mg for oral suspension mg   | For the treatment of HIV infection in combination with other anti retro viral agents   |
| Nicardipine Hcl. Injection 2.5mg/ml  | For short-term treatment of hypertension when oral therapy is not feasible or not desirable  |
| Nicotine (as Polacrilex) Lozenges 2mg & 4mg  | To reduce the withdrawal symptoms, including nicotine craving, associated with quitting the smoking and quitting chewed tobacco and guthka containing tobacco.   |
| Nicotine Polacrilex Gum 2mg & 4mg (Addl. Indication)   | To reduce the withdrawal symptoms, including nicotine craving, associated with quitting the smoking and quitting chewed tobacco and guthka containing tobacco.   |
| Nicotinic Acid and Laropirant Modified Release Tablets: Nicotinic Acid.....1000 mg<br>Laropirant.....20mg  | 1. For the treatment of dyslipidaemia, particularly in patients with combined mixed dyslipidaemia (characterised by elevated levels of LDL-cholesterol and triglycerides and low HDL-cholesterol) and in patients with primary hypercholesterolemia (heterozygous familial and non-familial).<br>2. In combination with HMG-CoA reductase inhibitors (statins), when cholesterol lowering effect of HMG-CoA reductase inhibitor monotherapy is inadequate. It can be used as monotherapy only in patients in whom HMG-CoA reductase inhibitors are considered inappropriate or not tolerated. Diet or other non-pharmacological treatments (e.g. exercise, weight reduction) should be continued during therapy. |
| Nifedipine 0.3% + Lidocaine 1.5% cream   | For the treatment of anal fissures   |
| Nifedipine SR Tablets 10mg/20mg  | For the treatment of essential hypertension  |
| Nilotinib Capsules 150 mg.   | Treatment of newly diagnosed adult patients with Philadelphia chromosome positive chronic myeloid leukemia (Ph+CML) in chronic phase.  |

| <b>NAME OF DRUG</b><br><b>FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER &amp; REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP &amp; DOSSIER IS NOT REQUIRED</b> | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>   |
|--|--|
| Nilotinib Capsules 200mg   | For the treatment of chronic and accelerated phase Philadelphia chromosome positive chronic myelogenous leukemia (CML) in adult patients resistant to or intolerant to prior therapy that included imatinib.                                   |
| Nimesulide 100mg ER + Levocetirizine HCl 5mg Tablets   | For symptomatic treatment of acute rhinosinusitis  |
| Nimesulide ER 200mg ( Additional Indication)   | Acute pain in Orthopaedic, ENT, Dental and Post Operative condition  |
| Nitrofurantoin SR Tab. 100mg   | For the treatment of acute uncomplicated urinary tract infections (acute cystitis) caused by susceptible strains of Escherichia coli or Staphylococcus saprophyticus   |
| Octinoxate 7.5% + Avobenzone 2% + Oxybenzone 3% + Octocrylene 3%+ Zinc Oxide 2% lotion   | A sunscreen lotion for prevention of sunburn skin  |
| Octinoxate 7.5% + Avobenzone 3% + Oxybenzone 3% + Titanium dioxide 2% lotion   | As sunscreen lotion for prevention of sunburn skin   |
| Ofloxacin 2mg + Ornidazole 5 mg per ml Infusion  | for the treatment of diarrhoea of mixed infection in adult patients  |
| Olmesartan + Ramipril (40mg + 5mg) tablets (Additional Strength)   | for the treatment of essential hypertension  |
| Olmesartan 40mg + Amlodipine 5mg (Additional Strength)   | Additional indication: 1. For the treatment of hypertension alone or with other antihypertensive agents 2. To use as initial therapy in patients who are likely to need multiple antihypertensive agents to achieve their blood pressure goals |
| Olmesartan medoximil-20mg + Ramipril-5mg. tablet   | For treatment of essential hypertension.   |
| Olmesartan Medoxomil (20mg) + Amlodipine Besylate (5mg) Tablet.  | For mild to moderate hypertension.   |
| Olopatadine Hcl Nasal Spray 0.6% w/w (Additional Indication)   | For the relief of the symptoms of seasonal allergic rhinitis in patients 6 years of age and older.   |
| Olopatadine Nasal Spray (0.6%)   | For the relief of the symptoms of seasonal allergic rhinitis in patients 12 years of age and older   |
| Olopatadine 5mg + Ambroxol 30mg tablets  | For the management of cough in adult patients only   |
| Omeprazole (20mg/40mg)+Sod. Bicarbonate-600mg+ Mg.Hydroxide-700mg .chew tab.   | For duodenal, gastric ulcer, GERD, and erosive esophagitis,  |
| Omeprazole (E.coated) 40mg + Sodium Bicarbonate 1100mg capsule.  | For gastric ulcer, duodenal ulcer and GERD.  |
| Omeprazole 20/40mg + Sodium Bicarbonate 600mg+ Magnesium Hydroxide 700mg sachet  | Additional Strength  |
| Omeprazole 20mg/40mg + Sodium Bicarbonate 1100mg capsules  | For duodenal ulcer, gastric ulcer & GERD   |
| Omeprazole 20mg/40mg + Sodium bicarbonate 1680mg per sachet powder for oral suspension   | For gastric ulcer, duodenal ulcer, and GERD  |
| Omeprazole(20mg) + Sodium bicarbonate (1100mg) tablet (addl. strength).  | As approved.   |
| Ondansetron orally disintegrating tablet (4mg/8mg) (additional dosage form)  | For chemotherapy induced nausea and vomiting   |
| Ondansetron Rapid Film Oral Strip 4/8 mg   | For chemotherapeutic induced nausea and vomiting.  |
| one strip of 3 uncoated tablets of artesunate 150mg & one strip of 2 uncoated tablets of FDC of Sulphadoxine IP 500mg + Pyrimethamine IP 25mg  | Additional strength  |
| Opi Pramol dihydrochloride Tablet 50mg/100mg.  | For the Treatment of generalised anxiety disorder(GAD) and somatic disturbances.   |
| Osetamivir 30mg & 45mg Capsules (Additional Strength)  | Same as Approved   |
| Osetamivir Phosphate (Additional indication)   | In the treatment of children 6 to 12 months of age during a pandemic influenza outbreak.   |
| Oxaprozine Tablet (600mg)  | For relief of signs and symptoms of osteoarthritis, rheumatoid arthritis.  |
| Oxcarbazepine 150/300/600mg Tablet (Addl. Indication)  | Treatment of generalized tonic-clonic seizures in adults and children  |
| Oxybutynin Gel 100 mg  | For the treatment of overactive bladder with the symptoms of urge urinary incontinence, urgency and urinary frequency.   |
| Oxymetazoline Hydrochloride Nasal Spray 50mcg/0.05%/w/w  | Is indicated for the relief of stuffy, running nose associated with colds and influenza, also post nasal drip, sinusitis.  |
| Ozagrel Hcl. Tablets 100mg/200mg   | For the treatment of bronchial asthma  |
| Paclitaxel Injection 30mg/100 mg/300 mg (additional Indication)  | Advanced squamous cell carcinoma of Head and Neck SCCHN:<br>1. Diagnosed but unresectable locally advanced SCCHN<br>2. Recurrent SCCHN, if surgery or radiation is not feasible.<br>3. Palliative treatment of metastatic SCCHN.               |
| Paclitaxel (protein bound particle) for injectable suspension (paclitaxel (100mg) + Albumin Human 900mg per 20ml.  | For breast cancer after failure of combination chemotherapy for metastatic disease or relapse within 6 months of adjuvant chemotherapy.  |
| Paclitaxel inj. 30/100/300mg vial (Addl. Indication)   | For the treatment of advanced gastric carcinoma  |
| Paclitaxel Nanoparticle Solution for Injection 20mg/ml (Additional indication)   | Ovarian cancer, non-small cell lung cancer and AIDS related Kaposi Sarcoma   |
| Paliperidone ER Tablet 3mg / 6mg / 9mg   | For the acute and maintenance treatment of schizophrenia   |
| Paliperidone ER Tablets 1.5mg  | Addl. Strength   |
| Palonosetron Injection 0.25mg/5ml (Additional Indication)  | For treatment of Post Operative Nausea & vomiting  |
| Palonosetron Hcl 0.075mg IV Inj (Addl. Strength)   | Same as approved   |
| Pantoprazole 40mg + Cinitapride (ER) 3mg Capsules  | For the treatment of patients suffering from non-ulcer dyspepsia (NUD) or gastroesophageal reflux disease (GERD)   |

| <b>NAME OF DRUG</b><br><b>FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER &amp; REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP &amp; DOSSIER IS NOT REQUIRED</b> | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>  |
|--|---|
| Pantoprazole Mouth Dissolving Tablet 20/40 mg  | For the treatment of gastric ulcer, duodenal ulcer & gastroesophageal reflux disease (GERD).  |
| Pantoprazole Sodium (With Sodium bicarbonate as buffer) 20mg/40mg tablets  | For the treatment of gastric ulcer, duodenal ulcer, Zollinger Ellison Syndrome and GERD   |
| Paracetamol + Meloxicam + Benzyl Alcohol + Lignocaine (5mg/ml + 150mg/ml + 1% + 1% ) Injection   | Indicated for the treatment of mastitis, metritis, pneumonia, pleuritis, fever and relieving of acute pain in musculoskeletal disorders in animals  |
| Paracetamol + Phenylephrine Hydrochloride (Each 6gm Sachet contains: 500mg + 10mg) Sachet  | For the treatment of fever associated with cold, nasal congestion in adults   |
| Paracetamol 500mg/500mg +Thioclchicoside 4mg/8mg tablet  | For the treatment of acute inflammation conditions associated with spasm in adults only   |
| Paracetamol Chewable Tablet 500 mg. ( Additional Dosage Form)  | Same as approved  |
| Paracetamol Fast Release Tablets( Additional Dosage Form)  | Same as approved  |
| Paracetamol IP 500mg + Phenylephrine HCL IP 5mg +Caffeine (anhydrous) IP 30mg + Diphenhydramine HCL IP 25mg tablet.  | For the treatment of fever associated with cold, nasal congestion in adults   |
| Paracetamol Solution for Infusion (10mg/ml) in 50ml (Additional Packsize)  | Same as approved  |
| Paracetamol solution for infusion 10mg/ml  | For short term treatment of moderate pain, especially following surgery and for the short term treatment of fever, when administration by i.v route is clinically justified   |
| Paracetamol SR 1000mg Bilayered tablet   | For symptomatic treatment of pain and fever   |
| Pazopanib (as Hydrochloride) film coated Tablets...200mg / 400mg   | For the treatment of patients with advanced renal cell carcinoma.   |
| Pazufloxacin Mesylate i.v. infusion 300mg/100ml & 500mg/100ml  | For the treatment of RTI, UTI and abdominal infections in adults  |
| Pemetrexed disodium 500mg / 100mg powder for sol. (Addl. Indication)   | As monotherapy for the second-line treatment of patients with locally advanced or metastatic non-small cell lung cancer other than predominantly squamous cell histology  |
| Pemetrexed Disodium 500mg/100mg Powder for Injection (additional indication)   | Indicated as a monotherapy for the maintenance treatment of locally advanced or metastatic Non Small Cell Lung Cancer (NSCLC) other than predominantly squamous cell histology in patients whose disease has not progressed immediately following platinum-based chemotherapy. First line treatment should be a platinum doublet with gemcitabine, paclitaxel or docetaxel. |
| Pemetrexed disodium500mg / 100mg powder for sol. (Addl.indication )  | In combination with cisplatin is indicated for the first line treatment of patients with locally advanced or metastatic non-small cell lung cancer other than predominantly squamous cell histology   |
| Pentosan polysulfate Sodium Cpasules 100mg   | For the relief of bladder pain or discomfort associated with interstitial cystitis.   |
| Perindopril arginine 2.5mg/5mg/10mg film coated tablet   | For the treatment of arterial hypertension, congestive heart failure and coronary artery disease.   |
| Phenylephrine 5mg + Chlorpheniramine maleate 0.5mg + Paracetamol 125mg + sodium citrate 60mg + Menthol 1mg (per 5ml) Syrup   | For the treatment of common cold and cough associated with fever  |
| Phenyramidol HCl tablet 400mg  | For the treatment of lumbago, integumental pain, musculoskeletal pain   |
| Phenytoin Sodium E.R (300mg)   | For control of generalised tonic-clonic (grand-mal) and prevention and treatment of seizures occurring during or following neurosurgery.  |
| Phenytoin sodium ER capsules (300mg) (New dosage form)   | For control of generalized toni-clonic and treatment & prevention of seizures occurring during or following neurosurgery  |
| Pholcodiene Syrup (4mg/5ml).   | For symptomatic relief of dry ticklish and unproductive coughs in children above 1 years.   |
| Pidotimod Tablet 400 mg/800 mg & Oral Solution 400 mg/800 mg per 7ml   | For infections of the respiratory system in secondary and primary immunodeficiency with alteration in maturation of T cells in adults only.   |
| Pirfenidone film coated tablet ...200mg  | For the treatment of idiopathic pulmonary fibrosis.   |
| Piroxicam 20mg tab& Paracetamol 500mg tab kombikit   | For treatment of fever and pain associated with acute upper respiratory tract inflammation, acute musculoskeletal disorders, pain after operative intervotion and following trauma, chronic condition like rheumatoid arthritis, osteoarthritis etc for short term management of acute painful episodes.  |
| Polyethylin Glycol 400 (0.4%) + Propylene Glycol (0.3%).   | For temprry relief of dryness, irritation burning, stinging, grittiness or foreign body sensation caused due to environmental factors.  |

| <b>NAME OF DRUG</b><br><b>FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER &amp; REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP &amp; DOSSIER IS NOT REQUIRED</b> | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>   |
|--|--|
| Posaconazole Oral Suspension 40mg/ml   | For the treatment of oropharyngeal candidiasis, including oropharyngeal candidiasis refractory to itraconazole and/or fluconazole. For prophylaxis of invasive Aspergillus and Candida infections in patients, 13 years of age and older, who are at high risk of developing these infections due to being severely immunocompromised, such as hematopoietic stem cell transplant (HSCT) recipients with graft-versus-host disease (GVHD) or those with hematologic malignancies with prolonged neutropenia from chemotherapy. |
| Povidone Iodine Sachet (containing Effervescent Granules) Each 2gm Sachet contains: 175mg (available iodine 17.5mg)  | As mouthwash for oral hygiene in various oropharyngeal conditions, surgery, dental infections, and halitosis   |
| Pramipexole Di HCl monohydrate ER Tablet 0.375/0.75/1.5/3/4.5 mg   | For the treatment of the sign and symptoms of idiopathic parkinsons disease  |
| Prasugrel (as Hydrochloride) film coated tablet ....5 mg / 10mg.   | To reduce the rate of thrombotic cardiovascular (CV) events (including stent thrombosis) in patients with acute coronary syndrome (ACS) who are to be managed with percutaneous coronary intervention (PCI) as follows: <ul style="list-style-type: none"> <li>• Patients with unstable angina (UA) or non-ST-elevation myocardial infarction (NSTEMI).</li> <li>• Patients with ST-elevation myocardial infarction (STEMI) when managed with primary or delayed PCI.</li> </ul>   |
| Praziquantel 175mg + Pyrantel 504mg + Febental 525mg Tablets   | For the treatment of mixed infections with roundworms and tapeworms in dogs  |
| Pregabalin 150mg/75mg +Methylcobalamin 750mcg +Alpha lipoic acid 100mg +Pyridoxine 3mg +Folic acid 1.5mg capsule   | For the treatment of painful diabetic neuropathy in adults only  |
| Pregabalin 75mg/150mg + Methylcobalamin 750mcg capsules (Additional Strength)  | Same as Approved   |
| Pregabalin capsules (Addl. Indication)   | management of fibromyalgia syndrome  |
| Pregabalin SR 75/150/300mg + Methylcobalamin 1500mcg tablets   | For the treatment of adult patients with peripheral neuropathy   |
| Pregabalin SR Tablet 150/300mg   | For the treatment of peripheral neuropathic pain in adults   |
| Pregabalin SR Tablet 75mg (Additional Strength)  | Same as approved   |
| Pregabalin-75mg/150mg +Methylcobalamine 500mcg cap   | For the treatment of adult patients with peripheral neuropathy.  |
| Premetrxed disodium injection 100mg/vial (Additional Strength)   | Same as Approved   |
| Propanol 1-ol 18gm + Ethanol 100% 45gm/100ml solution  | For hygienic and surgical hand disinfection  |
| Propanol 50gm+povidone iodine-1gm in 100ml solution  | For surgical & hygienic hand disinfection.   |
| Propanol-18 gm+Ethenol(100%)-45gm in 100ml solution  | -do-   |
| Propofol 2% w/v Injection (additionalStrength)   | Same as Approved   |
| Propranolol 40mg (SR Pellets) + Fluarizine 5mg/10mg capsules   | For the prophylaxis of migraine  |
| Prulifloxacin (600mg) Tablet.  | For acute uncomplicated lower urinary tract infection (simple cystitis), complicated lower UTI, acute exacerbation of chronic bronchitis.  |
| Pyridoxine HCL IP 3mg + Nicotinamide IP 100mg + Cyanocobalamin IP 15mcg + Folic acid IP 500mcg + Chromium Picolinate USP 250mcg Tablet   | For Mineral & Vitamins deficiency states in adult patients   |
| Quetiapine fumarate SR tablets   | for the additional indication "acute manic episode associated with bipolar disorder  |
| Quinapril 20mg + HCTZ 25mg film coated tablet  | For the treatment of mild to moderate hypertension in adult patients (in whom combination therapy is appropriate) who have been stabilized on the individual components given in the same proportion   |
| Rabeprazole Sodium (With Sodium bicarbonate as buffer) 10mg/20mg tablets   | For the treatment of gastric ulcer, duodenal ulcer, Zollinger Ellison Syndrome and GERD  |
| Rabeprazole sodium Enteric coated pellets 15.4% w/w (20mg/129.83mg)  | Same as Approved   |
| Rabeprazole Sodium Powder oral suspension (sachet of 20 mg) (Additional dasage form)   | Same as approved   |
| Raltegravir (as Potassium) film coated Tablets 400mg   | In combination with other anti retroviral agents for the treatment of human immunodeficiency virus (HIV-1) infection in treatment experienced patients with evidence of HIV-1 replication despite ongoing retroviral therapy.  |
| Ramelteon film coated tablets 8mg  | For the treatment of insomnia characterized by difficulty with sleep onset.  |
| Ramipril 1.25/ 2.5/5/10 mg(Additional Indication)  | For the treatment of non-diabetic overt glomerular or incipient nephropathy  |
| Ramipril 5mg + HCTZ 12.5mg tablets (Additional Strength)   | Same as Approved   |
| Ramipril MR capsule 10mg   | For the treatment of hypertension/ cardiac failure and myocardial infarction   |
| Ramipril MR Capsules 2.5/5 mg (Additional Strength)  | Same As Approved   |
| Ramosetron Dispersible Tablet 0.1 mg   | For the prevention and treatment of gastrointestinal symptoms(nausea and vomiting) associated with ematogenic cancer chemotherapy  |
| Ranolazine 1000mg ER Tabs (Additional Strength)  | Same as approved   |
| Ranolazine ER Tablets 750mg (Additional Strength)  | Same as Approved   |
| Rasagiline (as mesylate ) Tablet 0.5mg/1mg   | For the treatment of signs and symptoms of idiopathic Parkinson's disease as initial monotherapy and as an addition to levodopa.   |

| NAME OF DRUG<br>FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER & REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP & DOSSIER IS NOT REQUIRED    | INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS  |
|---|--|
| Renolazine Extend Release tablet (500mg)  | For Chronic Angina   |
| Resperidone E.R. (long-acting) injection (12.5mg/vial) (addl. strength).  | As approved.   |
| Retapamulin Ointment 1%   | For the topical treatment of bacterial skin and skin structure infections:- Primary impetigo, secondarily infected traumatic lesions, secondarily infected dermatoses.   |
| Rifabutin Capsule (150mg).  | For treatment of pulmonary T.B only in patients co-infected with HIV. (It should never be used as a substitute to Rifampicin in T.B patients without HIV co-infection).  |
| Rifampicin + INH + Piperine (200mg + 300mg + 10mg ) Capsules  | For the treatment of adult patients with pulmonary tuberculosis  |
| Rifampicin +Piperine (200mg + 10mg ) Capsules   | For the treatment of adult patients with pulmonary tuberculosis  |
| Rifaximin 400mg (additional Indication)   | For the treatment of hepatic encephalopathy  |
| Risedronate Sodium 150mg Tablet (Additional Strength)   | As already approved  |
| Risedronate Sodium tablet (35mg) (additional indication)  | For osteoporosis in men at high risk of fracture.  |
| Risperidone long acting injection (Addl. Indication)  | Indicated as monotherapy or as adjunctive therapy in lithium or valproate for the maintenance treatment of Bipolar-1 disorder.   |
| Rivaroxaban film coated Tablets 10mg  | For the prevention of venous thromboembolism in patients (VTE) in adult patients undergoing hip or knee replacement surgery.   |
| Rivastigmine transdermal patch (each patch of 5m <sup>2</sup> , 10m <sup>2</sup> ,15m <sup>2</sup> & 20m <sup>2</sup> contain Rivastigmine base 9/18/27/36mg respectively | For the treatment of patients with mild to moderately severe dementia of the Alzheimer type and dementia associated with Parkinsons disease  |
| Rizatriptan Benzoate orally disintegrating tablet 10 mg(Additional Dosage Form)   | Same as Already approved   |
| Ropinirole 6mg ER Tablets (Addl. Strength)  | Same as approved   |
| Ropinirole ER Tablet 1 mg. (Additional Strength)  | Same as approved   |
| Ropivacaine HCl Inj.2/5/7.5/10mg  | For the production of local or regional anasthesia for surgery and for acute pain management.  |
| Rosuvastatin 5/10/20mg+Fenofibrate 67/145/160mg   | For the treatment of combined hyperlipidemia in patients with normal hepatic and renal function  |
| Rosuvastatin Calcium IP 5mg/10mg + Fenofibrate BP 160mg/160mg tablet  | Additional strength  |
| Rosuvastatin Calcium Tablet(Additional Indication)  | Risk reduction of MI stroke and arterial evascularisation procedure in patients without clinically evident CHD but with multiple risk factor   |
| Rosuvastatin Calcium tablets 5/10/20/40mg (Addl. Indication)  | 1) As an adjunctive therapy to diet for the treatment of adult patients with hypertriglyceridemia. 2)As an adjunctive therapy to diet to slow the progression of atherosclerosis in adult patients as part of a treatment strategy to lower Total-C and LDL-C to target levels.  |
| R-Sibutramine Capsule (2.5mg/5mg)   | As an adjunctive therapy for the management of obesity including weight loss and maintenance of weight loss in pateints whose BMI is 30Kg/m <sup>2</sup> or higher.  |
| S (+) Etodolac 300mg +Thiocolchicoside 8mg tablet   | For the treatment of patients with acute painful musculoskeletal conditions  |
| S(-) Metoprolol Succinate ER Eq. to S (-) Metoprolol tartarate 25mg/50mg + Clopidogrel (IR) 75mg/75mg tablet  | For the treatment of essential hypertension who need antiplatelet therapy especially for prophylaxis of atherombotic event.  |
| S(-)Metoprolol 25mg/50mg (ER) + Atorvastatin (IR)10mg tablets   | For the treatment of patients with both essential hypertension and hypercholesterolemia  |
| S(+) Etodolac 5/10%w/w + Camphor 4%w/w + Menthol 10%w/w + Methyl salicylate 5%w/w + Linseed oil 3%w/w   | For the painful & inflammatory conditions associated with joint, tendons, ligaments and muscles  |
| S(+) Etodolac ER tablets 200mg/300mg  | For the relief of pain and inflammation in patients with rheumatoid arthritis and osteoarthritis   |
| Salicylic Acid + Cetyl Alcohol + Stearyl Alcohol (2% + 2.65% + 0.26%) Lotion  | For the treatment of scaly dermatoses  |
| Salicylic Acid + Coal Tar (3% + 1%) Solution  | For scaling of seborrhea, seborrheic dermatitis, psoriasis of scalp  |
| Salicylic Acid + Coal Tar + Precipitated Sulphur (3% + 1% + 3%) Ointment  | For the treatment of psoriasis and fungal skin infection   |
| Salicylic acid 10mg/20mg (Foaming facewash solution)  | For the treatment of acne vulgaris   |
| Sarpogrelate Hydrochloride film coated Tablets 100mg  | For the improvement of ischemic symptoms including ulcer, associated with chronic arterial occlusion.  |
| Satranidazole (300mg) + Ofloxacin (200mg) Tablet.   | For diarrhoea of mixed infection in adults.  |
| Selamectin Tropical solution (for verterinary use.) 60mg/120mg per ml   | (I) For the treatment and lasting prevention of flea infestations,treatment and control of flea allergy dermatitis, prevention of heartworm disease,treatment and (II) For the treatment and prevention of sarcoptic mange,roundworms and for control of tick infestations in dogs.prevention of ear mites in dogs and cats; |
| Sertaconazole 2% w/v+ Zinc Pyrithione 1% w/v Shampoo  | For the treatment in adults patients with dandruff/seborrheic dermatitis of the scalp  |
| Sertaconazole Nitrate Cream 2%,   | For the topical treatment of the superficial mycosis like dermatophytosis  |
| Sertaconazole Nitrate Powder 2% w/w & Lotion 2% w/v   | For the topical treatment of the superficial fungal infections of the skin.  |
| Sertaconazole Nitrate Vaginal Tab.500mg   | For the treatment of vulvo-vaginal candidiasis in women  |
| NAME OF DRUG  |  |

| FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER & REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP & DOSSIER IS NOT REQUIRED  | INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS   |
|---|---|
| Sertanidazole-300mg+ Ofloxacin-200mg tablet   | For treatment of diarrhoea of mixed infection in adults patients.   |
| Sevelamer Carbonate 400mg/800mg tablets & sachet 400mg/800mg  | For control of serum phosphorus in patients with chronic kidney disease on dialysis   |
| Silver Wound Dressing   | As an antimicrobial barrier for management of partial thickness burns, incisions, skin grafts, donor sites, lacerations, abrasions and Stage I-IV dermal ulcers (vascular, venous, pressure and diabetic)   |
| Simvastatin 20 mg + Ramipril 5mg + Atenolol 50 mg + HCTZ 12.5 mg + Aspirin 100 mg (EC Pellets) Capsules   | For secondary prevention of coronary heart disease/stroke in patients where use of such combination is appropriate  |
| Sitagliptin ( As Phosphate) 50mg + Metformin Hcl. 500mg/1000mg Film coated tablets  | As an adjunct to diet & exercise to improve glycemic control in patients with type-two diabetes mellitus  |
| Sitagliptin Phosphate 25/50/100 mg Tablet (Additional Indication)   | (i) Use of Sitagliptin Phosphate in combination with Metformin and a PPAR $\gamma$ agonist as an adjunct to diet & exercise in adult patients with type-2 Diabetes mellitus who are inadequately controlled on combination therapy with Metformin and a PPAR $\gamma$ agonist. (ii) Use of Sitagliptin Phosphate in combination with insulin, alone or in combination with Metformin. |
| Sitagliptin Tablet (25mg/50mg/100mg).   | As adjunct to diet and exercise to improve glycemic control in patients with type-II diabetes.  |
| Smatriptan (as succinate ) 50mg + Naproxen sodium 550mg tablets   | For the treatment of acute migraine   |
| S-Metoprolol Succinate Oral Solution (Each ml contains: S-Metoprolol Succinate 9.5mg equal to S-Metoprolol Tartrate 10mg)   | For the treatment of haemo-dynamically stable patients with definite or suspected acute Myocardial Infarction to reduce cardio-vascular mortality.  |
| Sodium chloride 6.80gm + Potassium chloride 0.30 gm + Calcium chloride dihydrate 0.37gm + Magnesium chloride hexahydrate 0.20gm + Sodium acetate trihydrate 3.27gm + L-malic acid 0.67gm in 1000ml solution for infusion  | Replacement of extracellular fluid losses in case of isotonic dehydration, especially if acidosis is being imminent or present  |
| Sodium Chondroitin sulfate 40mg + sodium Hyaluronate 30mg per ml Intraocular Injection (additional strength)  | For use as a surgical aid in anterior segments procedure including cataract extraction & intra-ocular lens implantation   |
| Sodium Chondroitin Sulphate + Sodium Hyaluronate injection (40mg + not more than 17mg per ml)   | Same as approved  |
| Sodium Hyaluronate injectable gel (each 0.6ml. 1ml pre filled syringe contains, sodium Hyaluronate 20mg/ml, 22.5mg/ml)  | For intradermal implantation and facial soft tissue augmentation  |
| Sodium Hyaluronate Injectable Gel 14mg/ml, 18mg/ml, 25.5mg/ml (Additional Strength)   | Same as approved  |
| Sodium Valproate 499.5mg + Valproic acid 217.5mg equivalent as sodium valproate- 750mg CR tablet (Additional Strength)  | Same as Approved  |
| Sodium Valproate 666mg + valproic acid 290mg equivalent as sodium valproate 1000mg C.R. tablet (Additional Strength)  | Same as Approved  |
| Sofalcone Capsule (100mg/50mg)  | For the treatment of gastric ulcer and management of gastric mucosal lesions (erosion, hemorrhage, redness or edema) associated with acute gastritis or acute exacerbation of chronic gastritis   |
| Solution for haemofiltration and haemodialysis (Each unit contains two compartments A & B. Before reconstitution: • 1000ml of electrolyte solution in Compartment A contains: Calcium Chloride. 2H <sub>2</sub> O .....5.145gm Magnesium Chloride. 2H <sub>2</sub> O.... 2.033gm Lactic Acid....5.4gm • 1000ml of buffer solution in Compartment B contains:Sodium Chloride....6.45gm Sodium Bicarbonate....3.090gm ) | For treatment of acute kidney disease (renal failure), as substitution solution in continuous haemofiltration and haemodiafiltration and as a dialysis solution in continuous haemodialysis.  |
| Sorafenib (as Tosylate) (200mg) Tablet.   | For advanced renal cell carcinoma.  |
| Sorafenib tablets 200mg (Additional Indication)   | For hepatocellular Carcinoma  |
| Soybean oil 60gm + Triglycerides (medium chain) 50gm + olive oil purified fish oil 30gm + dl-alpha-tocopherol 163-225mg + glycerol (anhydrous) 25gm + Egg lecithin 12gm + sodium hydroxide (to approx pH 8) + sodium pleate 0.3mg emulsion for infusion in 100ml.   | Total parenteral nutrition following major abdominal, major thoracic or major urological surgery  |
| Sphaeranthus Indicus Extract Tablets 700mg  | For the management of psoriasis.  |
| Spironolactone 25mg + Furosemide 20mg tablets   | For treatment of resistant oedema associated with secondary hyperaldosteronism; resistant hypertension, chronic cardiac failure and hepatic cirrhosis   |
| Spironolactone IP 25mg + Furosemide IP 40mg tablet  | Additional strength   |
| Sucralfate (70mg ) + Metronidazole (10mg) + Povidone Iodine (50mg) per gram of Ointment.  | For infected wounds and ulcers.   |
| Sucralose   | for use as sweetner in drug formulations  |
| Sulphur Hexafluoride Powder and solvent for dispersion for injection (45mcg/ml).  | For diagnostic use in echocardiography doppler of macrovasculature an doppler of microvasculature.  |
| Sumatriptan + Naproxen (50mg + 275mg) Tablets   | Additional Lower Strength   |
| Sumatriptan 85 mg + Naproxen 500 mg Tablets   | Additional Strength for the treatment of migraine   |
| Surgical Sealant  | To be indicated for use in sealing suture lines along arterial and venous reconstructions.  |
| Tacrolimus Capsules 3mg (Additional Strength)   | Same as approved  |
| Tacrolimus PR Caps 0.5/1/5 mg   | For Prophylaxis of transplant rejection in adult kidney or liver allograft rejection  |
| Tamsulosin + Tolterodine (0.4mg MR Pellets + 2mg/4mg ER Pellets) Capsules   | Additional Lower Strength   |

| <b>NAME OF DRUG</b><br><b>FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER &amp; REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP &amp; DOSSIER IS NOT REQUIRED</b> | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>  |
|--|---|
| Tegafur (100mg) + Uracil (224mg) capsule.  | For first line treatment of metastatic colorectal cancer in combination with calcium folinate.  |
| Telmisartan + Ramipril (40mg + 2.5mg ) Tablets (Additional Strength)   | for the treatment of essential hypertension   |
| Telmisartan 40 mg + Atorvastatin (as calcium) 10 mg Tablets  | For coexisting essential hypertension & hyperlipidemia  |
| Telmisartan 40/80 mg+ Indapamide SR 1.5/1.5 mg tablet  | For the treatment essential hypertension  |
| Telmisartan 80mg + Amlodipine 5mg tablet   | Additional higher strength  |
| Telmisartan tablet 20/40/80 mg(Additional indication)  | For the prevention of cardiovascular morbidity and mortality in patient 55 years older at high risk of cardiovascular disease   |
| Temoporfin 1mg/ml Injection (Additional Strength)  | Same as Approved  |
| Temozolamide capsules 140mg/180mg (Addl. Strength)   | Same as Approved  |
| Temozolamide lyophilised powder 100mg / vial   | For the treatment of "Adult patients with newly-diagnosed glioblastoma multiforme concomitantly with radiotherapy (RT) and subsequently as monotherapy treatment." Children from the age of three years, adolescents and Adult patients with malignant glioma, such as glioblastoma multiforme or anaplastic astrocytoma, showing recurrence or progression after standard therapy. |
| Temsirrolimus Concentrate for Infusion for Injection 25mg/ml   | For the treatment of advanced renal cell carcinoma  |
| Tenofovir disoproxil fumarate 300mg + Lamivudine 300mg tablet  | For the treatment of adult patients with HIV infection  |
| Tenofovir Disoproxil Fumerate 300mg  | For the treatment of chronic Hepatitis B in adults  |
| Tenofovir Fumarate 300mg + Lamivudine 300mg + Efavirenz 600mg Tablets  | For the treatment of HIV infection in adults  |
| Testosterone Undecanoate 250mg/ml Injection  | For Testosterone replacement therapy of male hypogonadism when testosterone deficiency has been confirmed by clinical feature or biochemical tests  |
| Theophylline 400mg SR + Montelukast 10mg Tablet  | For the treatment of patients with bronchial asthma   |
| Thiocolchicoside SR Tablet 16 mg   | As an adjuvant treatment in painful spasms associated with degenerative vertebral disorders and vertebral static problems, torticollis dorsal pain, low back pain, traumatological and neurological disorders.  |
| Thiocolchicoside + Etoricoxib(4mg + 60 mg) FC Tablets  | For the acute treatment of inflammatory musculoskeletal disorders associated with painful muscle spasm in adults.   |
| Thiocolchicoside 0.25% +Methyl salicylate IP 100mg +Menthol IP 50mg +Absolute alcohol IP 50mg per gm gel   | For the topical treatment of painful muscles spasms of skeletal musculature   |
| Thiocolchicoside 4mg/8mg + Ketoprofen 50mg/100mg tablets   | For acute low back pain & other musculoskeletal painful and inflammatory condition in adults  |
| Thiocolchicoside 8 mg + Etoricoxib 60 mg tablets   | Additional strength   |
| Timolol Maleate Long Acting Ophthalmic Solution 5mg/ml   | For the treatment of elevated intraocular pressure in patient with ocular hypertension or open angle glaucoma.  |
| Timolol Maleate SR Eye Drops 5.0mg / ml  | For the treatment of elevated intraocular pressure in patients with ocular hypertension or open angle glaucoma.   |
| Tiotropium (as Tiotropium Bromide Monohydrate) 18mcg + Formoterol Fumarate Dihydro. 12mcg + Ciclesomide 400mcg per capsules  | As 3rd line treatment of sever cases of COPD when monotherapy and second line therapy with two drugs do not respond adequately  |
| Tofisopam uncoated tablet JP... 50/100mg   | For the treatment of anxiety and depression.  |
| Tolperisone HCL 150mg + Paracetamol IP 500mg tablet  | For the treatment of patients with acute painful musculoskeletal conditions   |
| Tolperisone HCl Mouth Dissolving tablet 50/100 mg (Additional Dosage Form)   | Same as Approved.   |
| Tolperisone Hcl SR 450mg Tablets   | For the relief of painful muscle spasms of the skeletal musculature.  |
| Tolperisone HCl Tablet 50 / 100 / 150mg  | For the relief of painful muscle spasms of the skeletal musculature   |
| Tolterodine Tartrate 4mg (ER) + Tamsulosin HCL 0.4mg Capsule.  | For BPH with overaction bladder in Adults only.   |
| Tolterodine tartrate ER 4mg + Tamsulocin Hcl. ER 0.4mg tablet  | For BPH with overactive bladder   |
| Trabectedin powder for Conc. solution for infusion (Additional Indication)   | In combination with pegylated liposomal doxorubicin, it is indicated for the treatment of patients with relapsed platinum- sensitive ovarian cancer   |
| Trabectedin powder for concentrate for solution for infusion 1 mg/ vial  | For the treatment of patients with advanced soft tissue sarcoma, after failure of anthracyclines and ifosfamide, or who are unsuited to receive these agents.   |
| Tranexamic acid Mouth Wash (50mg/ml)   | For prevention of oral hemorrhage in anticoagulant treated patients undergoing oral surgery.  |
| Tranexamic acid mouthwash (50mg/ml)  | For prevention of oral hemorrhage in anticoagulant treated patients undergoing oral surgery   |
| Tranexamic Acid Tab SR 750mg   | For the treatment of menorrhagia  |
| Travoprost 40mcg + Timolol (as Maleate) 5mg per ml of eye drops  | For decrease of intraocular pressure in patients with open angle glaucoma or ocular hypertension, who are insufficiently responsive to topical beta blockers or prostaglandin analogues   |
| Tretinoin Microsphere Gel (0.1% W/V)   | For topical treatment of acne vulgaris  |
| Tretinoine Gel as Micro Sphere 0.04% % 0.1%  | For topical treatment of Acne vulgaris.   |
| Trospium Chloride film coated tablet 20mg  | For the treatment of overactive bladder with the symptoms of urge urinary incontinence, urgency, and urinary frequency.   |

| <b>NAME OF DRUG</b><br><b>FOR EXPORT ONLY SOME ITEMS ARE AVAILABLE WITH COPP / DOSSIER &amp; REST ITEMS ARE AVAILABLE FOR NON-REGULATORY MARKET WHERE COPP &amp; DOSSIER IS NOT REQUIRED</b>  | <b>INDICATION / PHARMACOLOGICAL CLASSIFICATION / DETAILS</b>  |
|---|---|
| Troloxipide film coated Tablets 50mg /100mg   | For the treatment of Gastric ulcers and for amelioration of gastric mucosal lesions (erosion, hemorrhage, redness and edema) in the diseases such as acute gastritis, acute exacerbation stage of chronic gastritis.  |
| Tylvalosin tartrate oral soluble granules Sachet 62.5% w/w (Veterinary)   | For the prevention and treatment of mycoplasma induced chronic respiratory disease in broilers and breeders, the prevention and treatment of diseases due to clostridium perfringens (necrotic enteritis, wet litter, cholangiohepatitis), the prevention and treatment of ornithobacterium rhinotacheale (ORT) |
| Ursodeoxycholic Acid 300/600 SR Tablets (Additional Strength)   | For the dissolution of Radiolucent collestral goll stone, chronic cholestatic liver disease in particular primary biliary cirrhosis, primary sclerosing cholangitis & cholestasis associated with cyatic fibrosis.  |
| Ursodeoxycholic Acid Suspension 125mg/5ml and 250 mg /5ml.  | For the treatment of patients with chronic cholestatic liver disease.   |
| Ursodeoxycholic acid tablets 600mg  | For the treatment of patients with chronic cholestatic liver disease  |
| Vildagliptin 50mg/50mg/50mg + Metformin Hcl 500mg +850mg +1000mg tablets  | For the treatment of type_II diabetes mellitus when single drug therapy alongwith diet, exercise do not result in adequate glycemic control   |
| Vildagliptin Tablets 50mg/100mg   | As an adjunct to diet and exercise to improve glycemic control in patients with type-II diabetes mellitus   |
| Vitamin A (oily form) as palmiate 2000IU + Vitamin B1 1mg + Vitamin B2 1mg + Vitamin B6 1.34mg + Vitamin B12 1mcg + Ascorbic acid 33.3mg + Vitamin D3 200IU + Folic acid 0.3mg + Calcium pantothenate 1mg + Niacinamide 15mg + Dibasic calcium phosphate 100mg + Phosphorus 77mg+ Ferrous fumarate 50mg + Copper 0.01mg+ Potassium iodide 0.0015mg + Heavy magnesium oxide 1mg + Manganse sulphate 0.01mg + Potassium sulphate 1mg + Zinc sulphate 0.15mg Capsule | For the treatment of vitamin deficiency states in adults  |
| Voglibose 0.2 mg + Metformin 500mg Tablets  | As 2nd line treatment of type II Diabetes mellitus when diet, exercise and the single agent do not result in adequate glycemic control.   |
| Voglibose 0.2mg/0.3mg tablet (Mouth dissolving)   | For improvement of parantial hyperphemia in diabetis mellitus only. When diet and/or exercise or oral, hypoglyceamic drug or insulin preparation in addition to diet and or exercise do not result in adequate glycemic control.  |
| Voglibose disp.tab.0.2mg/0.3mg  | As Approved   |
| Voglibose0.3 + Metformin (SR) 500mg   | Additional higher strength  |
| VSL # (Combination of lactic acid bacteria (VSL # 3)  | For the treatment of irritable bowel syndrome   |
| VSL # 3 (Probiotic Blend) sachet  | For rotavirus diarrhoea in children.  |
| Yttrium-90 Microspheres Injection (Yttrium-90...3GBq (at the time of calibration) per vial)   |   |
| Zaltoprofen film coated tablet ...80mg JP   | For anti inflammatory and analgesic activity in rheumatoid arthritis, osteoarthritis, low back pain, periartthritis of shoulder, cervicobrachial syndrome, postoperative, post trauma, and post dental extraction.  |
| Zanamavir inhalation powder 5mg/blister (Additional Indication)   | For prophylaxes and treatment of both influenza A & B in adults and children (greater than or equal to 5 years)   |
| Zileuton uncoated bilayered extended release tablet ...600mg  | For the prophylaxis and chronic treatment of asthma in adults.  |
| Zoledronic acid 5mg/100ml solution for infusion (addl. indication).   | Post-menopausal osteoporosis.   |
| Zoledronic Acid Injection 5mg/100ml (Addl. Indication)  | For the treatement of osteoporosis in post-menopausal women and in men who are at increased risk of fracture,including those with a recent low-trauma hip fracture.   |
| Zoledronic Acid Solution for Infusion Addl. Indication  | Prevention of clinical fractures after hip fracture in men and women  |
| Zolmitriptan...5.0% w/v Benzalkonium Chloride NF ... 0.01% w/v Nasal spray  | For the acute treatment of migraine with or without aura in adults.   |
| Zotepine tablet ....25/50/100mg   | For the treatment of schizophreria  |



| COMPOSITION  | DOSAGE | INDICATION /<br>PHARMACOLOGICAL<br>CLASSIFICATION /<br>DETAILS      |
|--|--------|---|
| <b>CARDIAC RANGE</b>                                 |        |   |
| Amlodipine 10 Mg Tablets                             | TAB    | For Hypertension  |
| Torsemide 10mg + Amiloride 5mg tablets               | TAB    | Edema Associated With<br>Congestive Heart Failure &<br>Hypertension |
| ATORVASTAIN 10 / 20 / 40 mg + AMLODIPINE 5MG / 10mg  | TAB    | For Hyperlipidemia  |
| Amlodipine 10mg + Perindopril 8mg                    | TAB    | For Hypertension  |
| Amlodipine 2.5mg + Lisinopril 5mg                    | TAB    | For Hypertension  |
| Amlodipine 2.5mg + Valsartan 80mg                    | TAB    | For Hypertension  |
| Amlodipine 25mg + Metoprolol 25mg                    | TAB    | For Hypertension  |
| Amlodipine 5 Mg Tablets                              | TAB    | For Hypertension  |
| Amlodipine 5 Mg+ Atenolol 50 Mg Tablets              | TAB    | For Hypertension  |
| Amlodipine 5 Mg+ Lisinopril 5 Mg Tablets             | TAB    | For Hypertension  |
| Amlodipine 5 Mg+ Lisinopril 5 Mg Tablets             | TAB    | For Hypertension  |
| Amlodipine 5mg + Bisoprolol 2.5mg                    | TAB    | For Hypertension  |
| Amlodipine 5mg + HCTZ 12.5mg                         | TAB    | For Hypertension  |
| Amlodipine 5mg + Losartan Pot. 50mg                  | TAB    | For Hypertension  |
| Amlodipine 5mg + Metoprolol ER 25mg                  | TAB    | For Hypertension  |
| Amlodipine 5mg/10mg + Atorvastatin 10/20/40 mg       | TAB    | For Hypertension associated<br>with hyperlipidemia                  |
| Amlodipine 5mg/5mg/10mg + Valsartan 80mg/160mg/160mg | TAB    | Essential Hypertension  |
| Aspirin 150Mg + Clopidogrel 300Mg                    | TAB    | Antiplatelet drug   |

| COMPOSITION  | DOSAGE | INDICATION /<br>PHARMACOLOGICAL<br>CLASSIFICATION /<br>DETAILS                            |
|--|--------|---|
| Aspirin 75/150 Mg + Glycine 37.5 / 75Mg                                  | TAB    | For Prevention Of Acute Coronary Syndrome In Patients With CAD Prophylaxis Against Stroke |
| Atenolol 25mg/50mg + Indapamide SR 10.5mg                                | TAB    | Essential Hypertension  |
| Atenolol 50Mg + Alprazolam 0.25Mg  | TAB    | For Hypertension  |
| Atenolol 50mg + HCTZ 25mg  | TAB    | For Hypertension  |
| Atenolol 50Mg + Indapamide 2.5Mg   | TAB    | For Hypertension  |
| Atenolol 50Mg + Losartan Pot 50Mg + Hydrochlorothiazide 12.5Mg           | TAB    | For Hypertension  |
| Atenolol 50Mg + Losartan Pot. 50Mg                                       | TAB    | For Hypertension  |
| Atorvastatin 10 Mg Tablets   | TAB    | hyperlipidemia  |
| Atorvastatin 10mg + Niacin 375mg/500mg ER                                | TAB    | For Hypercholesterolemia  |
| Atorvastatin 10mg/20mg + Ezetimibe 10mg                                  | TAB    | For Hypercholesterolemia  |
| Atorvastatin 20 Mg Tablets   | TAB    | For Hyperlipidemia  |
| Atorvastatin 5mg + Fenofibrate 160mg                                     | TAB    | For Hyperlipidemia  |
| Atorvastatin 5Mg + Mecobalamin 500Mcg + Folic Acid 5Mg + Pyridoxime 10Mg | TAB    | For Hyperlipidemia  |
| Atorvastatin Calcium 10 Mg + Fenofibrate 160 Mg                          | TAB    | Combined hyperlipidemia   |
| Atorvastatin Calcium 10mg + Finofibrate 160mg                            | TAB    | For Hyperlipidemia  |
| Atorvastatin 10mg + Nicotinic Acid 375/500mg ER                          | TAB    | For Hyperlipidemia  |
| Ezetimibe 10mg + FENOFIBRATE 160MG                                       | TAB    | For Combined Hyperlipidemia   |
| Ezetimibe 10mg + Simvastatin 10/20mg                                     | TAB    | For Hypercholesterolemia  |
| ISO-Sorbide 2 Mononitrate 60mg SR + Atenolol 50mg/100mg                  | TAB    | Fro Angina Pectoris   |
| Iso-Sorbide 30 Mg + Aspirin 150 Mg Tablets                               | TAB    | Prophylaxis of angina and secondary prevention of myocardial infarction.                  |
| Iso-Sorbide 30 Mg Tablets  | TAB    | Angina pectoris   |
| Levodopa 50/100/150mg + Carbidopa 12.5/25/37.5 + Entacapone 200mg        | TAB    | Antiparkinson   |
| Lisinopril 10 Mg Tablets   | TAB    | For Hypertension  |
| Lisinopril 20 Mg Tablets   | TAB    | For Hypertension  |
| Lisinopril 5 Mg + Hydrochlorothiazide 12.5 Mg Tablets                    | TAB    | For Hypertension  |

| COMPOSITION  | DOSAGE | INDICATION /<br>PHARMACOLOGICAL<br>CLASSIFICATION /<br>DETAILS |
|--|--------|--|
| Losartan 25 Mg+ Hydrochlorothiazide 12.5 Mg Tablets            | TAB    | For Hypertension   |
| Losartan 50 Mg + Hydrochlorothiazide 12.5 Mg + Ramipril 2.5 Mg | TAB    | For Hypertension   |
| Losartan 50 Mg + Ramipril 5 Mg. Tablets                        | TAB    | For Hypertension   |
| Losartan 50 Mg+ Hydrochlorothiazide 12.5 Mg Tablets            | TAB    | For Hypertension   |
| Losartan 50 Mg+ Ramipril 2.5 Mg Tablets                        | TAB    | For Hypertension   |
| Losartan 50mg + Atenolol 50mg                                  | TAB    | For Hypertension   |
| Losartan 50mg + Ramipril 25./5mg                               | TAB    | For Hypertension   |
| Losartan Pot 25 Mg Tablets                                     | TAB    | For Hypertension   |
| Losartan Pot 50 Mg + Amlodipine 5 Mg Tablets                   | TAB    | For Hypertension   |
| Losartan Pot 50 Mg + Atenolol 50 Mg Tablets                    | TAB    | For Hypertension   |
| Losartan Pot 50 Mg Tablets                                     | TAB    | For Hypertension   |
| Metoprolol 100 (Sr)  | TAB    | For Hypertension   |
| Metoprolol 25 (Sr)   | TAB    | For Hypertension   |
| Metoprolol 25/50 Mg (Er) + Hydrochlorothiazide 12.5Mg          | TAB    | For Hypertension   |
| Metoprolol 50 (Sr)   | TAB    | For Hypertension   |
| Metoprolol 50Mg + Atorvastatin 10Mg                            | TAB    | For Hypertension associated with hyperlipidemia                |
| Metoprolol 50mg/25mg ER + Amlodipine 5mg/2.5mg                 | TAB    | Angina Pectoris in Adults                                      |
| Metoprolol ER 25mg/50mg + Ramipril 2.5mg/5mg                   | TAB    | Essential Hypertension   |
| Metoprolol Succinate 50mg + Amlodipine 5mg                     | TAB    | For Hypertension   |
| Metoprolol Succinate S.R 12.5mg/25mg/50mg                      | TAB    | For Hypertension   |
| Metoprolol Succinate Tartrate E.R 25/50mg + HCTZ 12.5mg        | TAB    | Essential Hypertension   |
| Metoprolol Tartrate 50mg+ Amlodipine 5 mg                      | TAB    | For Hypertension   |
| Nevibolol 5mg + Metoprolol Succinate 50mg                      | TAB    | For Hypertension   |
| Nicorandil 10 / 20 (Er) For Angina Pectoris                    | TAB    | Angina Pectoris  |
| Nitroglycerin 2.6 Mg Tablets                                   | TAB    | Antiangina   |
| Nitroglycerin 6.4 Mg Tablets                                   | TAB    | Antiangina   |
| Olmesartan 10mg  | TAB    | Anti-hypertensive  |
| Olmesartan 20Mg + Hydrochlorothiazide 12.5Mg                   | TAB    | For Hypertension   |

| COMPOSITION   | DOSAGE | INDICATION /<br>PHARMACOLOGICAL<br>CLASSIFICATION /<br>DETAILS |
|---|--------|--|
| Olmesartan 20Mg + Ramipril 5Mg                              | TAB    | For Hypertension   |
| Olmesartan 40Mg + Hydrochlorothiazide 25 Mg                 | TAB    | For Hypertension   |
| Olmesartan Medoximil 20mg + Ramipril 5mg                    | TAB    | Essential Hypertension   |
| Olmesartan Medoxomil 10Mg                                   | TAB    | For Hypertension   |
| Olmesartan Medoxomil 20 Mg                                  | TAB    | For Hypertension   |
| Olmesartan Medoxomil 20mg/40mg/40mg + HCTZ 12.5mg/12.5/25mg | TAB    | Essential Hypertension   |
| Olmesartan Medoxomil 40Mg                                   | TAB    | For Hypertension   |
| Olmesartan Medoxomil 5mg/20mg/40mg                          | TAB    | Anti-hypertensive  |
| Olmisartan 20 + Amlodipine 5Mg                              | TAB    | For Hypertension   |
| Olmisartan 40Mg + Hydrochlorothiazide 12.5Mg                | TAB    | For Hypertension   |
| PRAVASTATIN 40MG  | TAB    | Lipid Lowering Agent   |
| Pitavastatin 1mg/2mg  | TAB    | Lipid Lowering Agent   |
| Ramipril 10mg + HCTZ 12.5mg                                 | TAB    | Essential Hypertension   |
| Ramipril 2.5 Mg + Hydrochlorothiazide 12.5 Mg Tablets       | TAB    | For Hypertension   |
| Ramipril 2.5/5mg + Telmisartan 40mg                         | TAB    | For Hypertension   |
| Ramipril 5 Mg + Hydrochlorothiazide 12.5 Mg Tablets         | TAB    | For Hypertension   |
| Ramipril-10 Mg Tablets                                      | TAB    | For Hypertension   |
| Ramipril-2.5 Mg Tablets                                     | TAB    | For Hypertension   |
| Ramipril-5Mg Tablets  | TAB    | For Hypertension   |
| Ramipril 5mg + Telmisartan 40mg                             | TAB    | For Hypertension   |
| Rosuvastatin 5 / 10 Mg                                      | TAB    | For Hypertension   |
| Telmisartan 10Mg / 20Mg                                     | TAB    | For Hypertension   |
| Telmisartan 40/80mg + HCTZ 12.5mg                           | TAB    | For Hypertension   |
| Telmisartan 40Mg  | TAB    | For Hypertension   |
| Telmisartan 40mg + Amlodipine 5mg                           | TAB    | For Hypertension   |
| Telmisartan 40Mg + Atorvastatin 10Mg                        | TAB    | For Hypertension associated with hyperlipidemia                |
| Telmisartan 40Mg + Hydrochlorothiazide 12.5Mg               | TAB    | For Hypertension   |

| COMPOSITION  | DOSAGE | INDICATION /<br>PHARMACOLOGICAL<br>CLASSIFICATION /<br>DETAILS      |
|--|--------|---|
| Telmisartan 40mg + Ramipril 2.5/5mg                                  | TAB    | For Hypertension  |
| Torsemide 10Mg + Amiloride 5Mg                                       | TAB    | Edema Associated with<br>Congestive Heart Failure &<br>Hypertension |
| Doxazosin (as Mesylate) 4mg/8mg E.R. Tablet                          | TAB    | For hypertension  |
| Torsemide 10mg + Amiloride 5mg tablets                               | TAB    | Edema Associated with<br>congestive heart failure &<br>hypertension |
| SILDENAFIL CITRATE 20MG  | TAB    | FOR PULMONARY OSTERIAL<br>HYPERTENSION                              |
| AND MANY MORE ALSO AVAILABLE AND CAN MANUFACTURE AS PER UR LIST ALSO |        |   |



Works : Plot No. 25, HPSIDC - Industrial Area, Extension-1, Baddi - 173 205 (H.P.)  
 Regd. Off. : Industrial Area, Phase-II, Chandigarh - 160002, India,  
 E-mail : sales@solitairepharmacia.com, solitaire129@yahoo.com; Phone : 91-172-4237708-709 Fax : 91-172-4600087  
**GMP CERTIFIED & WHO-GMP COMPLIANT**



Registered Member of  
 (DUN & BRAD STREET  
 CORPORATION U.S.A.)  
 D & B D-U-N-S  
 Number 91-506-9586

| COMPOSITION | DOSAGE | INDICATION /<br>PHARMACOLOGICAL<br>CLASSIFICATION /<br>DETAILS |
|-------------|--------|--|
|-------------|--------|--|

**PSYCHOTROPIC RANGE**

|  |     |   |
|--|-----|---|
|  |     |   |
| MEMANTINE HCL 5 / 10 MG                          | TAB | FOR DEMENTIA OF ALZHEIMER'S TYPE                            |
| Levetiracetam 250 / 500Mg / 750 MG               | TAB | BETTER THAN PIRACETAM                                       |
| Alprazolam 0.25 Mg (Sustained Release) Tablets   | TAB | For Anxiety   |
| Alprazolam 0.25 Mg + Fluoxetine 20 Mg Tablets    | TAB | For Anxiety   |
| Alprazolam 0.25 Mg + Sertraline 25 Mg. Tablets   | TAB | For Anxiety   |
| Alprazolam 0.25 Mg+ Propranolol 20 Mg Tablets    | TAB | For Anxiety/Migrain   |
| Alprazolam 0.50 Mg + Sertraline 50 Mg. Tablets   | TAB | For Anxiety   |
| Amitriptylin 10                                  | TAB | Antidepressant  |
| Amitriptyline 12.5 Mg +Chlordiazepoxide 5 Mg     | TAB | Antidepressant  |
| Amitriptyline 25                                 | TAB | Antidepressant  |
| Amitriptyline 25 Mg +Chlordiazepoxide 10 Mg      | TAB | Antidepressant  |
| Carbamazepine 400 Mg (Sustained Release) Tablets | TAB | Anticonvulsant and Mood stabilizing                         |
| Clomipramine 10 Mg                               | TAB | Antidepressant  |
|  |     |   |
| Clonazepam 0.25Mg (Mouth Dissolving)             | TAB | Anticonvulsant, Muscle Relaxant, And Very Potent Anxiolytic |
|  |     |   |
| Clonazepam 0.5 Mg                                | TAB | Anticonvulsant, Muscle Relaxant, And Very Potent Anxiolytic |

| COMPOSITION  | DOSAGE | INDICATION /<br>PHARMACOLOGICAL<br>CLASSIFICATION /<br>DETAILS |
|--|--------|--|
| Clozapine  | TAB    | Schizophrenia  |
| Divalproex Sod 250 (Sustained Release) Tablets     | TAB    | Anti-epileptic   |
| Dothiepin 25 Mg Tablets                            | TAB    | Antidepressant   |
| Duloxetine 20 Mg Tablets                           | TAB    | Antidepressant   |
| Duloxetine 40 Mg Tablets                           | TAB    | Antidepressant   |
| Escitalopram 10 Mg Tablets                         | TAB    | For co-morbid depression & anxiety disorder.                   |
| Escitalopram 10mg + Clonazepam 0.5mg               | TAB    | For co-morbid depression & anxiety disorder.                   |
| Escitalopram Hcl 20 Mg + Clonazepam 0.5 Mg Tablets | TAB    | For co-morbid depression & anxiety disorder.                   |
| Flunarizine 10 Mg Tablets                          | TAB    | Prophylaxis Of Migraine  |
| Flunarizine 5 Mg+Dom 10 Mg+ Pcm 500 Mg Tablets     | TAB    | Prophylaxis Of Migraine  |
| Fluoxetine 20 Mg Tablets                           | TAB    | Antidepressant   |
| Ginka Biloba 40Mg Tablets                          | TAB    | Dementia   |
| Haloperidol 1.5 Md (Mouth Dissolving)              | TAB    | Behavior Problems with Dementia                                |
| Haloperidol 5 Mg. + Trihexiphenidyl 2 Mg Tablets   | TAB    | Behavior Problems with Dementia                                |
| Lithium Carbonate ER 450mg                         | TAB    | Anti-epileptic   |
| Lorazepam 1 Mg Tablets                             | TAB    | For Anxiety  |
| Loxapine 10 Mg. Tablets                            | TAB    | Antidepressant   |
| Mecobalamin 1500 Mcg. & Pregabalin 150 Mg.         | TAB    | Neuropathic pain   |
| Mecobalamin 1500 Mcg. Tablets                      | TAB    | Neuropathic pain   |
| Mecobalamin 500 Mcg. + Gabapentin 300 Mg. Tablets  | TAB    | Neuropathic pain   |
| Mecobalamin 500 Mcg. Tablets                       | TAB    | Neuropathic pain   |

| COMPOSITION  | DOSAGE | INDICATION /<br>PHARMACOLOGICAL<br>CLASSIFICATION /<br>DETAILS  |
|--|--------|---|
| Midazolam 7.5/1.5 Mg   | TAB    | Acute seizures, Moderate to severe Insomnia                     |
| Mirtazapine 15 Sr Mg   | TAB    | Acute seizures, Moderate to severe Insomnia                     |
| Olanzapine 10 Sr Mg Tablets  | TAB    | Antidepressant  |
| Olanzapine 10Mg + Fluoxetine 20 Mg Tablets   | TAB    | Antidepressant  |
| Omeprazole 20 Mg. + Alprazolam 0.25 Mg Capsule                                       | TAB    | For Anxiety   |
| Piracetam 400 Mg. Tablets  | TAB    | Nootropic drug  |
| Pregabalin 25/50/100/200 mg  | TAB    | Seizures  |
| Risperidone 1 Mg Tablets   | TAB    | Acute mania & mixed episode in bipolar-I disorder.              |
| Risperidone 3 Mg + Trihexiphenidyl 2 Mg Tablets                                      | TAB    | Schizophrenia   |
| Sertraline-25 Mg. Tablets  | TAB    | Treat Depression, Obsessive-Compulsive Disorder, Panic Disorder |
| Sodium Valproate + Valproic Acid 200 Mg  | TAB    | Anti-epileptic  |
| Trifluoperazine 1 Mg + Chlordiazepoxide 10 Mg Tablets                                | TAB    | Antidepressant  |
| Trifluoperazine 5 Mg + Trihexiphenidyl 2 Mg + Chlorpromazine 50 Mg                   | TAB    | Antidepressant  |
| Trifluoperazine 5 Mg + Trihexiphenidyl 2 Mg Tablets                                  | TAB    | Antidepressant  |
| Zolpidem 10 Mg Tablets   | TAB    | Insomnia  |
| Alprazolam Dispersible 0.125mg/0.25mg/0.5mg  | TAB    | For Anxiety   |
| Amisulpiride Tablet (50/100/200/400Mg)   | TAB    | Schizophrenia   |
| Divalproex Sodium E.R 750mg/7000mg   | TAB    | Anti-epileptic  |
| Flupentixol Hcl 0.5Mg + Melitracen Hcl 10Mg  | TAB    | Antidepressant  |
| Gabapentine 300 Plain / 900 (Extended Release)                                       | TAB    | Neuropathic pain/Major depressive disorder.                     |
| Lamotrigin 50/100/200Mg Dispersible Tabs   | TAB    |   |
| Lamotrigine 200Mg Tablet (Addl. Strength) Dispersible Tablet (25Mg/50Mg/100Mg/200Mg) | TAB    | Anti-epileptic  |



| COMPOSITION   | DOSAGE | INDICATION /<br>PHARMACOLOGICAL<br>CLASSIFICATION /<br>DETAILS |
|---|--------|--|
| Lamotrigine S.R 75mg/100mg  | TAB    | Anti-epileptic   |
| Levetiracetam 250 / 500Mg   | TAB    |  |
| Levodopa 100Mg + Carbidopa 25Mg + Entacapone 200Mg                          | TAB    | For Parkinson's disease  |
| Levodopa 200Mg + Carbidopa 50Mg (Er) Tab                                    | TAB    | For Parkinson's disease  |
| Levodopa 50mg/100mg/150mg + Carbidopa 12.5mg/25mg/37.5mg + Entacapone 200mg | TAB    | For Parkinson's disease  |
| Oxcarbazepine 300Mg (Sr)  | TAB    | Anticonvulsant and Mood Stabilizing Drug                       |
| Oxcarbazepine 600Mg (Sr)  | TAB    | Anticonvulsant and Mood Stabilizing Drug                       |
| Oxcarbazepine S.R 450mg/900mg   | TAB    | Anticonvulsant and Mood Stabilizing Drug                       |
| Oxcarbazepine S.r. (150Mg/600Mg)  | TAB    | Anticonvulsant and Mood Stabilizing Drug                       |
| Paroxetine 12.5 (Controlled Release)  | TAB    | Antidepressant   |
| Phenytoin sodium 300Mg  | TAB    | Acute seizures   |
| Quetiapine 400Mg Sr   | TAB    | Schizophrenia  |
| Quetiapine S.r Tablet 200/300Mg.  | TAB    | Schizophrenia  |
| Sumatriptan 50Mg + Naproxan Sod. 550Mg                                      | TAB    | Migraine   |
| Escitalopram (10mg) + Clonazepam (0.5mg)                                    | TAB    | For co-morbid depression & anxiety disorder.                   |
| Divalproex Sodium E.R. Tablets (750mg/1000 mg)                              | TAB    | Anti-Epileptic   |
| Lithium Carbonate ER (450mg) tablet   | TAB    | Anti-Depression  |
| Cabergoline 1 mg/2 mg/4 mg tablets  | TAB    | For Parkinson's disease  |
| Buprenorphine (0.4mg) + Naloxone (0.1mg) sublingual tablet                  | TAB    | For opioid dependence  |
| VENLAFAXINE 37.5 / 75 MG  | TAB    |  |
| AND MANY MORE ALSO AVAILABLE AND CAN MANUFACTURE AS PER UR LIST ALSO        |        |  |



Works : Plot No. 25, HPSIDC - Industrial Area, Extension-1, Baddi - 173 205 (H.P.)  
 Regd. Off. : Industrial Area, Phase-II, Chandigarh - 160002, India,  
 E-mail : sales@solitairepharmacia.com, solitaire129@yahoo.com; Phone : 91-172-4237708-709 Fax : 91-172-4600087  
**GMP CERTIFIED & WHO-GMP COMPLIANT**



Registered Member of  
 (DUN & BRAD STREET  
 CORPORATION U.S.A.)  
 D & B D-U-N-S  
 Number 91-506-9586

**C**OMPOSITION

**D**OSAGE

**I**NDICATION /  
**P**HARMACOLOGICAL  
**C**LASSIFICATION /  
**D**ETAILS

**DIABETIC RANGE**

|  |     |                                |
|--|-----|--------------------------------|
|  |     |                                |
| Repaglinide 0.5 / 1 / 2 MG                                     | TAB | Anti-diabetic                  |
| Acarbose 50 mg Tablets Lates)                                  | TAB | Anti-diabetic                  |
| Aspartame 18mg   | TAB | Sweetner for Diabetic patients |
| Calcium Dobisilate 500 mg.                                     | TAB | Venotonic                      |
| Epalrestat 50mg  | TAB | Diabetic neuropathy            |
| Glibenclamide 2.5mg/55mg + Metformin Sr 500mg                  | TAB | Anti-diabetic                  |
| Gliclazide 40mg/80mg + Metformin HCL 500mg + Rosiglitazone 2mg | TAB | Anti-diabetic                  |
| Gliclazide 80mg  | TAB | Anti-diabetic                  |
| Gliclazide 80mg + Chromium Picolinate 200mcg                   | TAB | Anti-diabetic                  |
| Gliclazide M.R 20mg/60mg + Metformin HCL ER 500mg              | TAB | Anti-diabetic                  |
| Glimeperide 1mg/2mg + Metformin SR 500mg                       | TAB | Anti-diabetic                  |
| Glimepiride 1 mg + Meformin 500 Tablets                        | TAB | Anti-diabetic                  |
| Glimepiride 1 mg + Metformin 500 + Pioglitazone 15 mg (ER)     | TAB | Anti-diabetic                  |
| Glimepiride 1 mg + Pioglitazone 15 mg Tablets                  | TAB | Anti-diabetic                  |
| Glimepiride 1/2/3/4 mg Tablets                                 | TAB | Anti-diabetic                  |
| Glimepiride 2 + Metformin 500 mg + Pioglitazone 15 (ER)        | TAB | Anti-diabetic                  |

| Glimepiride 2 mg + Metformin 500 Tablets                                  | TAB    | Anti-diabetic  |
|---|--------|--|
| COMPOSITION   | DOSAGE | INDICATION /<br>PHARMACOLOGICAL<br>CLASSIFICATION /<br>DETAILS |
| Glimepiride 2 mg + Pioglitazone 15 mg Tablets                             | TAB    | Anti-diabetic  |
| Glimepiride 2 mg + Pioglitazone 30 mg Tablets                             | TAB    | Anti-diabetic  |
| Mecobalamine 500 Mcg + Alpha Lipoic Acid 100Mg                            | TAB    | For Diabetic Neuropathy  |
| Metformin 1000 mg. (Sustained Release) Tablets                            | TAB    | Anti-diabetic  |
| Metformin 500 mg + Glipizide 5 mg Tablets                                 | TAB    | Anti-diabetic  |
| Metformin 500 mg(Sustained Release) + Gliclazide 80 mg Tablets            | TAB    | Anti-diabetic  |
| Metformin 500 mg(Sustained Release) + Pioglitazone 15 mg Tablets          | TAB    | Anti-diabetic  |
| Metformin 500 mg. Tablets   | TAB    | Anti-diabetic  |
| Miglitol 25mg/50mg/10mg   | TAB    | Anti-diabetic  |
| Nateglinide 60/120mg  | TAB    | Anti-diabetic  |
| Pioglitazone 15/30mg + Metformin ER 1000mg                                | TAB    | Anti-diabetic  |
| Pioglitazone 15/30mg + Metformin ER 500mg                                 | TAB    | Anti-diabetic  |
| Voglibose 0.2 / 0.3 mg + Metformin 500(SR)                                | TAB    | Anti-diabetic  |
| Volglibose 0.2/0.3 mg   | TAB    | Anti-diabetic  |
| Miglitol Tablet 25 mg/50 mg/100 mg  | TAB    | Anti-Diabetic  |
| Pioglitazone 15mg/30mg + MetFormin ER 1000mg tablet (additional strength) | TAB    | As approved  |

AND MANY MORE ALSO AVAILABLE AND CAN MANUFACTURE AS PER UR LIST ALSO



Works : Plot No. 25, HPSIDC - Industrial Area, Extension-1, Baddi - 173 205 (H.P.)  
 Regd. Off. : Industrial Area, Phase-II, Chandigarh - 160002, India,  
 E-mail : sales@solitairepharmacia.com, solitaire129@yahoo.com; Phone : 91-172-4237708-709 Fax : 91-172-4600087  
**GMP CERTIFIED & WHO-GMP COMPLIANT**



Registered Member of  
 (DUN & BRAD STREET  
 CORPORATION U.S.A.)  
 D & B D-U-N-S  
 Number 91-506-9586

| <b>A GLIMPS OF FEW PRODUCTS</b>  | <b>DOSAGE</b> | <b>SEGMENT</b> |
|--|---------------|----------------|
| Aceclofenac 100 mg + Paracetamol 500 mg  | TAB           | ORTHO(NSAID)   |
| Aceclofenac 100 mg + Paracetamol 500 mg + Serratiopeptidase 15 mg  | TAB           | ORTHO(NSAID)   |
| Aceclofenac 200 Mg (Sustained Release)   | TAB           | ORTHO(NSAID)   |
| Acyclovir 200 mg Dispersible (Anti-Viral)  | TAB           | ANTI VIRAL     |
| Acyclovir 800 mg Dispersible (Anti-Viral)  | TAB           | ANTI VIRAL     |
| Alfacalcidol 0.25 mcg + Calcium Carbonate 500 mg + Zinc 7.5 mg + Betacarotene Eqvt. to Vitamin A 2500 I.U. | TAB           | GYNE/ ORTHO    |
| Allopurinol 100 mg Tablets   | TAB           | ORTHO          |
| Allopurinol 300 mg Tablets   | TAB           | ORTHO          |
| Allyloestrenol 5 mg  | TAB           | GYNE           |
| Alprazolam 0.25 mg (Sustained Release) Tablets   | TAB           | PSYCHOTROPIC   |
| Alprazolam 0.25 mg + Fluoxetine 20 mg Tablets  | TAB           | PSYCHOTROPIC   |
| Alprazolam 0.25 mg + Sertraline 25 mg. Tablets   | TAB           | PSYCHOTROPIC   |
| Alprazolam 0.25 mg+ Propranolol 20 mg Tablets  | TAB           | PSYCHOTROPIC   |
| Alprazolam 0.50 mg (Sustained Release) Tablets   | TAB           | PSYCHOTROPIC   |
| Alprazolam 0.50 mg + Sertraline 50 mg. Tablets   | TAB           | PSYCHOTROPIC   |
| Alprazolam 1 mg (Sustained Release) Tablets  | TAB           | PSYCHOTROPIC   |
| Amitriptyline 12.5 mg +Chlordiazepoxide 5 mg   | TAB           | PSYCHOTROPIC   |
| Amitriptyline 25 mg +Chlordiazepoxide 10 mg  | TAB           | PSYCHOTROPIC   |
| Amlodipine 10 mg Tablets   | TAB           | CARDIAC        |
| Amlodipine 2.5 mg+ Lisinopril 2.5 mg Tablets   | TAB           | CARDIAC        |
| Amlodipine 5 mg Tablets  | TAB           | CARDIAC        |

|  |               |                               |
|--|---------------|-------------------------------|
| Amlodipine 5 mg+ Atenolol 50 mg Tablets  | TAB           | CARDIAC                       |
| <b>A GLIMPS OF FEW PRODUCTS</b>  | <b>DOSAGE</b> | <b>SEGMENT</b>                |
| Amlodipine 5 mg+ Lisinopril 5 mg Tablets   | TAB           | CARDIAC                       |
| Atenolol 50 mg Tablets   | TAB           | CARDIAC                       |
| Atenolol 50 mg + Alprazolam 0.25 mg. Tablets   | TAB           | CARDIAC                       |
| Atenolol 50 mg + Amlodipine 5 mg   | TAB           | CARDIAC                       |
| Atenolol 50 mg + Losartan Pot. 50 mg Tablets   | TAB           | CARDIAC                       |
| Atenolol 50 mg + Losartan Pot.50 mg+ Hydrochlorothiazide 12.5mg Tab.                           | TAB           | CARDIAC                       |
| Atorvastatin 10 mg   | TAB           | CARDIAC                       |
| Atorvastatin 10 mg + Ezitamibe 10 mg Tablets   | TAB           | CARDIAC                       |
| Atorvastatin 10 mg Tablets   | TAB           | CARDIAC                       |
| Atorvastatin 20 mg Tablets   | TAB           | CARDIAC                       |
| Atorvastatin 5 mg + Mecobalamin 500 mcg + Folic Acid 5 mg + Pyridoxine 10 mg. Tablets          | TAB           | CARDIAC                       |
| Atrovastatin 10 mg + Amlodipine 5 mg   | TAB           | CARDIAC                       |
| Azithromycin 100 mg-DT   | TAB           | ANTIBIOTIC                    |
| Azithromycin 250   | TAB           | ANTIBIOTIC                    |
| Azithromycin 500   | TAB           | ANTIBIOTIC                    |
| Calcitriol 0.25 mcg + Calcium Carbonate 500 mg + Zinc 7.5 mg                                   | TAB           | GYNE / ORTHO                  |
| Calcitriol 0.25 mcg + Calcium Citrate 250 mg + Zinc 7.5 mg                                     | TAB           | GYNE / ORTHO                  |
| Calcitriol 0.25 mcg + Calcium CITRATE MALEATE 500 mg + Zinc 7.5 mg                             | TAB           | GYNE / ORTHO                  |
| Calcium Carbonate 1250 Mg + D3 250 lu  | TAB           | GYNE / ORTHO                  |
| Calcium CITRATE 1250 mg + Vitamin D3 250 I.U.  | TAB           | GYNE / ORTHO                  |
| Calcium Dobisilate 500 mg.   | TAB           | VENOTONIC / ANTI<br>DIABETICS |
| Carbamazepine 400 mg (Sustained Release) Tablets   | TAB           | PSYCHOTROPIC                  |
| Carbonyl Iron 100 mg + Zinc 61.8 mg + Folic Acid 1.5 mg + Vitamin C 75 mg + Vitamin B12 15 mcg | TAB           | GYNE (IRON<br>SUPPLEMENT)     |
| Carbonyl Iron 50 mg + Folic Acid 5 mg + Adenosylcobalamin 500 mcg                              | TAB           | GYNE (IRON<br>SUPPLEMENT)     |
| Carbonyl Iron 50 mg + Zinc 61.8 mg + Folic Acid 0.5 mg   | TAB           | GYNE (IRON<br>SUPPLEMENT)     |

|  |               |                      |
|--|---------------|----------------------|
| Cinnarizine 20 mg + Domperidone 15 mg  | TAB           | PSYCOTROPIC          |
| Ciprofloxacin 500 Mg   | TAB           | ANTIBIOTIC           |
| <b>A GLIMPS OF FEW PRODUCTS</b>  | <b>DOSAGE</b> | <b>SEGMENT</b>       |
| Ciprofloxacin 500 mg + Ornidazole 500 mg   | TAB           | ANTIBIOTIC           |
| Ciprofloxacin 500 mg + Tinidazole 600 mg   | TAB           | ANTIBIOTIC           |
| Clindamycin 100 mg + Miconazole 200 mg   | TAB           | ANTI FUNGAL          |
| Clomiphene Citrate 100 mg  | TAB           | GYNE                 |
| Clomiphene Citrate 25 mg   | TAB           | GYNE                 |
| Clomiphene Citrate 50 mg   | TAB           | GYNE                 |
| Clomipramine 10 mg   | TAB           | PSYCHOTROPIC         |
| Clomipramine 25 mg   | TAB           | PSYCHOTROPIC         |
| Clomipramine 75 SR   | TAB           | PSYCHOTROPIC         |
| Clonazepam 0.5 mg  | TAB           | PSYCHOTROPIC         |
| Clonazepam 1 mg  | TAB           | PSYCHOTROPIC         |
| Clonazepam 2 mg  | TAB           | PSYCHOTROPIC         |
| Clotrimazole 200 Mg + Tinidazole 600 Mg + Povidone Iodine 200Mg  | TAB           | GYNE                 |
| Clozapine 100(sr)  | TAB           | PSYCHOTROPIC         |
| Clozapine 25 SR mg Tablets   | TAB           | PSYCHOTROPIC         |
| Clozapine 50 SR mg Tablets   | TAB           | PSYCHOTROPIC         |
| Danazol 100 mg   | TAB           | GYNE                 |
| Danazol 200 mg   | TAB           | GYNE                 |
| Danazol 50 mg  | TAB           | GYNE                 |
| Deflazacort 1 Mg   | TAB           | ORTHO / CHEST / SKIN |
| Deflazacort 30 mg.   | TAB           | ORTHO / CHEST / SKIN |
| Deflazacort 6 Mg   | TAB           | ORTHO / CHEST / SKIN |
| Diacerein 50 mg + Glucosamine Sulphate Potassium Chloride 500 mg + Methyl Sulphonyl Methane (MSM) 200 mg + Mecobalamin 200 mcg | TAB           | ORTHO                |
| Diclo Pot. 100Mg Sustained Release   | TAB           | ORTHO(NSAID)         |

|   |               |                        |
|---|---------------|------------------------|
| Diclofenac Pot. 50 mg + Chlorzoxazone 250 mg + Paracetamol 500 mg   | TAB           | ORTHO(NSAID)           |
| Diclofenac Pot. 50 mg + Serratiopeptidase 10 mg + Paracetamol 500 mg  | TAB           | ORTHO(NSAID)           |
| Divalproex Sod 250 (Sustained Release) Tablets  | TAB           | PSYCHOTROPIC           |
| <b>A GLIMPS OF FEW PRODUCTS</b>   | <b>DOSAGE</b> | <b>SEGMENT</b>         |
| Divalproex Sod 500 (Sustained Release) Tablets  | TAB           | PSYCHOTROPIC           |
| Dothiepin 25 mg Tablets   | TAB           | PSYCHOTROPIC           |
| Dothiepin 75 mg Tablets   | TAB           | PSYCHOTROPIC           |
| DOXYLAMINE 10 mg + PYRIDOXINE 10 mg + FOLIC 2.5 mg  | TAB           | GYNE                   |
| Drotaverine 80 mg + Mefenamic Acid 250 mg   | TAB           | GYNE                   |
| Duloxetine 20 mg Tablets  | TAB           | PSYCHOTROPIC           |
| Duloxetine 40 mg (Sustained Release) Tablets  | TAB           | PSYCHOTROPIC           |
| Escitalopram 10 mg Tablets  | TAB           | PSYCHOTROPIC           |
| Escitalopram 20 mg Tablets  | TAB           | PSYCHOTROPIC           |
| Escitalopram HCL 20 mg + Clonazepam 0.5 mg Tablets  | TAB           | PSYCHOTROPIC           |
| Esomeprazole 40 Mg  | TAB           | GASTRO                 |
| Ethamsylate 250 mg  | TAB           | GYNE/SURGERY           |
| Ethamsylate 500 mg  | TAB           | GYNE/SURGERY           |
| Ferrous Ascorbate 100 Mg + Folic Acid 1.5 Mg  | TAB           | GYNE (IRON TONIC)      |
| Fluconazole 150 mg (Anti-Fungal)  | TAB           | ANTI FUNGAL            |
| Flunarizine 10 mg Tablets   | TAB           | PSYCHOTROPIC           |
| Flunarizine 5 mg Tablets  | TAB           | PSYCHOTROPIC           |
| Flunarizine 5 mg+Dom 10 mg+ PCM 500 mg Tablets  | TAB           | PSYCHOTROPIC           |
| Fluoxetine 20 mg Tablets  | TAB           | PSYCHOTROPIC           |
| Gatifloxacin 400 mg + Ambroxol 30 mg  | TAB           | ENT / CHEST            |
| Gemifloxacin 320 mg   | TAB           | ANTIBIOTIC             |
| Ginkgo biloba 40 mg Tablets   | TAB           | PSYCHOTROPIC           |
| Ginseng 48 mg + Beta-Carotene 20%-50 mg + Vit B1-10 mg + Vit B2-10 mg + Vit B6-3 mg +Vit E-50 mg + Vit B12-10 mcg + Manganese Sul 11.1 mg +Potassium Iodide 0.2 mg + Copper Sul. 1.77 mg + Magnesium Sul. 31.41 mg + Zinc Sul. 40 mg + Selenium 40 mcg + Protein 100 mg | TAB           | GINSENG + MULTIVITAMIN |

|   |               |                             |
|---|---------------|-----------------------------|
| Gliclazide 80 mg + Chromium Picolinate 200 mcg Tablets  | TAB           | ANTI DIABETICS              |
| Gliclazide 80 mg + Metformin 500 mg   | TAB           | ANTI DIABETICS              |
| Gliclazide 80 mg Tablets  | TAB           | ANTI DIABETICS              |
| <b>A GLIMPS OF FEW PRODUCTS</b>   | <b>DOSAGE</b> | <b>SEGMENT</b>              |
| Glimepiride 1 mg + Metformin 500 Tablets  | TAB           | ANTI DIABETICS              |
| Glimepiride 1 mg + Metformin 500 + Pioglitazone 15 mg (ER)  | TAB           | ANTI DIABETICS              |
| Glimepiride 1 mg + Pioglitazone 15 mg Tablets   | TAB           | ANTI DIABETICS              |
| Glimepiride 1 mg Tablets  | TAB           | ANTI DIABETICS              |
| Glimepiride 2 + Metformin 500 mg + Pioglitazone 15 (ER)   | TAB           | ANTI DIABETICS              |
| Glimepiride 2 mg + Metformin 500 Tablets  | TAB           | ANTI DIABETICS              |
| Glimepiride 2 mg + Pioglitazone 15 mg Tablets   | TAB           | ANTI DIABETICS              |
| Glimepiride 2 mg + Pioglitazone 30 mg Tablets   | TAB           | ANTI DIABETICS              |
| Glimepiride 2 mg Tablets  | TAB           | ANTI DIABETICS              |
| Glimepiride 3 mg Tablets  | TAB           | ANTI DIABETICS              |
| Glimepiride 4 mg Tablets  | TAB           | ANTI DIABETICS              |
| Haloperidol 1.5 MD (Mouth Dissolving)   | TAB           | PSYCHOTROPIC                |
| Haloperidol 10 MD (Mouth Dissolving)  | TAB           | PSYCHOTROPIC                |
| Haloperidol 20 ER (Extended Release Tablets)  | TAB           | PSYCHOTROPIC                |
| Haloperidol 5 MD (Mouth Dissolving)   | TAB           | PSYCHOTROPIC                |
| Haloperidol 5 mg. + Trihexiphenidyl 2 mg Tablets  | TAB           | PSYCHOTROPIC                |
| Iso-sorbide 30 mg + Aspirin 150 mg Tablets  | TAB           | CARDIAC                     |
| Iso-sorbide 30 mg Tablets   | TAB           | CARDIAC                     |
| Iso-sorbide 60 SR mg Tablets  | TAB           | CARDIAC                     |
| Ivermectin 12 mg  | TAB           | ANTHELMINTIC /<br>PHYSICIAN |
| Ivermectin 6 mg   | TAB           | ANTHELMINTIC /<br>PHYSICIAN |
| Ketoconazole 200 mg   | TAB           | ANTIFUNGAL                  |
| Lacto Bacillus 40 MS + Vit. B1 10 mg + Vit. B2 10 mg + Vit. B6 3mg + Vit. B12 5 mcg + Vit. C 75 mg + Nicotinamide 50 mg + Cal. Pantothenate 10 mg + Folic Acid 1.5 mg | TAB           | MULTIVITAMIN                |
| Levocetirizine 5 mg   | TAB           | ANTI ALLERGIC               |



|   |               |                |
|---|---------------|----------------|
| Levofloxacin 500 mg   | TAB           | ANTIBIOTIC     |
| Linezolid 600 mg (Superior than Cefpodoxime)  | TAB           | ANTIBIOTIC     |
| Lisinopril 10 mg Tablets  | TAB           | CARDIAC        |
| <b>A GLIMPS OF FEW PRODUCTS</b>   | <b>DOSAGE</b> | <b>SEGMENT</b> |
| Lisinopril 20 mg Tablets  | TAB           | CARDIAC        |
| Lisinopril 5 mg + Hydrochlorothiazide 12.5 mg Tablets   | TAB           | CARDIAC        |
| Lisinopril 5 mg Tablets   | TAB           | CARDIAC        |
| Lithium Carbonate 400 CR Tablets  | TAB           | PSYCHOTROPIC   |
| Lithium Carbonate 450 CR Tablets  | TAB           | PSYCHOTROPIC   |
| Loratadine 10 mg (ANTI ALERGIC)   | TAB           | ANTI ALLERGIC  |
| Loratidine 10 mg (Mouth Dissolving)   | TAB           | ANTI ALLERGIC  |
| Lorazepam 1 mg Tablets  | TAB           | PSYCHOTROPIC   |
| Lorazepam 2 mg Tablets  | TAB           | PSYCHOTROPIC   |
| Losartan 50 mg+ Hydrochlorothiazide 12.5 mg Tablets   | TAB           | CARDIAC        |
| Losartan 25 mg+ Hydrochlorothiazide 12.5 mg Tablets   | TAB           | CARDIAC        |
| Losartan 50 mg + Hydrochlorothiazide12.5 mg + Ramipril 2.5 mg   | TAB           | CARDIAC        |
| Losartan 50 mg + Ramipril 5 mg. Tablets   | TAB           | CARDIAC        |
| Losartan 50 mg+ Ramipril 2.5 mg Tablets   | TAB           | CARDIAC        |
| Losartan Pot 25 mg Tablets  | TAB           | CARDIAC        |
| Losartan Pot 50 mg Tablets  | TAB           | CARDIAC        |
| Losartan Pot 50 mg + Amlodipine 5 mg Tablets  | TAB           | CARDIAC        |
| Losartan Pot 50 mg + Atenolol 50 mg Tablets   | TAB           | CARDIAC        |
| Loxapine 10 mg. Tablets   | TAB           | PSYCHOTROPIC   |
| Loxapine 25 mg. Tablets   | TAB           | PSYCHOTROPIC   |
| Lycopene 10% 5000 mcg + Betacarotene 20% 10 mg+ Zinc 7.5 mg + Vitamin E 25 I.U. + Vitamin C 50 mg + Selenium 75 mcg.  | TAB           | MULTIVITAMIN   |
| Lycopene 6000 mcg + Selenium 100 mg + Alpha Lipoic Acid 50 mg + Lutein 0.5 mg + Chromium Picolinate 200 mcg   | TAB           | MULTIVITAMIN   |
| Mecobalamin 1000 mcg + Alpha Lipoic Acid 50 mg + Folic Acid 5 mg + Selenium 163.6 mcg + Vit E-25 IU + Betacarotene 10.33 mg (15%) + Vit B1-10 mg + Vit B6-1.5 mg + Calcium D-Pantothenate 10 mg | TAB           | MULTIVITAMIN   |

|   |               |                      |
|---|---------------|----------------------|
| Mecobalamin 1500 mcg + Folic Acid 1.5 mg + B6 3 mg + Alpha Lipoic Acid 100 mg                                   | TAB           | MULTIVITAMIN         |
| Mecobalamin 1500 mcg. Tablets   | TAB           | MULTIVITAMIN         |
| Mecobalamin 500 mcg. Tablets  | TAB           | MULTIVITAMIN         |
| Mefenamic 250 Mg + Dicyclomine 20 Mg  | TAB           | GYNE                 |
| <b>A GLIMPS OF FEW PRODUCTS</b>   | <b>DOSAGE</b> | <b>SEGMENT</b>       |
| Metformin 1000 mg. (Sustained Release) Tablets  | TAB           | ANTI DIABETICS       |
| Metformin 500 mg (Sustained Release) + Pioglitazone 30 mg Tablets   | TAB           | ANTI DIABETICS       |
| Metformin 500 mg + Glipizide 5 mg Tablets   | TAB           | ANTI DIABETICS       |
| Metformin 500 mg(Sustained Release) + Gliclazide 80 mg Tablets  | TAB           | ANTI DIABETICS       |
| Metformin 500 mg(Sustained Release) + Pioglitazone 15 mg Tablets  | TAB           | ANTI DIABETICS       |
| Metformin 500 mg. Tablets   | TAB           | ANTI DIABETICS       |
| Methylcobalamine 1500 Mcg + Alpha Lipoic Acid 100 Mg. + Vitamin B6 3 Mg. + Thiamine 10 Mg. + Folic Acid 1.5 Mg. | TAB           | MULTIVITAMIN         |
| Methylprednisolone 16 mg  | TAB           | ORTHO / CHEST / SKIN |
| Methylprednisolone 4 mg   | TAB           | ORTHO / CHEST / SKIN |
| Micronised Natural Progesterone 100 mg  | TAB           | GYNE                 |
| Micronised Natural Progesterone 200 mg  | TAB           | GYNE                 |
| Mirtazapine 15 SR mg  | TAB           | PSYCHOTROPIC         |
| Mirtazapine 30 SR mg  | TAB           | PSYCHOTROPIC         |
| Montelukast 10 mg   | TAB           | CHEST / ENT          |
| Montelukast 5 mg  | TAB           | CHEST / ENT          |
| Montelukast 10 mg   | TAB           | CHEST / ENT          |
| Montelukast 5 mg (Mouth Dissolving)   | TAB           | CHEST / ENT          |
| Nimesulide 100 mg   | TAB           | ORTHO(NSAID)         |
| Nimesulide 100 mg + Dicyclomine 20 mg   | TAB           | GYNE                 |
| Nimesulide 100 mg + Paracetamol 500 mg  | TAB           | ORTHO(NSAID)         |
| Nimesulide 100Mg + Serratiopeptidase 15 Mg  | TAB           | ORTHO(NSAID)         |
| Nitroglycerin 2.6 mg Tablets  | TAB           | CARDIAC              |
| Nitroglycerin 6.4 mg Tablets  | TAB           | CARDIAC              |

|  |               |                |
|--|---------------|----------------|
| <b>Norethisterone 5 mg</b>                       | <b>TAB</b>    | <b>GYNE</b>    |
| Ofloxacin 200 mg                                 | TAB           | ANTIBIOTIC     |
| Ofloxacin 200 mg + Ornidazole 500 mg             | TAB           | ANTIBIOTIC     |
| Ofloxacin 400 Mg                                 | TAB           | ANTIBIOTIC     |
| <b>A GLIMPS OF FEW PRODUCTS</b>                  | <b>DOSAGE</b> | <b>SEGMENT</b> |
| Olanzapine 10 SR mg Tablets                      | TAB           | PSYCHOTROPIC   |
| Olanzapine 10mg + Fluoxetine 20 mg Tablets       | TAB           | PSYCHOTROPIC   |
| Olanzapine 2.5 SR mg Tablets                     | TAB           | PSYCHOTROPIC   |
| Olanzapine 20 SR mg Tablets                      | TAB           | PSYCHOTROPIC   |
| Olanzapine 5 SR mg Tablets                       | TAB           | PSYCHOTROPIC   |
| Omeprazole Magnesium 20 mg                       | TAB           | GASTRO         |
| Omeprazole magnesium 20 mg + Domperidone 10 mg   | TAB           | GASTRO         |
| Ondansetron 4 mg                                 | TAB           | GASTRO         |
| Ondansetron 8 mg                                 | TAB           | GASTRO         |
| Pantoprazole 40 Mg                               | TAB           | GASTRO         |
| Pantoprazole 40 Mg + Dom 30 Mg (Sr)              | TAB           | GASTRO         |
| Pantoprazole 40 mg + Domperidone 10 mg           | TAB           | GASTRO         |
| Paracetamol 500 mg + Ondansetrone 8 mg           | TAB           | GASTRO         |
| Paracetamol 500 mg + Prochlorperazine 5 mg       | TAB           | GASTRO         |
| Paroxetine 12.5 (Controlled Release)             | TAB           | PSYCHOTROPIC   |
| Paroxetine 25 (Controlled Release)               | TAB           | PSYCHOTROPIC   |
| Paroxetine 37.5 (Controlled Release)             | TAB           | PSYCHOTROPIC   |
| Pioglitazone 15 mg + Metformin 500 mg            | TAB           | ANTI DIABETICS |
| Piracetam 400 mg. Tablets                        | TAB           | PSYCHOTROPIC   |
| Piracetam 800 mg. Tablets                        | TAB           | PSYCHOTROPIC   |
| Propranolol 20 mg Tablets                        | TAB           | CARDIAC        |
| Propranolol 40 mg (Sustained Release) Tablets    | TAB           | CARDIAC        |
| Rabeprazole 20 Mg + Dom 30 Mg(Sustained Release) | TAB           | GASTRO         |
| Rabeprazole 20 mg + Domperidone 10 mg            | TAB           | GASTRO         |

|   |               |                             |
|---|---------------|-----------------------------|
| Rabeprazole 20 Mg + Itopride 150 Mg                               | TAB           | GASTRO                      |
| Ramipril 2.5 mg + Hydrochlorothiazide 12.5 mg Tablets             | TAB           | CARDIAC                     |
| Ramipril 5 mg + Hydrochlorothiazide 12.5 mg Tablets               | TAB           | CARDIAC                     |
| Ramipril-10 mg Tablets  | TAB           | CARDIAC                     |
| Ramipril-2.5 mg Tablets   | TAB           | CARDIAC                     |
| <b>A GLIMPS OF FEW PRODUCTS</b>                                   | <b>DOSAGE</b> | <b>SEGMENT</b>              |
| Ramipril-5mg Tablets  | TAB           | CARDIAC                     |
| Risperidone 1 mg Tablets  | TAB           | PSYCHOTROPIC                |
| Risperidone 3 mg + Trihexiphenidyl 2 mg Tablets                   | TAB           | PSYCHOTROPIC                |
| Risperidone 3 mg Tablets  | TAB           | PSYCHOTROPIC                |
| Risperidone 4 mg Tablets  | TAB           | PSYCHOTROPIC                |
| Rosiglitazone 2 mg + Gliclazide 80 mg Tablets                     | TAB           | ANTI DIABETICS              |
| Rosiglitazone 2 mg + Metformin 500 mg Tablets                     | TAB           | ANTI DIABETICS              |
| Rosiglitazone 4 mg + Gliclazide 80 mg Tablets                     | TAB           | ANTI DIABETICS              |
| Rosiglitazone 4 mg + Metformin 500 mg Tablets                     | TAB           | ANTI DIABETICS              |
| Roxithromycin 150 mg + Ambroxol 30 mg                             | TAB           | CHEST / ENT                 |
| Serratiopeptidase 10 mg   | TAB           | ORTHO/SURGEON/P<br>HYSICIAN |
| Sertraline-25 mg. Tablets   | TAB           | PSYCHOTROPIC                |
| Sertraline-50 mg. Tablets   | TAB           | PSYCHOTROPIC                |
| Sildenafil Citrate 100 mg   | TAB           | ERECTILE<br>DYSFUNCTION     |
| Sildenafil Citrate 50 mg  | TAB           | ERECTILE<br>DYSFUNCTION     |
| Sodium Feredetate + Folic Acid + Cyanocobalamin (Alu-Alu)         | TAB           | GYNE (IRON TONIC)           |
| Sodium Feredetate 231 Mg. + Folic 1.5 Mg. + B12 15 Mcg.           | TAB           | PEDAITRIC (IRON<br>TONIC)   |
| Sodium Valproate + Valproic Acid 200 mg                           | TAB           | PSYCHOTROPIC                |
| Sodium Valproate + Valproic Acid 300 mg                           | TAB           | PSYCHOTROPIC                |
| Sodium Valproate + Valproic Acid 500 mg Tablets                   | TAB           | PSYCHOTROPIC                |
| Tizanidine 2 mg + Serratiopeptidase 10 mg + Diclofenac Pot. 50 mg | TAB           | ORTHO(NSAID)                |

|  |               |                        |
|--|---------------|------------------------|
| Tramadol 50 mg + Paracetamol 325 mg  | TAB           | ORTHO / SURGEON(NSAID) |
| Tramadol 50 Mg + Pcm 500 Mg  | TAB           | ORTHO / SURGEON(NSAID) |
| Tranexamic Acid 500 + Mefenamic Acid 250 mg  | TAB           | GYNE/SURGERY           |
| Trifluoperazine 1 mg + Chlordizepoxide 10 mg Tablets                                       | TAB           | PSYCHOTROPIC           |
| Trifluoperazine 5 mg + Trihexiphenidyl 2 mg + Chlorpromazine 50 mg                         | TAB           | PSYCHOTROPIC           |
| <b>A GLIMPS OF FEW PRODUCTS</b>  | <b>DOSAGE</b> | <b>SEGMENT</b>         |
| Trifluoperazine 5 mg + Trihexiphenidyl 2 mg Tablets  | TAB           | PSYCHOTROPIC           |
| Trypsin Chymotrypsin 1 Lac lu  | TAB           | ORTHO / SURGEON        |
| Trypsin Chymotrypsin 2 Lac lu  | TAB           | ORTHO / SURGEON        |
| Zolpidem 10 mg Tablets   | TAB           | PSYCHOTROPIC           |
| Zolpidem 5 mg Tablets  | TAB           | PSYCHOTROPIC           |
|  | TAB           |                        |
| <b>Aceclofenac + Paracetamol + Chlorzoxazone Tablets</b>                                   | TAB           |                        |
|  | TAB           |                        |
| <b>● Aceclofenac + Paracetamol + Dicyclomine</b>   | TAB           |                        |
|  | TAB           |                        |
| <b>● Aceclofenac + Paracetamol + Serratiopeptidase Tablets</b>                             | TAB           |                        |
|  | TAB           |                        |
| <b>● Aceclofenac + Paracetamol Tablets 100 Mg + 500 Mg</b>                                 | TAB           |                        |
|  | TAB           |                        |
| <b>● Aceclofenac + Serratiopeptidase Tabs</b>  | TAB           |                        |
|  | TAB           |                        |
| <b>● Aceclofenac + Trypsin Chymotrypsin</b>  | TAB           |                        |
|  | TAB           |                        |
| <b>● Aceclofenac 10 Mg + Paracetamol 500 Mg + Tizanidine 2 Mg + Serratiopeptidase 10Mg</b> | TAB           |                        |
|  | TAB           |                        |
| <b>● Aceclofenac 100 Mg + Serratiopeptidase 15 Mg</b>                                      | TAB           |                        |
|  | TAB           |                        |

|  |               |                |
|--|---------------|----------------|
| ● <b>Aceclofenac 100 Mg + Paracetamol 325 Mg + Caffeine 50 Mg</b>                                      | TAB           |                |
|  | TAB           |                |
| ● <b>Aceclofenac 100 Mg + Dextropropoxyphene 325 Mg + Dicyclomine 10 Mg</b>                            | TAB           |                |
|  | TAB           |                |
| ● <b>Aceclofenac 100 Mg + Dextropropoxyphene 325 Mg</b>  | TAB           |                |
| <b>A GLIMPS OF FEW PRODUCTS</b>  | <b>DOSAGE</b> | <b>SEGMENT</b> |
|  | TAB           |                |
| ● <b>Aceclofenac 100 Mg + Dicyclomine 10 Mg</b>  | TAB           |                |
|  | TAB           |                |
| ● <b>Aceclofenac 100 Mg + Methane Sulphonyl Methane 200 Mg + Glucosamine Sulphate Potassium 500 Mg</b> | TAB           |                |
|  | TAB           |                |
| ● <b>Aceclofenac 100 Mg + Paracetamol 325 Mg</b>   | TAB           |                |
|  | TAB           |                |
| ● <b>Aceclofenac 100 Mg + Paracetamol 500 Mg + Chlorzoxazone 250 Mg</b>                                | TAB           |                |
|  | TAB           |                |
| ● <b>Aceclofenac 100 Mg + Tizanidine 2 Mg</b>  | TAB           |                |
|  | TAB           |                |
| ● <b>Aceclofenac 100 Mg With Paracetamol 500 Mg Tablets</b>  | TAB           |                |
|  | TAB           |                |
| ● <b>Aceclofenac 100Mg + Paracetamol 500 Mg</b>  | TAB           |                |
|  | TAB           |                |
| ● <b>Aceclofenac 200 Mg Sr</b>   | TAB           |                |
|  | TAB           |                |
| ● <b>Aceclofenac 25 Mg + Paracetamol 125 Mg</b>  | TAB           |                |
|  | TAB           |                |
| ● <b>Aceclofenac 50 Mg</b>   | TAB           |                |
|  | TAB           |                |
| ● <b>Aceclofenac Sr Caps</b>   | TAB           |                |



**Dextropropoxy Hcl. + Paracetamol Capsules 65 Mg + 400 Mg**

**TAB**

● **Diacerein + Aceclofenac Tabs**

**TAB**

● **Diacerein + Glucosamine + Msm Tabs**

**TAB**

● **Diacerein + Glucosamine Tabs**

**TAB**

● **Diacerin 50 Mg + Glucosamine Sulphate Pottasium 500 Mg + Methyl Sulfonyl Methane 200 Mg Tablets**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

● **Diclofenac + Paracetamol + Chlorzoxazone Tablets**

**TAB**

**TAB**

● **Diclofenac + Thiocolchicoside Tabs**

**TAB**

**TAB**

● **Diclofenac + Trypsin Chymotrypsin**

**TAB**

**TAB**

● **Diclofenac 50 Mg With Thiocolchicoside 8 Mg Capsules**

**TAB**

**TAB**

● **Diclofenac Potassium + Paracetamol Tablets 50 Mg + 500 Mg**

**TAB**

**TAB**

● **Diclofenac Sodium + Dicyclomine Hcl Tablets 500 Mg + 20 Mg**

**TAB**

**TAB**

● **Diclofenac Sodium + Paracetamol Tablets 50 Mg + 500 Mg**

**TAB**

**TAB**

● **Diclofenac Sodium + Serratiopeptidase Tablets 50 Mg + 10 Mg**

**TAB**

**TAB**

● **Diclofenac Sodium + Tizanidine Tablets 50 Mg + 2 Mg**

**TAB**

**TAB**

● **Diclofenac Sodium 100 Mg Sr With Rabiprazole Tablets 20 Mg**

**TAB**



● **Diclofenac Sodium Sr Capsules**

● **Diclofenac Sodium Tablets 50 Mg**

● **Diclofenac Sr + Omeprazole Ec Caps**

● **Diclofenac Sr + Rabeprazole Ec Caps**

● **Drotaverine Hcl 40 / 80 Mg + Mefenamic Acid 250 / 500 Mg**

● **Drotaverine Hcl 40 / 80 Mg + Nimesulide 100 Mg Tablets**

● **Eperisone Hcl – 50 Mg Tablets**

● **Eperisone Tabs**

● **Etodalac Er 400 Mg / 500 Mg / 600 Mg Tablets**

● **Etodolac 400 Mg Sr With Paracetamol 500 Mg Fc Tablets**

● **Etodolac Sr Tabs**

● **Etoricoxib – 60Mg, 90Mg, 120Mg**

● **Etoricoxib 60 Mg + Paracetamol 500 Mg**

● **Etoricoxib 90 Mg + Chlorzoxone 250 Mg + Paracetamol 325**

● **Etoricoxib 90 Mg + Dicyclomine**

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

• Etoricoxib 90 Mg + Drotaverine 80 Mg

• Etoricoxib 90 Mg + Paracetamol 500 Mg

• Etoricoxib 90 Mg + Paracetamol 500 Mg + Serratiopeptidase 15 Mg

• Etoricoxib 90 Mg + Paracetamol 500 Mg + Tizanidine 2 Mg

• Etoricoxib 90 Mg + Serratiopeptidase 15 Mg

• Etoricoxib 90 Mg + Tizanidine 2 Mg

Glucosamin 750 Mg With Diacerine 50 Mg Tablets

• Ibandronate – 150 Mg

• Ibuprofen Tablets 200 Mg

• Ibuprofen Tablets 400 Mg

• Ibuprofen With Paracetamol Tablets 400 Mg + 325 Mg

• Indomethacin Sr Capsules

• Ketoprofen For Intramuscular Injection 100 Mg

• Ketoprofen Sr Capsules & Tablets

• Leflunomide – 10Mg, 20Mg, 100Mg

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

- **Leflunomide Tablets 100 Mg**
- **Lornoxicam**
- **Lornoxicam + Thiocolchicoside Tabs**
- **Lornoxicam 4 Mg + Paracetamol Ip 500 Mg Tablets**
- **Lornoxicam Injection – 8 Mg**
- **Lornoxicam Tablet – 4Mg, 8Mg**
- **Mefenamic Acid + Tranexamic Acid Tabs**
- **Meloxicam Tablets 7.5/15Mg**
- **Nimesulide + Dicyclomine Hcl Tablets 100 Mg + 10 Mg**
- **Nimesulide + Paracetamol + Chlorzoxasone Tablets**
- **Nimesulide + Paracetamol Suspension 50 Mg + 125 Mg / 5 MI**
- **Nimesulide + Paracetamol Tablets 100 Mg + 325 Mg**
- **Nimesulide + Paracetamol Tablets 100 Mg + 350 Mg**
- **Nimesulide + Paracetamol Tablets 100 Mg + 500 Mg**
- **Nimesulide + Serratiopeptidase Tablets 100 Mg + 10 Mg**

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

- Nimesulide +Tizanidine Tablets 100 Mg + 2 Mg
  - Nimesulide Dispersible Tablets 50 Mg
  - Nimesulide Suspension 50 Mg / 5 MI
  - Nimesulide Tablets 200 Mg
  - Olapatadine Hcl Tablets – 2.5 Mg, 5 Mg Tablets
- Pamidronate**
- Paracetamol + Aceclofenac + Chloraxazone
  - Paracetamol + Caffeine Tablets 500 Mg + 30 Mg
  - Paracetamol + Dicyclomine Hcl Tablets 500 Mg + 20 Mg
  - Paracetamol Tablets 500 Mg
  - Paracetamol Tablets 650 Mg
  - Parecoxib – 20Mg, 40Mg
  - Raloxifine Tablets 60 Mg
  - Residronate

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB



• **Amlodipine 5Mg + Ramipril 12.5Mg**

• **Amlodipine Tabs**

• **Atenolol + Hctz Tabs**

• **Atenolol 25 Mg / 50 Mg + Indapamide Sr 1.5 Mg Tablets**

• **Atenolol 50 Mg + S – Amlodipine 2.5 Mg**

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

• **Atenolol Tablets 100 Mg**

• **Atenolol Tablets 25 Mg**

• **Atenolol Tablets 50 Mg**

• **Atorvastatin – 10Mg, 20Mg, 40Mg**

• **Carvedilol Tablets 12.5 Mg**

• **Carvedilol Tablets 3.125 Mg**

• **Carvedilol Tablets 6.25 Mg**

• **Carvedilol Tabs 3.125/6.25/12.5/25 Mg**

• **Diltiazem Hcl Sr Capsules**

• **Doxazosin XI Tablets 4 & 8 Mg**

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB



● **Irbesartan 150Mg/300Mg + Hydrochlorothiazide 12.5Mg**

TAB

**Irbesartan 300Mg + Hctz 12.5Mg**

TAB

TAB

TAB

● **Irbesartan Tablets – 75Mg,150Mg,300Mg**

TAB

TAB

● **Isosorbide-5-Mononitrate Tablet**

TAB

TAB

● **Leracandipine – 10Mg, 20Mg**

TAB

TAB

● **Lisinopril Tablets 10 Mg**

TAB

TAB

● **Lisinopril Tablets 2.5 Mg**

TAB

TAB

● **Lisinopril Tablets 5 Mg**

TAB

TAB

● **Losartan (25Mg) + Amlodipine Besylate (2.5Mg) Tablet**

TAB

TAB

● **Losartan – 2.5Mg, 30 Mg, 50 Mg, 60 Mg**

TAB

TAB

● **Losartan (25 Mg) + Ramipril ( 2.5 Mg) Tablet**

TAB

TAB

● **Losartan (50 Mg) + Amlodipine Besylate ( 5 Mg) Tablet**

TAB

TAB

● **Losartan (50 Mg) + Ramiprill ( 5 Mg) Tablet**

TAB

TAB

● **Losartan + Amlodipine**

TAB

TAB

● **Losartan + Atenolol**

TAB

TAB



• Losartan + Atenolol + Hctz

TAB

• Losartan + Enalapril + Hctz

TAB

• Losartan + Hctz

TAB

• Losartan + Hydrochlorothiazide

TAB

• Losartan + Ramiprill

TAB

• Losartan + Ramiprill + Hctz

TAB

• Losartan 25/50/100Mg Tabs

TAB

• Losartan 25Mg + Hctz 12.5Mg

TAB

• Losartan 50 Mg + Ramipril 2.5 Mg + Hctz 12.5 Mg

TAB

• Losartan 50 Mg + Ramipril 2.5Mg

TAB

• Losartan 50 Mg + Ramipril 5 Mg + Hctz 12.5 Mg

TAB

• Losartan 50 Mg + Ramipril 5Mg

TAB

• Losartan 50 Mg + S – Amlodipine 5 Mg

TAB

• Losartan/Hydrochlorothiazide Tablets 50/12.5 & 100 / 25

TAB

• Methyldopa Tablets 250 Mg

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

• **Metoprolol Sr + Amlodipine Capsules**

TAB

• **Metoprolol Sr + Ismn Sr Capsules**

TAB

• **Moxonadine Tablet – 0.2Mg, 0.3Mg 0.4Mg**

TAB

• **Nebivolol – 2.5Mg, 5Mg**

TAB

• **Nebivolol 5 Mg + Hydrochlorthiazide I.P.12.5 Mg**

TAB

• **Nebivolol 5 Mg + Valsrtan 80 Mg**

TAB

• **Nebivolol 5Mg + Hctz 12.5Mg**

TAB

**Nebivolol 5Mg + S-Amlodipine 2.5Mg**

TAB

• **Nevibolol (As Hcl) 5 Mg + Amlodipine (As Besylate) 5 Mg / 10Mg Tablets**

TAB

• **Nifedipine Oros 30 / 60 Mg**

TAB

• **Olmesartan – 5Mg, 10Mg, 20Mg, 40Mg**

TAB

• **Olmesartan + Amlodipine ( 10Mg/20Mg/40Mg + 5 Mg)**

TAB

• **Olmesartan + Ramipril – ( 20Mg+ 5Mg) ( 40Mg + 5Mg)**

TAB

• **Olmesartan 20 Mg + Hctz 12.5 Mg**

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

● Olmesartan 40 Mg + Hctz 12.5 Mg

TAB

TAB

● Olmesartan Medoxomil (20 Mg) + Amlodipine Besylate (5 Mg) Tablets

TAB

TAB

● Perindopril

TAB

TAB

● Perindopril + Indepamide

TAB

TAB

● Perindopril + Losartan

TAB

TAB

● Perindopril + Losartan + Hctz

TAB

TAB

● Perindopril Tablets

TAB

TAB

● Perindopril/Indapamide Tablets 4/1.25 & 2/0.625

TAB

TAB

● Prazosin Sr Oros

TAB

TAB

● Ramipril – 2.5Mg, 5Mg

TAB

TAB

● Ramipril + Indapamide Sr Tablets

TAB

TAB

● Ramipril 2.5Mg + Amlodipine 5Mg

TAB

TAB

● Ramipril 2.5Mg + Hctz 12.5Mg

TAB

TAB

● Ramipril 2.5Mg + Hydrochlorothiazide 12Mg

TAB

TAB

● Ramipril 5 + Hctz 12.5Mg

TAB

TAB



- **Telmesarthan + Atenolol + Hctz**
- **Telmesarthan + Enalapril + Hctz**
- **Telmesarthan + Hctz**
- **Telmesarthan + Ramipril**
- **Telmesarthan + Ramipril + Hctz**
- **Telmisartan – 40 Mg,50Mg,80Mg**
- **Telmisartan + Amlodipine - (40Mg + 5 Mg) (80Mg+5Mg)**
- **Telmisartan + Atorvastatin (20 Mg + 5/10 Mg ) ( 40 Mg + 5Mg/10Mg)**
- **Telmisartan 40Mg + Hctz 12.5Mg**
- **Telmisartan 40Mg + Hydrochlorothiazide 12.5Mg**
- **Telmisartan 40Mg + Ramipril 2.5Mg**
- **Telmisartan 40Mg + Ramipril 5Mg**
- **Torseמידe – 5Mg, 10Mg, 20Mg, 100Mg**
- **Torseמידe Inejction – 10 Mg**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

• **Trandolapril – 1 Mg, 2Mg,4Mg**

**TAB**

• **Trandolapril + Hydrochlorothiazide**

**TAB**

• **Trandolapril 1 Mg + Verapamil Hcl Usp 240 Mg Er**

**TAB**

• **Trandolapril 2 Mg + Verapamil Hcl Usp 240 Mg Er**

**TAB**

• **Trandolapril 4 Mg + Verapamil Hcl Usp 180 Mg Er**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

• **Valsartan + Atenolol**

**TAB**

**TAB**

• **Valsartan + Atenolol + Hctz**

**TAB**

**TAB**

• **Valsartan + Enalapril + Hctz**

**TAB**

**TAB**

• **Valsartan + Hctz**

**TAB**

**TAB**

• **Valsartan + Ramipril**

**TAB**

**TAB**

• **Valsartan + Ramipril + Hctz**

**TAB**

**TAB**

**Alphagalactodebase Enzyme 150 Mg Tab**

**TAB**

• **Aprepitant**

**TAB**

• **Aprepitant – 80Mg, 125Mg ( Kit Pack )**

**TAB**

**TAB**

• **Balasalazide – 750 Mg**

**TAB**

**TAB**

**TAB**

• **Cinitapride Hydrogen Tartrate – 1 Mg Tablet**

TAB

• **Cinitapride Hydrogen Tartrate – 1 Mg Tablet**

TAB

• **Dextrabeprazole Inj**

TAB

• **Dextrabeprazole Sodium + Domeperidone Sr Caps**

TAB

• **Dextrabeprazole Sodium Tabs**

TAB

• **Domperidone**

TAB

• **Domperidone Dispersible Tablets 10 Mg**

TAB

• **Domperidone Drops 1 Mg / MI**

TAB

• **Domperidone Hcl Sr Capsules**

TAB

• **Domperidone Sr**

TAB

• **Es-Omeprazole – 20Mg, 40Mg**

TAB

• **Esomeprazole + Domperidone Sr**

TAB

• **Esomeprazole +Itopride Sr Capsules**

TAB

• **Esomeprazole 20/40 Mg**

TAB

• **Esomeprazole 40 Mg + Aceclofenac 200 Mg Sr**

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

● **Esomeprazole 40 Mg + Algenic Acid 500 Mg**

**TAB**

● **Esomeprazole 40 Mg + Diclofenac 100 Mg Sr**

**TAB**

● **Esomeprazole 40 Mg + Domperidone 30 Mg Sr**

**TAB**

● **Esomeprazole 40 Mg + Itopride 150 Mg Sr + Itopride 50 Mg**

**TAB**

● **Esomeprazole 40 Mg + Itopride 150 Sr**

**TAB**

● **Esomeprazole 40 Mg + Mosapride 30 Mg Sr + Itopride 150 Sr**

**TAB**

● **Esomeprazole 40 Mg + Rabeprazole**

**TAB**

● **Esomeprazole Ec + Domperidone Sr**

**TAB**

● **Esomeprazole Ec Capsules**

**TAB**

● **Esomeprazole Injection – 20Mg**

**TAB**

● **Esomeprazole Tablets 20 & 40 Mg**

**TAB**

● **Famotidine + Domperidone Tablets 20 Mg + 10 Mg**

**TAB**

● **Famotidine Tablets 20 Mg**

**TAB**

● **Famotidine Tablets 40 Mg**

**TAB**

● **Granisetron Hydrochloride Injection 0.1Mg/1MI**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**



• Granisetron Hydrochloride Injection 1Mg/1MI

TAB

• Granisetron Tablets

TAB

Itopride – 50Mg

TAB

TAB

• Itopride 50Mg + Mps125Mg

TAB

TAB

• Itopride 150 Mg Sr

TAB

TAB

• Itopride 150 Sr Capsules

TAB

TAB

• Itopride 50 Mg + Mps

TAB

TAB

• Lansoprazole – 15Mg , 30Mg

TAB

TAB

• Lansoprazole 20Mg + Domperidone Sr 30Mg

TAB

TAB

• Lansoprazole Ec +

TAB

TAB

• Metoclopropamide Hcl Syrup

TAB

TAB

• Mosapride – 2.5Mg, 5Mg

TAB

TAB

• Mosapride Sr Caps

TAB

TAB

• Omeprazole – 10Mg , 20Mg

TAB

TAB

• Omeprazole + Domperidone Capsules 20 Mg + 10 Mg

TAB

TAB

TAB

TAB

- **Omeprazole 20 Mg + Itopride 150 Mg Sr**
- **Omeprazole 20Mg + Doperidone Capsules 5Mg**
- **Omeprazole Capsules 20 Mg**
- **Omeprazole Ec + Domperidone Hcl Cr Capsules**
- **Omeprazole Ec Capsules**
- **Omeprazole For Injection 40 Mg**
- **Omeprazole Iv – 40Mg**
- **Omeprazole Sodium Inj 40 Mg**
- **Ondansetron**
- **Ondansetron Tablets 4/8Mg**
- **Palonosetron Hcl – 0.25Mg/5MI I.V**
- **Pantoprazole – 20Mg, 40Mg**
- **Pantoprazole + Domperidone Tablets 20 Mg + 10 Mg**
- **Pantoprazole + Itopride Sr**
- **Pantoprazole + Itopride Sr Caps**

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

● **Pantoprazole + Sodium Bicarbonate As Buffer Tabs**

TAB

TAB

● **Pantoprazole 20Mg/ 40Mg + Domperidone Sr 30Mg**

TAB

TAB

● **Pantoprazole 40 Mg + Aceclofenac 200 Mg Sr**

TAB

TAB

● **Pantoprazole 40 Mg + Algenic Acid 500 Mg Mps**

TAB

TAB

● **Pantoprazole 40 Mg + Diclofenac 100 Mg Sr**

TAB

TAB

● **Pantoprazole 40 Mg + Domperidone 30 Mg Sr**

TAB

TAB

● **Pantoprazole 40 Mg + Itopride 150 Mg Sr**

TAB

TAB

● **Pantoprazole 40 Mg + Mosapride 30 Mg Sr**

TAB

TAB

**Pantoprazole Buffered Tablets**

TAB

TAB

● **Pantoprazole Fast Release – 20Mg, 40 Mg**

TAB

TAB

● **Pantoprazole Iv – 40Mg**

TAB

TAB

● **Pantoprazole Sodium 40 Mg + Itopride 150 Sr Capsules**

TAB

TAB

● **Pantoprazole Sodium Ec + Domperidone Hcl Caps**

TAB

TAB

● **Pantoprazole Sodium Ec + Domperidone Hcl Sr Caps**

TAB

TAB

● **Pantoprazole Sodium Ec Capsules**

TAB

TAB

● **Pantoprazole Tablets 20 Mg**

**TAB**

**TAB**

● **Pantoprazole Tablets 40 Mg**

**TAB**

**TAB**

● **Pantoprazole+Domperidone Sr**

**TAB**

**TAB**

● **Pantoprazole – 20Mg , 40Mg**

**TAB**

**TAB**

● **Pantoprazole Iv – 40Mg**

**TAB**

**TAB**

● **R \_ Ondansetron Hcl**

**TAB**

**TAB**

● **Rabeprazole – 10Mg, 20Mg**

**TAB**

**TAB**

● **Rabeprazole + Diclofenac**

**TAB**

**TAB**

● **Rabeprazole + Domeperidone Sr Caps**

**TAB**

**TAB**

● **Rabeprazole + Itopride Sr Caps**

**TAB**

**TAB**

● **Rabeprazole + Mosapride Sr Caps**

**TAB**

**TAB**

● **Rabeprazole + Sodium Bicarbonate As Buffer Tabs**

**TAB**

**TAB**

● **Rabeprazole 10 / 20 Mg**

**TAB**

**TAB**

● **Rabeprazole 20 Mg + Itopride 150 Mg Sr**

**TAB**

**TAB**

● **Rabeprazole 20 Mg + Mosapride 30 Mg Sr**

**TAB**

**TAB**

● **Rabeprazole 20 Mg + Aceclofenac 200 Mg Sr**

**TAB**

● **Rabeprazole 20 Mg + Algenic Acid 500 Mg**

**TAB**

● **Rabeprazole 20 Mg + Diclofenac 100 Mg Sr**

**TAB**

● **Rabeprazole 20 Mg + Domperidone 30 Mg Sr**

**TAB**

● **Rabeprazole 20 Mg + Itopride 150 Mg Sr Capsules**

**TAB**

● **Rabeprazole 20 Mg, Diclofenac Sodium 50 Mg Tablet In Tablet**

**TAB**

● **Rabeprazole 20Mg + Domperidone Sr30Mg**

**TAB**

● **Rabeprazole 20Mg + Itopride Sr 150 Mg**

**TAB**

**Rabeprazole Buffered Tablets**

**TAB**

● **Rabeprazole Dispersible Tablets**

**TAB**

● **Rabeprazole Dr Tablets 10 & 20 Mg**

**TAB**

● **Rabeprazole Ec + Domperidone Sr**

**TAB**

● **Rabeprazole Ec Capsules**

**TAB**

● **Rabeprazole Fast Release – 10 Mg , 20 Mg**

**TAB**

● **Rabeprazole Iv – 20Mg**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

● **Rabeprazole Iv Injection – 20Mg**

**TAB**

● **Rabeprazole Sodium For Injection 20 Mg**

**TAB**

● **Rabeprozole Sodium 20 Mg (Enteric Coated) With Domperidone 30 Mg Sr Capsules**

**TAB**

**TAB**

**TAB**

**TAB**

● **Ranitidine Hcl Tablets 150 Mg**

**TAB**

**TAB**

● **Raperazole 20Mg + 150Mg Itopride Sr**

**TAB**

**TAB**

● **Rebamipide – 100Mg**

**TAB**

**TAB**

● **Roxatidine – 75Mg, 100Mg**

**TAB**

**TAB**

● **S – Pantoprazole**

**TAB**

**TAB**

● **Tegaserod - 2Mg, 6Mg**

**TAB**

**TAB**

● **Tenatoprazole**

**TAB**

**TAB**

**Aspirin + Clopidogrel Tabs**

**TAB**

**TAB**

● **Atorvastatin – 5Mg, 10Mg, 20Mg, 40Mg**

**TAB**

**TAB**

● **Atorvastatin + 10/20 Mg + Aspirin 75/150 Mg**

**TAB**

**TAB**

● **Atorvastatin + Amlodipine**

**TAB**

**TAB**

● **Atorvastatin + Coenzyme Q 10 10 Mg + Methylcobalamine 1.5 Mg**

**TAB**

● **Atorvastatin + Ezetimibe Tabs**

● **Atorvastatin + Fenofibrate + Ezetimibe Tabs**

● **Atorvastatin + Fenofibrate Tablet**

● **Atorvastatin + Metformin Tabs**

● **Atorvastatin + Micronised Fenofibrate Tabs**

● **Atorvastatin + Niacinamide**

● **Atorvastatin + Telmisartan Tabs**

● **Atorvastatin 10 Mg + Amlodipint 5 Mg**

● **Atorvastatin 10 Mg + Aspirin 75 Mg**

● **Atorvastatin 10 Mg + Coenzyme Q 10 10 Mg**

● **Atorvastatin 10 Mg + Ezetimibe 10 Mg**

● **Atorvastatin 10 Mg + Fenofibrate 145 Mg**

● **Atorvastatin 10 Mg + Fenofibrate 160 Mg**

● **Atorvastatin 10 Mg + Losartan 150 Mg**

● **Atorvastatin 10 Mg + S – Amlodipine 2.5/ 5 Mg**

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

- **Atorvastatin 10Mg + Amlodipine 5Mg**
- **Atorvastatin 10Mg + Ezetimibe 10Mg**
- **Atorvastatin 20 Mg + Ezetimibe 10 Mg**
- **Atorvastatin 5 Mg + Ezetimibe 10 Mg**
- **Atorvastatin 5/10/20 Mg**
- **Atorvastatin Calcium Tablets 10 Mg**
- **Atorvastatin Calcium Tablets 20 Mg**
- **Atovastatin 10 Mg With Metformin 500 Mg**
- **Chloroquine Phosphate Drops 50 Mg / MI**
- **Chloroquine Phosphate E/C Tablets 250 Mg**
- **Chloroquine Phosphate E/C Tablets 500 Mg**
- **Chloroquine Phosphate Suspension 50 Mg / 5 MI**
- **Cilostazol – 50Mg , 100Mg**
- **Cilostazole Od**
- **Clopidogrel - 75Mg**

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB



● Clopidogrel 75 Mg + Aspiring 150 Mg

● Co -Q 10 Capsules (Nanoral)

● Coenzyme Q 10 10Mg + Alpha Liopic Acid 50Mg + Mecobalamine 1500 Mcg

● Enoxaparin 40Mg

Enoxaparin 60Mg

● Fenofibrate (Nanoral) Tablet

● Fenofibrate 145 Mg

● Isosorbide-5-Mononitrate Sr Capsules

● Mefloquine Hydrochloride Tablets 250 Mg

● Pictoamide - 50Mg

● Pitavastatin Calcium Tablets - 1Mg,2Mg

● Policosanol 10/20 + Idebenone 40 Mg + Methylcobalamine 125 Mg + Omega 3 Fatty Acids

● Policosanol 10/20 + Methylcobalamine 1.5 Mg + Omega 3 Fatty Acids

● Polkicosanol 10/20

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

● **Ranolazine – 0.5Mg, 1Gm, 1.5Gm**

**TAB**

**TAB**

● **Ranolazine Er Tablets – 500 Mg**

**TAB**

**TAB**

● **Ranolazine 500 Mg Er Tablets**

**TAB**

**TAB**

● **Rosuvastatin 10 Mg + Ezetimibe 10 Mg**

**TAB**

**TAB**

● **Rosuvastatin – 5Mg, 10Mg**

**TAB**

**TAB**

● **Rosuvastatin + Coenzyme Q 10 10 Mg + Methylcobalamine 1.5 Mg**

**TAB**

**TAB**

● **Rosuvastatin 10 Mg + Amlodipine 5 Mg**

**TAB**

**TAB**

● **Rosuvastatin 10 Mg + Aspirin 75 Mg**

**TAB**

**TAB**

● **Rosuvastatin 10 Mg + Coenzyme Q 10 10 Mg**

**TAB**

**TAB**

● **Rosuvastatin 10 Mg + Ezetimibe 10 Mg**

**TAB**

**TAB**

● **Rosuvastatin 10 Mg + Losartan 150 Mg**

**TAB**

**TAB**

● **Rosuvastatin 10 Mg + S – Amlodipine 2.5/5 Mg**

**TAB**

**TAB**

● **Rosuvastatin 10/20 Mg + Aspirin 25/150Mg**

**TAB**

**TAB**

● **Rosuvastatin 10/20 Mg + Policosanol**

**TAB**

**TAB**

● **Rosuvastatin 10Mg + Finofibrate 160 Mg**

**TAB**

**TAB**

● Rosuvastatin 5 Mg + + Ezetimibe 10 Mg

TAB

● Rosuvastatin 5/10/20 Mg

TAB

● Simvastatin - 10Mg, 20Mg, 40Mg, 80Mg

TAB

● Simvastatin 10Mg + Ezetimibe 10Mg

TAB

● Simvastatin 20Mg + Ezetimibe 10Mg

TAB

● Simvastatin 5Mg + Ezetimibe 10Mg

TAB

● Simvastatin Tablets 10/20/40/80Mg

TAB

● Ticlopidine Hcl Tablets 250 Mg

TAB

● Trimetazidine Mr 35 Mg Tabs-Will Be Ready March

TAB

● Trimetazidine Sr Capsules

TAB

Alprazolam Tablets 0.25 Mg

TAB

● Alprazolam Tablets 0.50 Mg

TAB

● Amisulpride – 50Mg, 100Mg , 200Mg

TAB

● Amisulpride Tabs

TAB

● Aniracetam

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

• Aripiprazole – 15Mg, 30Mg

TAB

TAB

• Atomoxetine Hcl Capsules – 10Mg, 18Mg, 25Mg, 40Mg

TAB

TAB

• Calcium Aspartate Tabs

TAB

TAB

• Chlordiazepoxide + Amitriptyline Tablets 10 Mg + 25 Mg

TAB

TAB

• Chlordiazepoxide + Amitriptyline Tablets 5 Mg + 12.5 Mg

TAB

TAB

• Citalopram Tablets 10,20,40Mg

TAB

TAB

• Cyclobenzaprine 5/10 Mg

TAB

TAB

• Cyclobenzaprine Er Tabs

TAB

TAB

• Donepezil – 5Mg, 10Mg

TAB

TAB

• Duloxetine 20/30/40Mg + Mecobalamine 500 Mcg

TAB

TAB

• Duloxetine Capsules – 20Mg, 30Mg, 40Mg, 60Mg

TAB

TAB

• Entacapone 200Mg + Carbidopa 12.5Mg /25Mg/ 37.5Mg + Levodopa 50Mg/100Mg/150Mg

TAB

TAB

• Entacapone – 50Mg, 100Mg, 150Mg

TAB

TAB

• Entacapone + Carbidopa + Levodopa

TAB

TAB

• Entacapone Tablets – 200 Mg

TAB

• Escitalopram – 5Mg, 10Mg, 15Mg, 20Mg

• Es—Zopiclone – 1Mg, 2Mg, 3 Mg

• Etizolam + Escitalopram

• Etizolam Tabs

• Gabapentin Gr Tablets

• Gabapentin Gr+ Methylcobalamine Tablets

• Gabapentine 300Mg + Methylcobalamine 50/100/150 Mg

• Gabapetin + Methvlcobalamin Tabs

• Galantamine

• Lamotrigine Conv Tabs 25/50/100/200Mg

Lamotrigine Tablets 2/5Mg Dispersible

• Levetiracetam Tablets 250 / 500 / 750 & 1000 Mg

• Levosulpride – 25Mg, 50 Mg, 100 Mg Tablet

• Memantine

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

- **Milnacipran Hcl Capsules – 25Mg, 50Mg**
- **Mirtazapine Oro Dispersible 15, 30 & 45 Mg**
- **Olanzapine – 2.5Mg, 7.5Mg, 10Mg, 15Mg, 20Mg**
- **Olanzapine Conv Tabs 2.5/5/10/15Mg**
- **Olanzapine Conventional Tabs.2.5,5,7,5,10,15Mg**
- **Olanzapine Oro Dispersible Tabs 5/10/15Mg**

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

- **Oxcarbazepine Sr Tablets**
- **Pramipexole Di Hcl – 0.125Mg, 0.25Mg 1Gm, 1.5Gm**
- **Quetiapine – 25Mg, 50Mg, 100Mg**
- **Quetiapine Fumerate Tabs 25/100/150/200/300**
- **Quetiapine Sr Tablets – 200 Mg/300Mg/400Mg**
- **Rivastigmine Caps 1.5/3/4.5/6Mg**
- **Ropinorole – 0.25Mg, 0.50Mg, 1Mg, 2Mg, 5Mg**
- **Safinamide**
- **Sertraline – 25Mg, 50Mg 100Mg**

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

• **Sertraline Tabs 50/100Mg**

**TAB**

• **Sumatriptan Succinate Injection**

**TAB**

• **Sumatriptan Tabs**

**TAB**

• **Topiramate 50/100Mg Tablets**

**TAB**

• **Venlafaxine – 37.5Mg, 75Mg, 150Mg**

**TAB**

• **Venlafaxine Capsules 37.5/75/150Mg Xr**

**TAB**

• **Venlafaxine Hcl Sr Capsules**

**TAB**

• **Ziprasidone – 20Mg, 40Mg, 60Mg, 80Mg**

**TAB**

• **Zonisamide Capsules – 25 Mg, 50 Mg, 100 Mg**

**TAB**

**Ascorbic Acid Tablets 100 Mg**

**TAB**

• **Ascorbic Acid Tablets 500 Mg**

**TAB**

• **Benfotiamine 100 Mg, Vit. B6 Mg, Mecobalamin 1000 Mcg, Inositol 100 Mg Ala 100 Mg Capsules**

**TAB**

• **Calcium Citrate + Magnesium Hydroxide + Zinc Sulphate + Vit.D3**

**TAB**

• **Calcium Gluconate Tablets 500 Mg**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**





• **Iron Sucrose Injection – 100Mg/5MI**

TAB

• **Mecobalamin 500 Mcg With Gabapentin 300 Mg Tablets**

TAB

TAB

• **Mecobalamin With Multi-Vitamin Syrup**

TAB

TAB

TAB

TAB

• **Mecobalamin With Multi-Vitamin Tablets**

TAB

TAB

• **Mecobalamine 500Mcg + Methane Sulphonyl Methane 250Mg +  
Glucosamine Sulphate Potassium 750 Mg**

TAB

TAB

• **Mecobalamine 500Mcg + Thiamine 10Mg + Pyridoxine 3 Mg +  
Nicotinamide 45Mg + Calcium D – Pantothenatic  
50Mg Tablets**

TAB

TAB

TAB

• **Mecobalamine 500Mg + Alphalipioic Acid 100 Mg + Gabapentine 300 Mg**

TAB

TAB

• **Mecobalamine 500Mg + Dicerine 25/50 Mg**

TAB

TAB

• **Mecobalamine 500Mg + Folic Acid 10Mg Tablet**

TAB

TAB

• **Mecobalamine1500 Mg + Methane Sulphonyl Methane 250Mg +  
Glucosamine Sulphate Pottassium 750Mg**

TAB

TAB

• **Methylcobalamine 1.5 Mg + Idebenone 45Mg + Policosanol 10/2 Mg**

TAB

TAB

• **Methylcobalamine 1000Mcg + Alpha Lipioic Acid 50Mg + Folic Acid 5Mg +**

TAB

TAB

• **Methylcobalamine 1500 Mcg + Pyridoxine Hydrochloride I.P. 3 Mg + Folic  
Acid 10Mg + Alpha Lipoic Acid 100Mg**

TAB

• **Methylcobalamine 1500Mcg + Biotin 5 Mg**

TAB

• **Methylcobalamine 500 Mcg/1000 Mcg/1500Mcg/3000Mcg/5000Mcg**

TAB

TAB

• **Methylcobalamine 750Mcg + Vitamin B 10Mg + Vitamin B 3 Mg + Calcium**

TAB

TAB

• **Orlisate Capsules 60 Mg/120 Mg**

TAB

TAB

• **Orlistat Capsules 120 Mg**

TAB

TAB

• **Pantothenate 50Mg + Glutaminc Acid 100Mg**

TAB

TAB

• **Rimonabant – 5Mg , 20Mg**

TAB

TAB

• **Selenium 163 Mcg + Vitamin E 25.1 U + Betacartone 10.33 Mg + Vitamin B1 10Mg+ Vitamin B 3 Mg**

TAB

TAB

• **Sibutramine Base Capsules 4.185 / 8.37 & 12.556 Mg**

TAB

TAB

• **Sibutramine Caps 10/15Mg**

TAB

TAB

• **Sodium Feredetate + Folic Acid + Cynacobalamin**

TAB

TAB

• **Sodium Feredetate + Vitamin + Folic Acid Tabs / Syrup**

TAB

TAB

• **Sodium Feredetate 230 Mg + Folic Acid 1.5Mg + Methylcobalamine 500Mcg (Tablet & Suspension)**

TAB

TAB

• **Sodium Feredetate 230Mg**

TAB

TAB

TAB

• **Vitamin B1 Hcl 10 Mg, Vit B6 3 Mg, Mecobalamin 500 Mcg**

• **Vitamin B1 Hcl 10 Mg, Vit B6 3 Mg, Mecobalamin 500 Mcg, Nicotinamide 45 Mg Film Coated Tablets**

• **Vitamin B1 Hcl 10 Mg, Vit. B6 3 Mg, Mecobalamin 1000 Mcg, Nicotinamide 45 Mg, Calcium Pantothenate 50 Mg  
Film Coated Tablets**

• **Vitamin K2 Mk7 + Calcium + Minerals Tabs**

**Ascorbic Acid Tablets 100 Mg**

• **Ascorbic Acid Tablets 500 Mg**

• **Benfotiamine 100 Mg, Vit. B6 Mg, Mecobalamin 1000 Mcg, Inositol 100 Mg Ala 100 Mg Capsules**

• **Calcium Citrate + Magnesium Hydroxide + Zinc Sulphate + Vit.D3**

• **Calcium Gluconate Tablets 500 Mg**

• **Calcium Lactate 300 Mg**

• **Cholustrum + Milk Calcium ( Chewable Tablets)**

• **Ferous Ascorbate Suspension With Folic Acid 30Mg+500Mcg**

• **Ferous Ascorbate +Folic Acid+Zinc Sulphate Tablet  
100+1500Mcg+61.8Mg**

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

- **Ferrous Ascorbate Drops With Folic Acid 10Mg+100 Mcg**
- **Ferrous Ascorbate Tablet With Folic Acid 100Mg+1500Mcg**
- **Ferrous Ascorbate**
- **Ferrous Ascorbate (Elemental Iron) + Folic Acid Ip Syrup Tablet And Syrup**
- **Ferrous Ascorbate + Methylcobalamine 1.5Mg + Folic Acid**
- **Ferrous Ascorbate+Folic Acid Liquid Syrup**
- **Ferrous Ascorbate+Folic Acid Tabs**
- **Ferrous Sulphate With Folic Acid Capsules 150 Mg + 0.5 Mg**
- **Folic Acid Tablets 5 Mg**
- **Iron Polymaltose With Folic Acid Tablets 100 Mg + 350 Mg**
- **Iron Polymaltose With Folic Acid Tablets 50 Mg + 175Mg**
- **Iron Sucrose Injection – 100Mg/5MI**
- **Mecobalamin 500 Mcg With Gabapentin 300 Mg Tablets**
- **Mecobalamin With Multi-Vitamin Syrup**
- **Mecobalamin With Multi-Vitamin Tablets**

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

• **Mecobalamine 500Mcg + Methane Sulphonyl Methane 250Mg + Glucosamine Sulphate Potassium 750 Mg**

• **Mecobalamine 500Mcg + Thiamine 10Mg + Pyridoxine 3 Mg + Nicotinamide 45Mg + Calcium D – Pantothenatic 50Mg Tablets**

**Cetirizine + Ambroxol Sr Capsules**

• **Cetirizine -10Mg**

• **Cetrizine + Phenylpropanolamine + Paracetamol Tablets**

• **Cetrizine Dihydrochloride Tablets 10 Mg**

• **Cetrizine Dihydrochloride Tablets 5 Mg**

• **Cetrizine Oral Solution**

• **Chlorpheniramine Maleate Sr + Phenylpropanolamine Hcl Sr Capsules**

• **Chlorpheniramine Maleate Sr Capsules**

• **Cpm Sr Capsules**

• **Desloratadine Tablets 5 Mg**

• **Desloratiding 5 Mg + Amroxol 60 Mg + Pseudoephedrine 30 Mg**

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

• **Fexofenadine Hcl Tablets 120 Mg**

TAB

• **Fexofenadine Hcl Tablets 180 Mg**

TAB

• **Levocetirizine + Ambroxol Sr Capsules**

TAB

• **Levocetirizine + Pseudoephedrine Sr Capsules**

TAB

• **Levocetirizine 2.5 / 5 Mg With Ambroxol Hcl 30 Mg Syrup**

TAB

• **Levocetirizine 5 Mg + Ambroxol 125Mg + Pseudoephedrine 180 Mg**

TAB

• **Levocetirizine 5 Mg + Ambroxol 60 Mg**

TAB

• **Levocetirizine 5 Mg + Ambroxol 60 Mg + Pseudoephedrine 30 Mg**

TAB

• **Levocetirizine 5 Mg + Ambroxol Sr 75 Mg**

TAB

• **Levocetirizine 5 Mg + Ivermectin 6 Mg**

TAB

• **Levocetirizine 5 Mg + Montelukast 10 Mg**

TAB

• **Levocetirizine 5 Mg + Pseudoephedrine 120 Mg Sr**

TAB

• **Levocetirizine 5 Mg + Pseudoephedrine 30 Mg**

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

• **Levocetirizine 5 Mg + Pseudoephedrine 30 Mg + Paracetamol 500 Mg**

TAB

• **Levocetirizine Capsules**

TAB

TAB

TAB

• **Levocetirizine Syrup – 5MI**

TAB

• **Loratidine**

TAB

• **Loratidine Oral Sol 5Mg/MI**

TAB

• **Loratidine Tabs 10Mg**

TAB

• **Montelukast – 4Mg, 5Mg, 10Mg**

TAB

• **Rupatidine – 10 Mg**

TAB

• **Acebrophylline Capsules 100 Mg**

TAB

• **Ambroxol Sr Capsules**

TAB

• **Bromhexine + Guainphenesin + Terbutaline Sulphate Tablets**

TAB

• **Betamethasone Sodium Phosphate Tablets 0.5 Mg**

TAB

• **Bombuterol – 10Mg, 20Mg**

TAB

• **Deflazacort - 1Mg, 6 Mg, 24Mg, 30 Mg**

TAB

• **Deflazacort Syrup – 6Mg / 5MI**

TAB

• **Dexamethasone Tablets 0.5 Mg**

TAB

• **Doxofylline - 400 Mg (Bronchobilator)**

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

• **Doxofylline 400 Mg + Terbutaline 5 Mg Tablets**

TAB

TAB

• **Doxofylline Er Tabs**

TAB

TAB

• **Doxofylline Sr 800 Mg Tablets**

TAB

TAB

• **Doxofylline Sr Tabs**

TAB

TAB

• **Doxofylline Syrup – 100Mg/5MI (Bronchobilator)**

TAB

TAB

• **Doxofylline Syrup 100 Mg / 5 MI**

TAB

TAB

• **Doxofylline Tablet 400 Mg**

TAB

TAB

• **Doxophylline 800 Mg Sr With Montelukast Tablets**

TAB

TAB

• **Doxophylline Sr Tablets**

TAB

TAB

• **Erdosteine + Guiaphenesine + Terbutaline Syrup**

TAB

TAB

• **Ethophylline & Theophylline Tablets 77 Mg + 23 Mg**

TAB

TAB

• **Fluticasone Propionate – 5Mg**

TAB

TAB

• **Levodropropizine + Menthol Syrup**

TAB

TAB

• **Montelukast – 4Mg, 5Mg, 10Mg**

TAB

TAB

• **Montelukast + Doxofylline Sr Tabs**

TAB

TAB



- **Montelukast 10 Mg + Levocetirizine 5 Mg Tab**
- **Montelukast 10 Mg With Levocitrazine 5 Mg Tablets**
- **Montelukast 4 Mg With Levocitrazine 2.5 Mg Suspension**
- **Pseudoephedrine Hcl Sr +**
- **Pseudoephedrine Hcl Sr + Cetirizine Hcl Capsules**
- **Roflumilast – 5Mg**
- **Salbutamol Hfa Inhaler**
- **Salbutamol Sulfate Sr Capsules**

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

**UROLOGY**

- **Darifenacin Od Tabs 7.5 And 15 Mg**
- **Darifenacin Sr Tabs**
- **Darifenacin – 7.5Mg**
- **Dutasteride**

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

- **Dutasteride + Tamsulosin**

TAB

TAB

- **Dutasteride + Tamsulosine Combi Kit**

TAB

TAB

● **Dutasteride 0.5 Mg + Tamsulosin 0.4 Mg Tablets**

**TAB**

● **Finasteride 5Mg Tablets**

**TAB**

● **Finasteride Tabs 5Mg (2 Applications)**

**TAB**

● **Ipratropium Respules 500Mcg/2MI**

**TAB**

● **Ipratropium+Salbutamol Respules**

**TAB**

● **Mefipristone – 200Mg**

**TAB**

● **Misoprostol – 100Mg, 200Mg**

**TAB**

● **Nitrofurantoin 100 Mg Caps**

**TAB**

● **Olasalazine**

**TAB**

● **Solefenacin Succinate Tabs**

**TAB**

● **Solifenacin**

**TAB**

● **Solifenacin - 5Mg, 10Mg Capsules**

**TAB**

● **Tamsulosin Sr 0.4Mg Capsules**

**TAB**

● **Tolteradine – 1Mg,2Mg**

**TAB**

● **Tolteredone + Tamsulosine Od**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

**TAB**

● Tolteredone Caps 4 Mg

TAB

TAB

● Tolteredone Tabs 2 Mg

TAB

TAB

**ANTI RETROVIRAL**

TAB

TAB

● Abacavir Ip 600 Mg + Lamivudine Ip 300 Mg

TAB

TAB

● Acyclovir Tablets 200 Mg

TAB

TAB

● Acyclovir Tablets 400 Mg

TAB

TAB

● Adofovir

TAB

TAB

● Atanzinavir

TAB

TAB

● Atazanavir 300 Mg + Ritonavir 100 Mg Tablet

TAB

TAB

● Atazanavir Sulphate – 100Mg, 150Mg, 200Mg, 300 Mg Capsules

TAB

TAB

● Effavirenz 600Mg + Emtricitabine 200Mg + Tenofovir 300Mg

TAB

TAB

● Emtricitabine

TAB

TAB

● Emtricitabine + Tenofovir

TAB

TAB

● Emtricitabine 200Mg + Tenofovir 300Mg

TAB

TAB

● Emtricitabine Capsules – 200 Mg

TAB

TAB

● Entecavir

TAB

● Famciclovir Tabs 125/250/500/750Mg

TAB

● Nelfinavir Oral Powder 50Mg/Gm

TAB

● Oseltamivir Phosphate For Oral Suspension 12Mg/ML

TAB

● Stavudine For Oral Solution Usp 1Mg/ML

TAB

● Tenofovir

TAB

● Valacyclovir

TAB

● Valacyclovir – 500 Mg, 1 Gm

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

**ANTI TB**

TAB

**Ethambutol 400mg**

TAB

● Ethambutol Tablets 100 & 400 mg

TAB

● Pyrazinamide 1000mg

TAB

● Pyrazinamide 500mg

TAB

● Pyrazinamide 750mg

TAB

● Rifampicin 150mg

TAB

● Rifampicin 300mg

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

● Rifampicin150mg/Isoniazid75mg

● Rifampicin150mg/Isoniazid75mg/Pyrazinamide400mg

● Rifampicin150mg/Isoniazid75mg/Pyrazinamide400mg/Ethambutol  
275mg

TAB

TAB

TAB

TAB

TAB

TAB

**A**ND MANY MORE ALSO AVAILABLE AND CAN MANUFACTURE AS PER UR LIST ALSO





Works : Plot No. 25, HPSIDC - Industrial Area, Extension-1, Baddi - 173 205 (H.P.)  
 Regd. Off. : Industrial Area, Phase-II, Chandigarh - 160002, India,  
 E-mail : sales@solitairepharmacia.com, solitaire129@yahoo.com; Phone : 91-172-4237708-709 Fax : 91-172-4600087  
**GMP CERTIFIED & WHO-GMP COMPLIANT**



Registered Member of  
 (DUN & BRAD STREET  
 CORPORATION U.S.A.)  
 D & B D-U-N-S  
 Number 91-506-9586

| INJECTABLE   | DOSAGE |
|--|--------|
| CEFTAZIDIME 1000 MG + SULBACTAM 500MG  | INJ.   |
| CEFTAZIDIME 1000 MG + TOBRAMYCIN 120 MG  | INJ.   |
| Ceftazidime 500 / 1000 + Tazobactam 62.5 / 125Mg                                   | INJ.   |
| Ceftriaxone 250 Mg + Tazobactam 1.125Gm / 281.25                                   | INJ.   |
| Cefoperazone + Sulbactam 1Gm / 1.5 Gm  | INJ.   |
| Ceftazidime 250 / 1Gm  | INJ.   |
| Imipenem + Cilastatin 500 / 1000   | INJ.   |
| Tigecycline 50Mg Vial (For Skin & Skin Structure Inf. & Intra Abdominal Infection) | INJ.   |
| CEFTRIAXONE + SULBACTAM 187.5 / 375 / 750 / 1500                                   | INJ.   |
| CEFTRIAXONE 250 / 500 / 1000 MG  | INJ.   |
| Cefuroxime 250 / 750 / 1500  | INJ.   |
| Aztreonam 1GM SUPERIOR THAN MEROPENEM  | INJ.   |
| Meropenem 125 / 250 / 1 Gm   | INJ.   |
| Tazobactam + Piperillin 4.5Gm  | INJ.   |
| Cefepime 500 / 1Gm + Tazobactam 62.5 Mg / 125 Mg                                   | INJ.   |
| Cefipime 500Mg / 1Gm + Amikacin Sul. 125 / 250 Mg                                  | INJ.   |
| Amoxy + Clav 300 / 1200  | INJ.   |
| <b>AND MANY MORE ALSO AVAILABLE AND CAN MANUFACTURE AS PER UR LIST ALSO</b>        |        |
|  |        |